

Product Guide

GOLD LABEL™ Industrial Belts



GOLD LABEL™

DAYCO®

MOVE FORWARD. ALWAYS.™

GOLD LABEL - Table of Contents


GOLD LABEL Classical	Product Description	2
	Size List	3
GOLD LABEL Narrow	Product Description	15
	Size List	16
GOLD LABEL Wedge	Product Description	19
	Size List	20
GOLD LABEL X Classical	Product Description	33
	Size List	34
GOLD LABEL X Narrow	Product Description	43
	Size List	44
GOLD LABEL X Wedge	Product Description	50
	Size List	51
GOLD LABEL FHP Utility	Product Description	63
	Size List	64
GOLD LABEL Double Angle	Product Description	70
	Size List	71
GOLD LABEL Banded Classical	Product Description	76
	Size List	77
GOLD LABEL Banded Narrow	Product Description	96
	Size List	97
GOLD LABEL Banded Wedge	Product Description	109
	Size List	110
GOLD LABEL X Banded Narrow	Product Description	122
	Size List	123
GOLD LABEL Poly-V	Product Description	130
	Size List	131

GOLD LABEL Classical - Product Description



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
A	13	8	0.115
B	17	11	0.193
C	22	14	0.32
D	32	19	0.669
E	38	25	0.945

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
A	1/2	5/16	0.006
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.053

V-Belt

Part Number Description: **A120GL**

A: Profile (13mm X 8mm)

120: Internal Length (inches)

GL: Gold Label

Features and Benefits:

Fabric Cover: PET/Cotton, CR Impregnated

- Abrasion, wear and Oil Resistance
- Static Conductivity: ISO 1813

Tension Cords: High Modulus Polyester

- Superior Dimensional stability (low stretch and tension decay)
- High resistance to overloads and shock loads

Compression Rubber: SBR/NR Rubber blend

- Resistant to bending stress
- Superior Oil and Heat resistance
- Temperature Range: -35 To +70 C. / -31 To 160 F.

MM: Made for Match

Designed for OEMs

Markets and Applications:

Suitable for all Industrial applications


Pulley Standards: DIN2217 – ISO 4183

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weigth (Kg/m)
A	13	8	0.115
B	17	11	0.193
C	22	14	0.32
D	32	19	0.669
E	38	25	0.945

Imperial			
Section	W - Width (in)	H - Height (in)	Weigth (lb/inches)
A	1/2	5/16	0.006
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.053


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weigth (Kg)	Weigth (lbs)
A15GL	A	381	414	431	15.00	16.30	17.00	0.05	0.11
A16GL	A	406	439	456	16.00	17.30	18.00	0.05	0.12
A17GL	A	432	465	482	17.00	18.30	19.00	0.06	0.12
A18GL	A	457	490	507	18.00	19.30	20.00	0.06	0.13
A19GL	A	483	516	533	19.00	20.30	21.00	0.06	0.14
A20GL	A	508	541	558	20.00	21.30	22.00	0.06	0.14
A21GL	A	533	566	583	21.00	22.30	23.00	0.07	0.15
A22GL	A	559	592	609	22.00	23.30	24.00	0.07	0.15
A23GL	A	584	617	634	23.00	24.30	25.00	0.07	0.16
A24GL	A	610	643	660	24.00	25.30	26.00	0.08	0.17
A25GL	A	635	668	685	25.00	26.30	27.00	0.08	0.17
A26GL	A	660	693	710	26.00	27.30	28.00	0.08	0.18
A27GL	A	686	719	736	27.00	28.30	29.00	0.08	0.19
A28GL	A	711	744	761	28.00	29.30	30.00	0.09	0.19
A29GL	A	737	770	787	29.00	30.30	31.00	0.09	0.20
A30GL	A	762	795	812	30.00	31.30	32.00	0.09	0.21
A31GL	A	787	820	837	31.00	32.30	33.00	0.10	0.21
A32GL	A	813	846	863	32.00	33.30	34.00	0.10	0.22
A33GL	A	838	871	888	33.00	34.30	35.00	0.10	0.23
A34GL	A	864	897	914	34.00	35.30	36.00	0.11	0.23
A35GL	A	889	922	939	35.00	36.30	37.00	0.11	0.24
A36GL	A	914	947	964	36.00	37.30	38.00	0.11	0.24
A37GL	A	940	973	990	37.00	38.30	39.00	0.11	0.25
A38GL	A	965	998	1015	38.00	39.30	40.00	0.12	0.26
A39GL	A	991	1024	1041	39.00	40.30	41.00	0.12	0.26
A40GL	A	1016	1049	1066	40.00	41.30	42.00	0.12	0.27
A41GL	A	1041	1074	1091	41.00	42.30	43.00	0.13	0.28
A42GL	A	1067	1100	1117	42.00	43.30	44.00	0.13	0.28
A43GL	A	1092	1125	1142	43.00	44.30	45.00	0.13	0.29
A44GL	A	1118	1151	1168	44.00	45.30	46.00	0.13	0.30
A45GL	A	1143	1176	1193	45.00	46.30	47.00	0.14	0.30
A46GL	A	1168	1201	1218	46.00	47.30	48.00	0.14	0.31
A47GL	A	1194	1227	1244	47.00	48.30	49.00	0.14	0.32
A48GL	A	1219	1252	1269	48.00	49.30	50.00	0.15	0.32
A49GL	A	1245	1278	1295	49.00	50.30	51.00	0.15	0.33
A50GL	A	1270	1303	1320	50.00	51.30	52.00	0.15	0.33
A51GL	A	1295	1328	1345	51.00	52.30	53.00	0.15	0.34
A52GL	A	1321	1354	1371	52.00	53.30	54.00	0.16	0.35
A53GL	A	1346	1379	1396	53.00	54.30	55.00	0.16	0.35
A54GL	A	1372	1405	1422	54.00	55.30	56.00	0.16	0.36
A55GL	A	1397	1430	1447	55.00	56.30	57.00	0.17	0.37
A56GL	A	1422	1455	1472	56.00	57.30	58.00	0.17	0.37
A57GL	A	1448	1481	1498	57.00	58.30	59.00	0.17	0.38
A58GL	A	1473	1506	1523	58.00	59.30	60.00	0.18	0.39
A59GL	A	1499	1532	1549	59.00	60.30	61.00	0.18	0.39
A60GL	A	1524	1557	1574	60.00	61.30	62.00	0.18	0.40
A61GL	A	1549	1582	1599	61.00	62.30	63.00	0.18	0.41
A62GL	A	1575	1608	1625	62.00	63.30	64.00	0.19	0.41
A63GL	A	1600	1633	1650	63.00	64.30	65.00	0.19	0.42
A64GL	A	1626	1659	1676	64.00	65.30	66.00	0.19	0.43
A65GL	A	1651	1684	1701	65.00	66.30	67.00	0.20	0.43
A66GL	A	1676	1709	1726	66.00	67.30	68.00	0.20	0.44
A67GL	A	1702	1735	1752	67.00	68.30	69.00	0.20	0.44

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weigth (Kg/m)
A	13	8	0.115
B	17	11	0.193
C	22	14	0.32
D	32	19	0.669
E	38	25	0.945

Imperial			
Section	W - Width (in)	H - Height (in)	Weigth (lb/inches)
A	1/2	5/16	0.006
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.053


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weigth (Kg)	Weigth (lbs)
A68GL	A	1727	1760	1777	68.00	69.30	70.00	0.20	0.45
A69GL	A	1753	1786	1803	69.00	70.30	71.00	0.21	0.46
A70GL	A	1778	1811	1828	70.00	71.30	72.00	0.21	0.46
A71GL	A	1803	1836	1853	71.00	72.30	73.00	0.21	0.47
A72GL	A	1829	1862	1879	72.00	73.30	74.00	0.22	0.48
A73GL	A	1854	1887	1904	73.00	74.30	75.00	0.22	0.48
A74GL	A	1880	1913	1930	74.00	75.30	76.00	0.22	0.49
A75GL	A	1905	1938	1955	75.00	76.30	77.00	0.23	0.50
A76GL	A	1930	1963	1980	76.00	77.30	78.00	0.23	0.50
A77GL	A	1956	1989	2006	77.00	78.30	79.00	0.23	0.51
A78GL	A	1981	2014	2031	78.00	79.30	80.00	0.23	0.52
A79GL	A	2007	2040	2057	79.00	80.30	81.00	0.24	0.52
A80GL	A	2032	2065	2082	80.00	81.30	82.00	0.24	0.53
A81GL	A	2057	2090	2107	81.00	82.30	83.00	0.24	0.53
A82GL	A	2083	2116	2133	82.00	83.30	84.00	0.25	0.54
A83GL	A	2108	2141	2158	83.00	84.30	85.00	0.25	0.55
A84GL	A	2134	2167	2184	84.00	85.30	86.00	0.25	0.55
A85GL	A	2159	2192	2209	85.00	86.30	87.00	0.25	0.56
A86GL	A	2184	2217	2234	86.00	87.30	88.00	0.26	0.57
A87GL	A	2210	2243	2260	87.00	88.30	89.00	0.26	0.57
A88GL	A	2235	2268	2285	88.00	89.30	90.00	0.26	0.58
A89GL	A	2261	2294	2311	89.00	90.30	91.00	0.27	0.59
A90GL	A	2286	2319	2336	90.00	91.30	92.00	0.27	0.59
A91GL	A	2311	2344	2361	91.00	92.30	93.00	0.27	0.60
A92GL	A	2337	2370	2387	92.00	93.30	94.00	0.27	0.61
A93GL	A	2362	2395	2412	93.00	94.30	95.00	0.28	0.61
A94GL	A	2388	2421	2438	94.00	95.30	96.00	0.28	0.62
A95GL	A	2413	2446	2463	95.00	96.30	97.00	0.28	0.62
A96GL	A	2438	2471	2488	96.00	97.30	98.00	0.29	0.63
A97GL	A	2464	2497	2514	97.00	98.30	99.00	0.29	0.64
A98GL	A	2489	2522	2539	98.00	99.30	100.00	0.29	0.64
A99GL	A	2515	2548	2565	99.00	100.30	101.00	0.30	0.65
A100GL	A	2540	2573	2590	100.00	101.30	102.00	0.30	0.66
A101GL	A	2565	2598	2615	101.00	102.30	103.00	0.30	0.66
A102GL	A	2591	2624	2641	102.00	103.30	104.00	0.30	0.67
A103GL	A	2616	2649	2666	103.00	104.30	105.00	0.31	0.68
A104GL	A	2642	2675	2692	104.00	105.30	106.00	0.31	0.68
A105GL	A	2667	2700	2717	105.00	106.30	107.00	0.31	0.69
A106GL	A	2692	2725	2742	106.00	107.30	108.00	0.32	0.70
A107GL	A	2718	2751	2768	107.00	108.30	109.00	0.32	0.70
A108GL	A	2743	2776	2793	108.00	109.30	110.00	0.32	0.71
A109GL	A	2769	2802	2819	109.00	110.30	111.00	0.32	0.72
A110GL	A	2794	2827	2844	110.00	111.30	112.00	0.33	0.72
A111GL	A	2819	2852	2869	111.00	112.30	113.00	0.33	0.73
A112GL	A	2845	2878	2895	112.00	113.30	114.00	0.33	0.73
A113GL	A	2870	2903	2920	113.00	114.30	115.00	0.34	0.74
A114GL	A	2896	2929	2946	114.00	115.30	116.00	0.34	0.75
A115GL	A	2921	2954	2971	115.00	116.30	117.00	0.34	0.75
A116GL	A	2946	2979	2996	116.00	117.30	118.00	0.35	0.76
A117GL	A	2972	3005	3022	117.00	118.30	119.00	0.35	0.77
A118GL	A	2997	3030	3047	118.00	119.30	120.00	0.35	0.77
A119GL	A	3023	3056	3073	119.00	120.30	121.00	0.35	0.78
A120GL	A	3048	3081	3098	120.00	121.30	122.00	0.36	0.79

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
A	13	8	0.115
B	17	11	0.193
C	22	14	0.32
D	32	19	0.669
E	38	25	0.945

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
A	1/2	5/16	0.006
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.053


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
A124GL	A	3150	3183	3200	124.00	125.30	126.00	0.37	0.81
A125GL	A	3175	3208	3225	125.00	126.30	127.00	0.37	0.82
A126GL	A	3200	3233	3250	126.00	127.30	128.00	0.37	0.82
A127GL	A	3226	3259	3276	127.00	128.30	129.00	0.38	0.83
A128GL	A	3251	3284	3301	128.00	129.30	130.00	0.38	0.84
A130GL	A	3302	3335	3352	130.00	131.30	132.00	0.39	0.85
A132GL	A	3353	3386	3403	132.00	133.30	134.00	0.39	0.86
A133GL	A	3378	3411	3428	133.00	134.30	135.00	0.39	0.87
A134GL	A	3404	3437	3454	134.00	135.30	136.00	0.40	0.88
A135GL	A	3429	3462	3479	135.00	136.30	137.00	0.40	0.88
A136GL	A	3454	3487	3504	136.00	137.30	138.00	0.40	0.89
A137GL	A	3480	3513	3530	137.00	138.30	139.00	0.41	0.90
A140GL	A	3556	3589	3606	140.00	141.30	142.00	0.42	0.91
A144GL	A	3658	3691	3708	144.00	145.30	146.00	0.43	0.94
A148GL	A	3759	3792	3809	148.00	149.30	150.00	0.44	0.97
A150GL	A	3810	3843	3860	150.00	151.30	152.00	0.44	0.98
A152GL	A	3861	3894	3911	152.00	153.30	154.00	0.45	0.99
A155GL	A	3937	3970	3987	155.00	156.30	157.00	0.46	1.01
A156GL	A	3962	3995	4012	156.00	157.30	158.00	0.46	1.02
A158GL	A	4013	4046	4063	158.00	159.30	160.00	0.47	1.03
A160GL	A	4064	4097	4114	160.00	161.30	162.00	0.47	1.04
A162GL	A	4115	4148	4165	162.00	163.30	164.00	0.48	1.06
A165GL	A	4191	4224	4241	165.00	166.30	167.00	0.49	1.08
A166GL	A	4216	4249	4266	166.00	167.30	168.00	0.49	1.08
A167GL	A	4242	4275	4292	167.00	168.30	169.00	0.49	1.09
A173GL	A	4394	4427	4444	173.00	174.30	175.00	0.51	1.13
A180GL	A	4572	4605	4622	180.00	181.30	182.00	0.53	1.17
A187GL	A	4750	4783	4800	187.00	188.30	189.00	0.55	1.22
A197GL	A	5004	5037	5054	197.00	198.30	199.00	0.58	1.28
A224.5GL	A	5702	5735	5752	224.50	225.80	226.50	0.66	1.46
A225GL	A	5715	5748	5765	225.00	226.30	227.00	0.66	1.46
A225.5GL	A	5728	5761	5778	225.50	226.80	227.50	0.67	1.47
A226GL	A	5740	5773	5790	226.00	227.30	228.00	0.67	1.47
A226.5GL	A	5753	5786	5803	226.50	227.80	228.50	0.67	1.47
A227GL	A	5766	5799	5816	227.00	228.30	229.00	0.67	1.48
A227.5GL	A	5779	5812	5829	227.50	228.80	229.50	0.67	1.48
A228GL	A	5791	5824	5841	228.00	229.30	230.00	0.67	1.48
A228.5GL	A	5804	5837	5854	228.50	229.80	230.50	0.67	1.48
A229GL	A	5817	5850	5867	229.00	230.30	231.00	0.68	1.49
A229.5GL	A	5829	5862	5879	229.50	230.80	231.50	0.68	1.49
A230GL	A	5842	5875	5892	230.00	231.30	232.00	0.68	1.49
A230.5GL	A	5855	5888	5905	230.50	231.80	232.50	0.68	1.50
A231GL	A	5867	5900	5917	231.00	232.30	233.00	0.68	1.50
A231.5GL	A	5880	5913	5930	231.50	232.80	233.50	0.68	1.50
A232GL	A	5893	5926	5943	232.00	233.30	234.00	0.68	1.51
A232.5GL	A	5906	5939	5956	232.50	233.80	234.50	0.69	1.51
A233GL	A	5918	5951	5968	233.00	234.30	235.00	0.69	1.51
A233.5GL	A	5931	5964	5981	233.50	234.80	235.50	0.69	1.52
A234GL	A	5944	5977	5994	234.00	235.30	236.00	0.69	1.52
A234.5GL	A	5956	5989	6006	234.50	235.80	236.50	0.69	1.52
A235GL	A	5969	6002	6019	235.00	236.30	237.00	0.69	1.53
A235.5GL	A	5982	6015	6032	235.50	236.80	237.50	0.69	1.53
A236GL	A	5994	6027	6044	236.00	237.30	238.00	0.70	1.53

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weigth (Kg/m)
A	13	8	0.115
B	17	11	0.193
C	22	14	0.32
D	32	19	0.669
E	38	25	0.945

Imperial			
Section	W - Width (in)	H - Height (in)	Weigth (lb/inches)
A	1/2	5/16	0.006
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.053


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weigth (Kg)	Weigth (lbs)
A236.5GL	A	6007	6040	6057	236.50	237.80	238.50	0.70	1.54
A237GL	A	6020	6053	6070	237.00	238.30	239.00	0.70	1.54
A237.5GL	A	6033	6066	6083	237.50	238.80	239.50	0.70	1.54
A238GL	A	6045	6078	6095	238.00	239.30	240.00	0.70	1.55
A238.5GL	A	6058	6091	6108	238.50	239.80	240.50	0.70	1.55
B22GL	B	559	599	628	22.00	23.60	24.75	0.12	0.27
B23GL	B	584	624	653	23.00	24.60	25.75	0.13	0.28
B24GL	B	610	650	679	24.00	25.60	26.75	0.13	0.29
B25GL	B	635	675	704	25.00	26.60	27.75	0.14	0.30
B26GL	B	660	700	729	26.00	27.60	28.75	0.14	0.31
B27GL	B	686	726	755	27.00	28.60	29.75	0.15	0.32
B28GL	B	711	751	780	28.00	29.60	30.75	0.15	0.33
B29GL	B	737	777	806	29.00	30.60	31.75	0.16	0.34
B30GL	B	762	802	831	30.00	31.60	32.75	0.16	0.35
B31GL	B	787	827	856	31.00	32.60	33.75	0.16	0.36
B32GL	B	813	853	882	32.00	33.60	34.75	0.17	0.37
B33GL	B	838	878	907	33.00	34.60	35.75	0.17	0.39
B34GL	B	864	904	933	34.00	35.60	36.75	0.18	0.40
B35GL	B	889	929	958	35.00	36.60	37.75	0.18	0.41
B36GL	B	914	954	983	36.00	37.60	38.75	0.19	0.42
B37GL	B	940	980	1009	37.00	38.60	39.75	0.19	0.43
B38GL	B	965	1005	1034	38.00	39.60	40.75	0.20	0.44
B39GL	B	991	1031	1060	39.00	40.60	41.75	0.20	0.45
B40GL	B	1016	1056	1085	40.00	41.60	42.75	0.21	0.46
B41GL	B	1041	1081	1110	41.00	42.60	43.75	0.21	0.47
B42GL	B	1067	1107	1136	42.00	43.60	44.75	0.22	0.48
B43GL	B	1092	1132	1161	43.00	44.60	45.75	0.22	0.49
B44GL	B	1118	1158	1187	44.00	45.60	46.75	0.23	0.50
B45GL	B	1143	1183	1212	45.00	46.60	47.75	0.23	0.51
B46GL	B	1168	1208	1237	46.00	47.60	48.75	0.24	0.53
B47GL	B	1194	1234	1263	47.00	48.60	49.75	0.24	0.54
B48GL	B	1219	1259	1288	48.00	49.60	50.75	0.25	0.55
B49GL	B	1245	1285	1314	49.00	50.60	51.75	0.25	0.56
B50GL	B	1270	1310	1339	50.00	51.60	52.75	0.26	0.57
B51GL	B	1295	1335	1364	51.00	52.60	53.75	0.26	0.58
B52GL	B	1321	1361	1390	52.00	53.60	54.75	0.27	0.59
B53GL	B	1346	1386	1415	53.00	54.60	55.75	0.27	0.60
B54GL	B	1372	1412	1441	54.00	55.60	56.75	0.28	0.61
B55GL	B	1397	1437	1466	55.00	56.60	57.75	0.28	0.62
B56GL	B	1422	1462	1491	56.00	57.60	58.75	0.29	0.63
B57GL	B	1448	1488	1517	57.00	58.60	59.75	0.29	0.64
B58GL	B	1473	1513	1542	58.00	59.60	60.75	0.30	0.65
B59GL	B	1499	1539	1568	59.00	60.60	61.75	0.30	0.67
B60GL	B	1524	1564	1593	60.00	61.60	62.75	0.31	0.68
B61GL	B	1549	1589	1618	61.00	62.60	63.75	0.31	0.69
B62GL	B	1575	1615	1644	62.00	63.60	64.75	0.32	0.70
B63GL	B	1600	1640	1669	63.00	64.60	65.75	0.32	0.71
B64GL	B	1626	1666	1695	64.00	65.60	66.75	0.33	0.72
B65GL	B	1651	1691	1720	65.00	66.60	67.75	0.33	0.73
B66GL	B	1676	1716	1745	66.00	67.60	68.75	0.34	0.74
B67GL	B	1702	1742	1771	67.00	68.60	69.75	0.34	0.75
B68GL	B	1727	1767	1796	68.00	69.60	70.75	0.35	0.76
B69GL	B	1753	1793	1822	69.00	70.60	71.75	0.35	0.77

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weigth (Kg/m)
A	13	8	0.115
B	17	11	0.193
C	22	14	0.32
D	32	19	0.669
E	38	25	0.945

Imperial			
Section	W - Width (in)	H - Height (in)	Weigth (lb/inches)
A	1/2	5/16	0.006
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.053


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weigth (Kg)	Weigth (lbs)
B70GL	B	1778	1818	1847	70.00	71.60	72.75	0.36	0.78
B71GL	B	1803	1843	1872	71.00	72.60	73.75	0.36	0.79
B72GL	B	1829	1869	1898	72.00	73.60	74.75	0.37	0.81
B73GL	B	1854	1894	1923	73.00	74.60	75.75	0.37	0.82
B74GL	B	1880	1920	1949	74.00	75.60	76.75	0.38	0.83
B75GL	B	1905	1945	1974	75.00	76.60	77.75	0.38	0.84
B76GL	B	1930	1970	1999	76.00	77.60	78.75	0.39	0.85
B77GL	B	1956	1996	2025	77.00	78.60	79.75	0.39	0.86
B78GL	B	1981	2021	2050	78.00	79.60	80.75	0.40	0.87
B79GL	B	2007	2047	2076	79.00	80.60	81.75	0.40	0.88
B80GL	B	2032	2072	2101	80.00	81.60	82.75	0.40	0.89
B81GL	B	2057	2097	2126	81.00	82.60	83.75	0.41	0.90
B82GL	B	2083	2123	2152	82.00	83.60	84.75	0.41	0.91
B83GL	B	2108	2148	2177	83.00	84.60	85.75	0.42	0.92
B84GL	B	2134	2174	2203	84.00	85.60	86.75	0.42	0.94
B85GL	B	2159	2199	2228	85.00	86.60	87.75	0.43	0.95
B86GL	B	2184	2224	2253	86.00	87.60	88.75	0.43	0.96
B87GL	B	2210	2250	2279	87.00	88.60	89.75	0.44	0.97
B88GL	B	2235	2275	2304	88.00	89.60	90.75	0.44	0.98
B89GL	B	2261	2301	2330	89.00	90.60	91.75	0.45	0.99
B90GL	B	2286	2326	2355	90.00	91.60	92.75	0.45	1.00
B91GL	B	2311	2351	2380	91.00	92.60	93.75	0.46	1.01
B92GL	B	2337	2377	2406	92.00	93.60	94.75	0.46	1.02
B93GL	B	2362	2402	2431	93.00	94.60	95.75	0.47	1.03
B94GL	B	2388	2428	2457	94.00	95.60	96.75	0.47	1.04
B95GL	B	2413	2453	2482	95.00	96.60	97.75	0.48	1.05
B96GL	B	2438	2478	2507	96.00	97.60	98.75	0.48	1.06
B97GL	B	2464	2504	2533	97.00	98.60	99.75	0.49	1.08
B98GL	B	2489	2529	2558	98.00	99.60	100.75	0.49	1.09
B99GL	B	2515	2555	2584	99.00	100.60	101.75	0.50	1.10
B100GL	B	2540	2580	2609	100.00	101.60	102.75	0.50	1.11
B101GL	B	2565	2605	2634	101.00	102.60	103.75	0.51	1.12
B102GL	B	2591	2631	2660	102.00	103.60	104.75	0.51	1.13
B103GL	B	2616	2656	2685	103.00	104.60	105.75	0.52	1.14
B104GL	B	2642	2682	2711	104.00	105.60	106.75	0.52	1.15
B105GL	B	2667	2707	2736	105.00	106.60	107.75	0.53	1.16
B106GL	B	2692	2732	2761	106.00	107.60	108.75	0.53	1.17
B107GL	B	2718	2758	2787	107.00	108.60	109.75	0.54	1.18
B108GL	B	2743	2783	2812	108.00	109.60	110.75	0.54	1.19
B109GL	B	2769	2809	2838	109.00	110.60	111.75	0.55	1.20
B110GL	B	2794	2834	2863	110.00	111.60	112.75	0.55	1.22
B111GL	B	2819	2859	2888	111.00	112.60	113.75	0.56	1.23
B112GL	B	2845	2885	2914	112.00	113.60	114.75	0.56	1.24
B113GL	B	2870	2910	2939	113.00	114.60	115.75	0.57	1.25
B114GL	B	2896	2936	2965	114.00	115.60	116.75	0.57	1.26
B115GL	B	2921	2961	2990	115.00	116.60	117.75	0.58	1.27
B116GL	B	2946	2986	3015	116.00	117.60	118.75	0.58	1.28
B117GL	B	2972	3012	3041	117.00	118.60	119.75	0.59	1.29
B118GL	B	2997	3037	3066	118.00	119.60	120.75	0.59	1.30
B119GL	B	3023	3063	3092	119.00	120.60	121.75	0.60	1.31
B120GL	B	3048	3088	3117	120.00	121.60	122.75	0.60	1.32
B121GL	B	3073	3113	3142	121.00	122.60	123.75	0.61	1.33
B122GL	B	3099	3139	3168	122.00	123.60	124.75	0.61	1.35

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weigth (Kg/m)
A	13	8	0.115
B	17	11	0.193
C	22	14	0.32
D	32	19	0.669
E	38	25	0.945

Imperial			
Section	W - Width (in)	H - Height (in)	Weigth (lb/inches)
A	1/2	5/16	0.006
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.053


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weigth (Kg)	Weigth (lbs)
B123GL	B	3124	3164	3193	123.00	124.60	125.75	0.62	1.36
B124GL	B	3150	3190	3219	124.00	125.60	126.75	0.62	1.37
B125GL	B	3175	3215	3244	125.00	126.60	127.75	0.63	1.38
B126GL	B	3200	3240	3269	126.00	127.60	128.75	0.63	1.39
B127GL	B	3226	3266	3295	127.00	128.60	129.75	0.64	1.40
B128GL	B	3251	3291	3320	128.00	129.60	130.75	0.64	1.41
B130GL	B	3302	3342	3371	130.00	131.60	132.75	0.65	1.43
B131GL	B	3327	3367	3396	131.00	132.60	133.75	0.65	1.44
B132GL	B	3353	3393	3422	132.00	133.60	134.75	0.66	1.45
B133GL	B	3378	3418	3447	133.00	134.60	135.75	0.66	1.46
B134GL	B	3404	3444	3473	134.00	135.60	136.75	0.67	1.47
B135GL	B	3429	3469	3498	135.00	136.60	137.75	0.67	1.49
B136GL	B	3454	3494	3523	136.00	137.60	138.75	0.68	1.50
B137GL	B	3480	3520	3549	137.00	138.60	139.75	0.68	1.51
B138GL	B	3505	3545	3574	138.00	139.60	140.75	0.69	1.52
B139GL	B	3531	3571	3600	139.00	140.60	141.75	0.69	1.53
B140GL	B	3556	3596	3625	140.00	141.60	142.75	0.70	1.54
B141GL	B	3581	3621	3650	141.00	142.60	143.75	0.70	1.55
B142GL	B	3607	3647	3676	142.00	143.60	144.75	0.71	1.56
B143GL	B	3632	3672	3701	143.00	144.60	145.75	0.71	1.57
B144GL	B	3658	3698	3727	144.00	145.60	146.75	0.72	1.58
B145GL	B	3683	3723	3752	145.00	146.60	147.75	0.72	1.59
B146GL	B	3708	3748	3777	146.00	147.60	148.75	0.73	1.60
B147GL	B	3734	3774	3803	147.00	148.60	149.75	0.73	1.61
B148GL	B	3759	3799	3828	148.00	149.60	150.75	0.74	1.63
B149GL	B	3785	3825	3854	149.00	150.60	151.75	0.74	1.64
B150GL	B	3810	3850	3879	150.00	151.60	152.75	0.75	1.65
B151GL	B	3835	3875	3904	151.00	152.60	153.75	0.75	1.66
B152GL	B	3861	3901	3930	152.00	153.60	154.75	0.76	1.67
B153GL	B	3886	3926	3955	153.00	154.60	155.75	0.76	1.68
B154GL	B	3912	3952	3981	154.00	155.60	156.75	0.77	1.69
B155GL	B	3937	3977	4006	155.00	156.60	157.75	0.77	1.70
B156GL	B	3962	4002	4031	156.00	157.60	158.75	0.78	1.71
B157GL	B	3988	4028	4057	157.00	158.60	159.75	0.78	1.72
B158GL	B	4013	4053	4082	158.00	159.60	160.75	0.79	1.73
B159GL	B	4039	4079	4108	159.00	160.60	161.75	0.79	1.74
B160GL	B	4064	4104	4133	160.00	161.60	162.75	0.80	1.75
B162GL	B	4115	4155	4184	162.00	163.60	164.75	0.81	1.78
B163GL	B	4140	4180	4209	163.00	164.60	165.75	0.81	1.79
B164GL	B	4166	4206	4235	164.00	165.60	166.75	0.82	1.80
B165GL	B	4191	4231	4260	165.00	166.60	167.75	0.82	1.81
B166GL	B	4216	4256	4285	166.00	167.60	168.75	0.83	1.82
B167GL	B	4242	4282	4311	167.00	168.60	169.75	0.83	1.83
B168GL	B	4267	4307	4336	168.00	169.60	170.75	0.84	1.84
B170GL	B	4318	4358	4387	170.00	171.60	172.75	0.85	1.86
B172GL	B	4369	4409	4438	172.00	173.60	174.75	0.86	1.88
B173GL	B	4394	4434	4463	173.00	174.60	175.75	0.86	1.89
B174GL	B	4420	4460	4489	174.00	175.60	176.75	0.87	1.91
B175GL	B	4445	4485	4514	175.00	176.60	177.75	0.87	1.92
B177GL	B	4496	4536	4565	177.00	178.60	179.75	0.88	1.94
B178GL	B	4521	4561	4590	178.00	179.60	180.75	0.88	1.95
B180GL	B	4572	4612	4641	180.00	181.60	182.75	0.89	1.97
B182GL	B	4623	4663	4692	182.00	183.60	184.75	0.90	1.99

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weigth (Kg/m)
A	13	8	0.115
B	17	11	0.193
C	22	14	0.32
D	32	19	0.669
E	38	25	0.945

Imperial			
Section	W - Width (in)	H - Height (in)	Weigth (lb/inches)
A	1/2	5/16	0.006
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.053


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weigth (Kg)	Weigth (lbs)
B184GL	B	4674	4714	4743	184.00	185.60	186.75	0.91	2.01
B185GL	B	4699	4739	4768	185.00	186.60	187.75	0.92	2.02
B187GL	B	4750	4790	4819	187.00	188.60	189.75	0.93	2.05
B188GL	B	4775	4815	4844	188.00	189.60	190.75	0.93	2.06
B190GL	B	4826	4866	4895	190.00	191.60	192.75	0.94	2.08
B191GL	B	4851	4891	4920	191.00	192.60	193.75	0.95	2.09
B192GL	B	4877	4917	4946	192.00	193.60	194.75	0.95	2.10
B195GL	B	4953	4993	5022	195.00	196.60	197.75	0.97	2.13
B197GL	B	5004	5044	5073	197.00	198.60	199.75	0.98	2.15
B199GL	B	5055	5095	5124	199.00	200.60	201.75	0.99	2.18
B200GL	B	5080	5120	5149	200.00	201.60	202.75	0.99	2.19
B204GL	B	5182	5222	5251	204.00	205.60	206.75	1.01	2.23
B205GL	B	5207	5247	5276	205.00	206.60	207.75	1.02	2.24
B210GL	B	5334	5374	5403	210.00	211.60	212.75	1.04	2.29
B215GL	B	5461	5501	5530	215.00	216.60	217.75	1.07	2.35
B220GL	B	5588	5628	5657	220.00	221.60	222.75	1.09	2.40
B223GL	B	5664	5704	5733	223.00	224.60	225.75	1.11	2.43
B225GL	B	5715	5755	5784	225.00	226.60	227.75	1.11	2.46
B228GL	B	5791	5831	5860	228.00	229.60	230.75	1.13	2.49
B229GL	B	5817	5857	5886	229.00	230.60	231.75	1.13	2.50
B236GL	B	5994	6034	6063	236.00	237.60	238.75	1.17	2.57
B238GL	B	6045	6085	6114	238.00	239.60	240.75	1.18	2.60
B240GL	B	6096	6136	6165	240.00	241.60	242.75	1.19	2.62
B248GL	B	6299	6339	6368	248.00	249.60	250.75	1.23	2.70
B249GL	B	6325	6365	6394	249.00	250.60	251.75	1.23	2.71
B253GL	B	6426	6466	6495	253.00	254.60	255.75	1.25	2.76
B255GL	B	6477	6517	6546	255.00	256.60	257.75	1.26	2.78
B270GL	B	6858	6898	6927	270.00	271.60	272.75	1.34	2.94
B275GL	B	6985	7025	7054	275.00	276.60	277.75	1.36	2.99
B276GL	B	7010	7050	7079	276.00	277.60	278.75	1.36	3.01
B280GL	B	7112	7152	7181	280.00	281.60	282.75	1.38	3.05
B285GL	B	7239	7279	7308	285.00	286.60	287.75	1.41	3.10
B292GL	B	7417	7457	7486	292.00	293.60	294.75	1.44	3.18
B300GL	B	7620	7660	7689	300.00	301.60	302.75	1.48	3.26
B315GL	B	8001	8041	8070	315.00	316.60	317.75	1.56	3.43
B330GL	B	8382	8422	8451	330.00	331.60	332.75	1.63	3.59
B345GL	B	8763	8803	8832	345.00	346.60	347.75	1.70	3.75
B355GL	B	9017	9057	9086	355.00	356.60	357.75	1.75	3.86
B360GL	B	9144	9184	9213	360.00	361.60	362.75	1.78	3.91
C46GL	C	1168	1227	1256	46.00	48.35	49.50	0.40	0.89
C47GL	C	1194	1253	1282	47.00	49.35	50.50	0.41	0.90
C48GL	C	1219	1278	1307	48.00	50.35	51.50	0.42	0.92
C49GL	C	1245	1304	1333	49.00	51.35	52.50	0.43	0.94
C50GL	C	1270	1329	1358	50.00	52.35	53.50	0.43	0.96
C51GL	C	1295	1354	1383	51.00	53.35	54.50	0.44	0.98
C52GL	C	1321	1380	1409	52.00	54.35	55.50	0.45	0.99
C53GL	C	1346	1405	1434	53.00	55.35	56.50	0.46	1.01
C54GL	C	1372	1431	1460	54.00	56.35	57.50	0.47	1.03
C55GL	C	1397	1456	1485	55.00	57.35	58.50	0.48	1.05
C56GL	C	1422	1481	1510	56.00	58.35	59.50	0.48	1.06
C57GL	C	1448	1507	1536	57.00	59.35	60.50	0.49	1.08
C58GL	C	1473	1532	1561	58.00	60.35	61.50	0.50	1.10
C59GL	C	1499	1558	1587	59.00	61.35	62.50	0.51	1.12

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weigth (Kg/m)
A	13	8	0.115
B	17	11	0.193
C	22	14	0.32
D	32	19	0.669
E	38	25	0.945

Imperial			
Section	W - Width (in)	H - Height (in)	Weigth (lb/inches)
A	1/2	5/16	0.006
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.053


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weigth (Kg)	Weigth (lbs)
C60GL	C	1524	1583	1612	60.00	62.35	63.50	0.52	1.14
C61GL	C	1549	1608	1637	61.00	63.35	64.50	0.52	1.15
C62GL	C	1575	1634	1663	62.00	64.35	65.50	0.53	1.17
C63GL	C	1600	1659	1688	63.00	65.35	66.50	0.54	1.19
C64GL	C	1626	1685	1714	64.00	66.35	67.50	0.55	1.21
C65GL	C	1651	1710	1739	65.00	67.35	68.50	0.56	1.23
C66GL	C	1676	1735	1764	66.00	68.35	69.50	0.56	1.24
C67GL	C	1702	1761	1790	67.00	69.35	70.50	0.57	1.26
C68GL	C	1727	1786	1815	68.00	70.35	71.50	0.58	1.28
C69GL	C	1753	1812	1841	69.00	71.35	72.50	0.59	1.30
C70GL	C	1778	1837	1866	70.00	72.35	73.50	0.60	1.32
C71GL	C	1803	1862	1891	71.00	73.35	74.50	0.61	1.33
C72GL	C	1829	1888	1917	72.00	74.35	75.50	0.61	1.35
C73GL	C	1854	1913	1942	73.00	75.35	76.50	0.62	1.37
C74GL	C	1880	1939	1968	74.00	76.35	77.50	0.63	1.39
C75GL	C	1905	1964	1993	75.00	77.35	78.50	0.64	1.41
C76GL	C	1930	1989	2018	76.00	78.35	79.50	0.65	1.42
C77GL	C	1956	2015	2044	77.00	79.35	80.50	0.65	1.44
C78GL	C	1981	2040	2069	78.00	80.35	81.50	0.66	1.46
C79GL	C	2007	2066	2095	79.00	81.35	82.50	0.67	1.48
C80GL	C	2032	2091	2120	80.00	82.35	83.50	0.68	1.49
C81GL	C	2057	2116	2145	81.00	83.35	84.50	0.69	1.51
C82GL	C	2083	2142	2171	82.00	84.35	85.50	0.69	1.53
C83GL	C	2108	2167	2196	83.00	85.35	86.50	0.70	1.55
C84GL	C	2134	2193	2222	84.00	86.35	87.50	0.71	1.57
C85GL	C	2159	2218	2247	85.00	87.35	88.50	0.72	1.58
C86GL	C	2184	2243	2272	86.00	88.35	89.50	0.73	1.60
C87GL	C	2210	2269	2298	87.00	89.35	90.50	0.74	1.62
C88GL	C	2235	2294	2323	88.00	90.35	91.50	0.74	1.64
C89GL	C	2261	2320	2349	89.00	91.35	92.50	0.75	1.66
C90GL	C	2286	2345	2374	90.00	92.35	93.50	0.76	1.67
C91GL	C	2311	2370	2399	91.00	93.35	94.50	0.77	1.69
C92GL	C	2337	2396	2425	92.00	94.35	95.50	0.78	1.71
C93GL	C	2362	2421	2450	93.00	95.35	96.50	0.78	1.73
C94GL	C	2388	2447	2476	94.00	96.35	97.50	0.79	1.75
C95GL	C	2413	2472	2501	95.00	97.35	98.50	0.80	1.76
C96GL	C	2438	2497	2526	96.00	98.35	99.50	0.81	1.78
C97GL	C	2464	2523	2552	97.00	99.35	100.50	0.82	1.80
C98GL	C	2489	2548	2577	98.00	100.35	101.50	0.82	1.82
C99GL	C	2515	2574	2603	99.00	101.35	102.50	0.83	1.84
C100GL	C	2540	2599	2628	100.00	102.35	103.50	0.84	1.85
C101GL	C	2565	2624	2653	101.00	103.35	104.50	0.85	1.87
C102GL	C	2591	2650	2679	102.00	104.35	105.50	0.86	1.89
C103GL	C	2616	2675	2704	103.00	105.35	106.50	0.87	1.91
C104GL	C	2642	2701	2730	104.00	106.35	107.50	0.87	1.92
C105GL	C	2667	2726	2755	105.00	107.35	108.50	0.88	1.94
C106GL	C	2692	2751	2780	106.00	108.35	109.50	0.89	1.96
C107GL	C	2718	2777	2806	107.00	109.35	110.50	0.90	1.98
C108GL	C	2743	2802	2831	108.00	110.35	111.50	0.91	2.00
C109GL	C	2769	2828	2857	109.00	111.35	112.50	0.91	2.01
C110GL	C	2794	2853	2882	110.00	112.35	113.50	0.92	2.03
C111GL	C	2819	2878	2907	111.00	113.35	114.50	0.93	2.05
C112GL	C	2845	2904	2933	112.00	114.35	115.50	0.94	2.07

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weigth (Kg/m)
A	13	8	0.115
B	17	11	0.193
C	22	14	0.32
D	32	19	0.669
E	38	25	0.945

Imperial			
Section	W - Width (in)	H - Height (in)	Weigth (lb/inches)
A	1/2	5/16	0.006
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.053


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weigth (Kg)	Weigth (lbs)
C113GL	C	2870	2929	2958	113.00	115.35	116.50	0.95	2.09
C114GL	C	2896	2955	2984	114.00	116.35	117.50	0.96	2.10
C115GL	C	2921	2980	3009	115.00	117.35	118.50	0.96	2.12
C116GL	C	2946	3005	3034	116.00	118.35	119.50	0.97	2.14
C117GL	C	2972	3031	3060	117.00	119.35	120.50	0.98	2.16
C118GL	C	2997	3056	3085	118.00	120.35	121.50	0.99	2.17
C119GL	C	3023	3082	3111	119.00	121.35	122.50	1.00	2.19
C120GL	C	3048	3107	3136	120.00	122.35	123.50	1.00	2.21
C121GL	C	3073	3132	3161	121.00	123.35	124.50	1.01	2.23
C122GL	C	3099	3158	3187	122.00	124.35	125.50	1.02	2.25
C123GL	C	3124	3183	3212	123.00	125.35	126.50	1.03	2.26
C124GL	C	3150	3209	3238	124.00	126.35	127.50	1.04	2.28
C125GL	C	3175	3234	3263	125.00	127.35	128.50	1.04	2.30
C126GL	C	3200	3259	3288	126.00	128.35	129.50	1.05	2.32
C127GL	C	3226	3285	3314	127.00	129.35	130.50	1.06	2.34
C128GL	C	3251	3310	3339	128.00	130.35	131.50	1.07	2.35
C129GL	C	3277	3336	3365	129.00	131.35	132.50	1.08	2.37
C130GL	C	3302	3361	3390	130.00	132.35	133.50	1.09	2.39
C131GL	C	3327	3386	3415	131.00	133.35	134.50	1.09	2.41
C132GL	C	3353	3412	3441	132.00	134.35	135.50	1.10	2.43
C133GL	C	3378	3437	3466	133.00	135.35	136.50	1.11	2.44
C134GL	C	3404	3463	3492	134.00	136.35	137.50	1.12	2.46
C135GL	C	3429	3488	3517	135.00	137.35	138.50	1.13	2.48
C136GL	C	3454	3513	3542	136.00	138.35	139.50	1.13	2.50
C138GL	C	3505	3564	3593	138.00	140.35	141.50	1.15	2.53
C140GL	C	3556	3615	3644	140.00	142.35	143.50	1.17	2.57
C142GL	C	3607	3666	3695	142.00	144.35	145.50	1.18	2.61
C143GL	C	3632	3691	3720	143.00	145.35	146.50	1.19	2.62
C144GL	C	3658	3717	3746	144.00	146.35	147.50	1.20	2.64
C145GL	C	3683	3742	3771	145.00	147.35	148.50	1.21	2.66
C146GL	C	3708	3767	3796	146.00	148.35	149.50	1.22	2.68
C147GL	C	3734	3793	3822	147.00	149.35	150.50	1.22	2.69
C148GL	C	3759	3818	3847	148.00	150.35	151.50	1.23	2.71
C149GL	C	3785	3844	3873	149.00	151.35	152.50	1.24	2.73
C150GL	C	3810	3869	3898	150.00	152.35	153.50	1.25	2.75
C151GL	C	3835	3894	3923	151.00	153.35	154.50	1.26	2.77
C152GL	C	3861	3920	3949	152.00	154.35	155.50	1.26	2.78
C153GL	C	3886	3945	3974	153.00	155.35	156.50	1.27	2.80
C154GL	C	3912	3971	4000	154.00	156.35	157.50	1.28	2.82
C155GL	C	3937	3996	4025	155.00	157.35	158.50	1.29	2.84
C156GL	C	3962	4021	4050	156.00	158.35	159.50	1.30	2.86
C158GL	C	4013	4072	4101	158.00	160.35	161.50	1.31	2.89
C159GL	C	4039	4098	4127	159.00	161.35	162.50	1.32	2.91
C160GL	C	4064	4123	4152	160.00	162.35	163.50	1.33	2.93
C161GL	C	4089	4148	4177	161.00	163.35	164.50	1.34	2.94
C162GL	C	4115	4174	4203	162.00	164.35	165.50	1.35	2.96
C163GL	C	4140	4199	4228	163.00	165.35	166.50	1.35	2.98
C164GL	C	4166	4225	4254	164.00	166.35	167.50	1.36	3.00
C165GL	C	4191	4250	4279	165.00	167.35	168.50	1.37	3.02
C166GL	C	4216	4275	4304	166.00	168.35	169.50	1.38	3.03
C167GL	C	4242	4301	4330	167.00	169.35	170.50	1.39	3.05
C168GL	C	4267	4326	4355	168.00	170.35	171.50	1.39	3.07
C169GL	C	4293	4352	4381	169.00	171.35	172.50	1.40	3.09

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
A	13	8	0.115
B	17	11	0.193
C	22	14	0.32
D	32	19	0.669
E	38	25	0.945

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
A	1/2	5/16	0.006
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.053


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
C170GL	C	4318	4377	4406	170.00	172.35	173.50	1.41	3.11
C172GL	C	4369	4428	4457	172.00	174.35	175.50	1.43	3.14
C173GL	C	4394	4453	4482	173.00	175.35	176.50	1.43	3.16
C175GL	C	4445	4504	4533	175.00	177.35	178.50	1.45	3.20
C177GL	C	4496	4555	4584	177.00	179.35	180.50	1.47	3.23
C178GL	C	4521	4580	4609	178.00	180.35	181.50	1.48	3.25
C180GL	C	4572	4631	4660	180.00	182.35	183.50	1.49	3.29
C181GL	C	4597	4656	4685	181.00	183.35	184.50	1.50	3.30
C182GL	C	4623	4682	4711	182.00	184.35	185.50	1.51	3.32
C183GL	C	4648	4707	4736	183.00	185.35	186.50	1.52	3.34
C184GL	C	4674	4733	4762	184.00	186.35	187.50	1.52	3.36
C185GL	C	4699	4758	4787	185.00	187.35	188.50	1.53	3.37
C187GL	C	4750	4809	4838	187.00	189.35	190.50	1.55	3.41
C188GL	C	4775	4834	4863	188.00	190.35	191.50	1.56	3.43
C189GL	C	4801	4860	4889	189.00	191.35	192.50	1.56	3.45
C190GL	C	4826	4885	4914	190.00	192.35	193.50	1.57	3.46
C192GL	C	4877	4936	4965	192.00	194.35	195.50	1.59	3.50
C193GL	C	4902	4961	4990	193.00	195.35	196.50	1.60	3.52
C195GL	C	4953	5012	5041	195.00	197.35	198.50	1.61	3.55
C196GL	C	4978	5037	5066	196.00	198.35	199.50	1.62	3.57
C197GL	C	5004	5063	5092	197.00	199.35	200.50	1.63	3.59
C198GL	C	5029	5088	5117	198.00	200.35	201.50	1.64	3.61
C200GL	C	5080	5139	5168	200.00	202.35	203.50	1.65	3.64
C202GL	C	5131	5190	5219	202.00	204.35	205.50	1.67	3.68
C204GL	C	5182	5241	5270	204.00	206.35	207.50	1.69	3.72
C205GL	C	5207	5266	5295	205.00	207.35	208.50	1.69	3.73
C207GL	C	5258	5317	5346	207.00	209.35	210.50	1.71	3.77
C208GL	C	5283	5342	5371	208.00	210.35	211.50	1.72	3.79
C210GL	C	5334	5393	5422	210.00	212.35	213.50	1.74	3.82
C212GL	C	5385	5444	5473	212.00	214.35	215.50	1.75	3.86
C215GL	C	5461	5520	5549	215.00	217.35	218.50	1.78	3.91
C218GL	C	5537	5596	5625	218.00	220.35	221.50	1.80	3.97
C220GL	C	5588	5647	5676	220.00	222.35	223.50	1.82	4.00
C225GL	C	5715	5774	5803	225.00	227.35	228.50	1.86	4.09
C228GL	C	5791	5850	5879	228.00	230.35	231.50	1.88	4.14
C230GL	C	5842	5901	5930	230.00	232.35	233.50	1.90	4.18
C232GL	C	5893	5952	5981	232.00	234.35	235.50	1.91	4.22
C238GL	C	6045	6104	6133	238.00	240.35	241.50	1.96	4.32
C240GL	C	6096	6155	6184	240.00	242.35	243.50	1.98	4.36
C242GL	C	6147	6206	6235	242.00	244.35	245.50	2.00	4.40
C245GL	C	6223	6282	6311	245.00	247.35	248.50	2.02	4.45
C246GL	C	6248	6307	6336	246.00	248.35	249.50	2.03	4.47
C248GL	C	6299	6358	6387	248.00	250.35	251.50	2.04	4.50
C250GL	C	6350	6409	6438	250.00	252.35	253.50	2.06	4.54
C255GL	C	6477	6536	6565	255.00	257.35	258.50	2.10	4.63
C262GL	C	6655	6714	6743	262.00	264.35	265.50	2.16	4.75
C264GL	C	6706	6765	6794	264.00	266.35	267.50	2.17	4.79
C265GL	C	6731	6790	6819	265.00	267.35	268.50	2.18	4.81
C270GL	C	6858	6917	6946	270.00	272.35	273.50	2.22	4.90
C276GL	C	7010	7069	7098	276.00	278.35	279.50	2.27	5.00
C280GL	C	7112	7171	7200	280.00	282.35	283.50	2.30	5.08
C285GL	C	7239	7298	7327	285.00	287.35	288.50	2.35	5.17
C295GL	C	7493	7552	7581	295.00	297.35	298.50	2.43	5.34

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weigth (Kg/m)
A	13	8	0.115
B	17	11	0.193
C	22	14	0.32
D	32	19	0.669
E	38	25	0.945

Imperial			
Section	W - Width (in)	H - Height (in)	Weigth (lb/inches)
A	1/2	5/16	0.006
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.053


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weigth (Kg)	Weigth (lbs)
C297GL	C	7544	7603	7632	297.00	299.35	300.50	2.44	5.38
C300GL	C	7620	7679	7708	300.00	302.35	303.50	2.47	5.43
C303GL	C	7696	7755	7784	303.00	305.35	306.50	2.49	5.49
C314GL	C	7976	8035	8064	314.00	316.35	317.50	2.58	5.69
C315GL	C	8001	8060	8089	315.00	317.35	318.50	2.59	5.70
C316GL	C	8026	8085	8114	316.00	318.35	319.50	2.60	5.72
C330GL	C	8382	8441	8470	330.00	332.35	333.50	2.71	5.97
C345GL	C	8763	8822	8851	345.00	347.35	348.50	2.83	6.24
C360GL	C	9144	9203	9232	360.00	362.35	363.50	2.95	6.51
C390GL	C	9906	9965	9994	390.00	392.35	393.50	3.20	7.05
C420GL	C	10668	10727	10756	420.00	422.35	423.50	3.44	7.58
D90GL	D	2286	2362	2412	90.00	166.00	216.00	1.61	3.56
D98GL	D	2489	2565	2615	98.00	174.00	224.00	1.75	3.86
D104GL	D	2642	2718	2768	104.00	180.00	230.00	1.85	4.08
D105GL	D	2667	2743	2793	105.00	181.00	231.00	1.87	4.12
D108GL	D	2743	2819	2869	108.00	184.00	234.00	1.92	4.23
D110GL	D	2794	2870	2920	110.00	186.00	236.00	1.95	4.30
D112GL	D	2845	2921	2971	112.00	188.00	238.00	1.99	4.38
D115GL	D	2921	2997	3047	115.00	191.00	241.00	2.04	4.49
D120GL	D	3048	3124	3174	120.00	196.00	246.00	2.12	4.68
D124GL	D	3150	3226	3276	124.00	200.00	250.00	2.19	4.83
D128GL	D	3251	3327	3377	128.00	204.00	254.00	2.26	4.98
D132GL	D	3353	3429	3479	132.00	208.00	258.00	2.33	5.13
D135GL	D	3429	3505	3555	135.00	211.00	261.00	2.38	5.24
D136GL	D	3454	3530	3580	136.00	212.00	262.00	2.40	5.28
D140GL	D	3556	3632	3682	140.00	216.00	266.00	2.46	5.43
D144GL	D	3658	3734	3784	144.00	220.00	270.00	2.53	5.58
D148GL	D	3759	3835	3885	148.00	224.00	274.00	2.60	5.73
D152GL	D	3861	3937	3987	152.00	228.00	278.00	2.67	5.88
D154GL	D	3912	3988	4038	154.00	230.00	280.00	2.70	5.95
D156GL	D	3962	4038	4088	156.00	232.00	282.00	2.74	6.03
D158GL	D	4013	4089	4139	158.00	234.00	284.00	2.77	6.10
D160GL	D	4064	4140	4190	160.00	236.00	286.00	2.80	6.18
D162GL	D	4115	4191	4241	162.00	238.00	288.00	2.84	6.25
D164GL	D	4166	4242	4292	164.00	240.00	290.00	2.87	6.33
D165GL	D	4191	4267	4317	165.00	241.00	291.00	2.89	6.36
D167GL	D	4242	4318	4368	167.00	243.00	293.00	2.92	6.44
D170GL	D	4318	4394	4444	170.00	246.00	296.00	2.97	6.55
D171GL	D	4343	4419	4469	171.00	247.00	297.00	2.99	6.59
D173GL	D	4394	4470	4520	173.00	249.00	299.00	3.03	6.66
D180GL	D	4572	4648	4698	180.00	256.00	306.00	3.14	6.93
D195GL	D	4953	5029	5079	195.00	271.00	321.00	3.40	7.49
D210GL	D	5334	5410	5460	210.00	286.00	336.00	3.65	8.05
D220GL	D	5588	5664	5714	220.00	296.00	346.00	3.82	8.42
D224GL	D	5690	5766	5816	224.00	300.00	350.00	3.89	8.57
D225GL	D	5715	5791	5841	225.00	301.00	351.00	3.91	8.61
D230GL	D	5842	5918	5968	230.00	306.00	356.00	3.99	8.80
D240GL	D	6096	6172	6222	240.00	316.00	366.00	4.16	9.17
D248GL	D	6299	6375	6425	248.00	324.00	374.00	4.30	9.47
D250GL	D	6350	6426	6476	250.00	326.00	376.00	4.33	9.55
D255GL	D	6477	6553	6603	255.00	331.00	381.00	4.42	9.73
D260GL	D	6604	6680	6730	260.00	336.00	386.00	4.50	9.92
D270GL	D	6858	6934	6984	270.00	346.00	396.00	4.67	10.30

GOLD LABEL Classical - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weigth (Kg/m)
A	13	8	0.115
B	17	11	0.193
C	22	14	0.32
D	32	19	0.669
E	38	25	0.945

Imperial			
Section	W - Width (in)	H - Height (in)	Weigth (lb/inches)
A	1/2	5/16	0.006
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.053


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weigth (Kg)	Weigth (lbs)
D275GL	D	6985	7061	7111	275.00	351.00	401.00	4.76	10.48
D280GL	D	7112	7188	7238	280.00	356.00	406.00	4.84	10.67
D285GL	D	7239	7315	7365	285.00	361.00	411.00	4.93	10.86
D300GL	D	7620	7696	7746	300.00	376.00	426.00	5.18	11.42
D315GL	D	8001	8077	8127	315.00	391.00	441.00	5.44	11.98
D330GL	D	8382	8458	8508	330.00	406.00	456.00	5.69	12.54
D335GL	D	8509	8585	8635	335.00	411.00	461.00	5.78	12.73
D345GL	D	8763	8839	8889	345.00	421.00	471.00	5.95	13.10
D354GL	D	8992	9068	9118	354.00	430.00	480.00	6.10	13.44
D355GL	D	9017	9093	9143	355.00	431.00	481.00	6.12	13.48
D360GL	D	9144	9220	9270	360.00	436.00	486.00	6.20	13.67
D380GL	D	9652	9728	9778	380.00	456.00	506.00	6.54	14.41
D390GL	D	9906	9982	10032	390.00	466.00	516.00	6.71	14.79
D394GL	D	10008	10084	10134	394.00	470.00	520.00	6.78	14.94
D420GL	D	10668	10744	10794	420.00	496.00	546.00	7.22	15.91
D436GL	D	11074	11150	11200	436.00	512.00	562.00	7.50	16.51
D441GL	D	11201	11277	11327	441.00	517.00	567.00	7.58	16.70
D450GL	D	11430	11506	11556	450.00	526.00	576.00	7.73	17.04
D480GL	D	12192	12268	12318	480.00	556.00	606.00	8.24	18.16
D540GL	D	13716	13792	13842	540.00	616.00	666.00	9.26	20.41
D600GL	D	15240	15316	15366	600.00	676.00	726.00	10.28	22.65
E144GL	E	3658	3739	3815	144.00	147.00	149.00	3.60	7.94
E158GL	E	4013	4094	4170	158.00	161.00	163.00	3.94	8.68
E180GL	E	4572	4653	4729	180.00	183.00	185.00	4.47	9.84
E195GL	E	4953	5034	5110	195.00	198.00	200.00	4.83	10.64
E202GL	E	5131	5212	5288	202.00	205.00	207.00	5.00	11.01
E210GL	E	5334	5415	5491	210.00	213.00	215.00	5.19	11.43
E225GL	E	5715	5796	5872	225.00	228.00	230.00	5.55	12.22
E240GL	E	6096	6177	6253	240.00	243.00	245.00	5.91	13.01
E270GL	E	6858	6939	7015	270.00	273.00	275.00	6.63	14.60
E300GL	E	7620	7701	7777	300.00	303.00	305.00	7.35	16.19
E310GL	E	7874	7955	8031	310.00	313.00	315.00	7.59	16.71
E325GL	E	8255	8336	8412	325.00	328.00	330.00	7.95	17.51
E330GL	E	8382	8463	8539	330.00	333.00	335.00	8.07	17.77
E360GL	E	9144	9225	9301	360.00	363.00	365.00	8.79	19.36
E390GL	E	9906	9987	10063	390.00	393.00	395.00	9.51	20.94
E420GL	E	10668	10749	10825	420.00	423.00	425.00	10.23	22.53
E441GL	E	11201	11282	11358	441.00	444.00	446.00	10.73	23.64
E480GL	E	12192	12273	12349	480.00	483.00	485.00	11.67	25.70
E540GL	E	13716	13797	13873	540.00	543.00	545.00	13.11	28.87
E590GL	E	14986	15067	15143	590.00	593.00	595.00	14.31	31.52
E595GL	E	15113	15194	15270	595.00	598.00	600.00	14.43	31.78

GOLD LABEL Narrow - Product Description



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
3V	9	8	0.076
5V	15	13	0.223
8V	25	23	0.504

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
3V	3/8	5/16	0.004
5V	5/8	17/32	0.012
8V	1	7/8	0.028

V-Belt

Part Number Description: **3V300GL**

3V: Profile (9.5mm X 8mm)

300: Internal Length (inches)

GL: Gold Label

Features and Benefits:

Fabric Cover: PET/Cotton, CR Impregnated

- Abrasion, wear and Oil Resistance
- Static Conductivity: ISO 1813

Tension Cords: High Modulus Polyester

- Superior Dimensional stability (low stretch and tension decay)
- High resistance to overloads and shock loads

Compression Rubber: SBR/NR Rubber blend

- Resistant to bending stress
- Superior Oil and Heat resistance
- Temperature Range: -35 To +70 C. / -31 To 160 F.

MM: Made for Match

Wedge Profile (RMA): Up to 3 times the Power transmission capacity compared to Classical V Profiles (Z, A, B, C, D, E)
Designed for OEMs

Markets and Applications:

Recommended for industrial applications where space, weight and power capacity are critical


Pulley Standards: IP22

GOLD LABEL Narrow - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
3V	9	8	0.076
5V	15	13	0.223
8V	25	23	0.504

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
3V	3/8	5/16	0.004
5V	5/8	17/32	0.012
8V	1	7/8	0.028


DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
3V250GL	3V	635	25.00	0.05	0.11
3V265GL	3V	673	26.50	0.05	0.11
3V280GL	3V	711	28.00	0.05	0.12
3V300GL	3V	762	30.00	0.06	0.13
3V315GL	3V	800	31.50	0.06	0.13
3V325GL	3V	826	32.50	0.06	0.14
3V335GL	3V	851	33.50	0.06	0.14
3V355GL	3V	902	35.50	0.07	0.15
3V375GL	3V	953	37.50	0.07	0.16
3V400GL	3V	1016	40.00	0.08	0.17
3V425GL	3V	1080	42.50	0.08	0.18
3V450GL	3V	1143	45.00	0.09	0.19
3V475GL	3V	1207	47.50	0.09	0.20
3V500GL	3V	1270	50.00	0.10	0.21
3V530GL	3V	1346	53.00	0.10	0.23
3V560GL	3V	1422	56.00	0.11	0.24
3V600GL	3V	1524	60.00	0.12	0.26
3V630GL	3V	1600	63.00	0.12	0.27
3V650GL	3V	1651	65.00	0.13	0.28
3V670GL	3V	1702	67.00	0.13	0.29
3V710GL	3V	1803	71.00	0.14	0.30
3V730GL	3V	1854	73.00	0.14	0.31
3V750GL	3V	1905	75.00	0.15	0.32
3V780GL	3V	1981	78.00	0.15	0.33
3V800GL	3V	2032	80.00	0.15	0.34
3V830GL	3V	2108	83.00	0.16	0.35
3V850GL	3V	2159	85.00	0.16	0.36
3V900GL	3V	2286	90.00	0.17	0.38
3V950GL	3V	2413	95.00	0.18	0.40
3V1000GL	3V	2540	100.00	0.19	0.43
3V1060GL	3V	2692	106.00	0.21	0.45
3V1120GL	3V	2845	112.00	0.22	0.48
3V1180GL	3V	2997	118.00	0.23	0.50
3V1250GL	3V	3175	125.00	0.24	0.53
3V1320GL	3V	3353	132.00	0.26	0.56
3V1400GL	3V	3556	140.00	0.27	0.60
3V1500GL	3V	3810	150.00	0.29	0.64
5V500GL	5V	1270	50.00	0.28	0.62
5V530GL	5V	1346	53.00	0.30	0.66
5V560GL	5V	1422	56.00	0.32	0.70
5V600GL	5V	1524	60.00	0.34	0.75
5V630GL	5V	1600	63.00	0.36	0.79
5V670GL	5V	1702	67.00	0.38	0.84
5V710GL	5V	1803	71.00	0.40	0.88

GOLD LABEL Narrow - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
3V	9	8	0.076
5V	15	13	0.223
8V	25	23	0.504

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
3V	3/8	5/16	0.004
5V	5/8	17/32	0.012
8V	1	7/8	0.028


DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
5V750GL	5V	1905	75.00	0.42	0.94
5V800GL	5V	2032	80.00	0.45	1.00
5V850GL	5V	2159	85.00	0.48	1.06
5V900GL	5V	2286	90.00	0.51	1.12
5V950GL	5V	2413	95.00	0.54	1.18
5V1000GL	5V	2540	100.00	0.57	1.25
5V1060GL	5V	2692	106.00	0.60	1.32
5V1080GL	5V	2743	108.00	0.61	1.35
5V1120GL	5V	2845	112.00	0.63	1.40
5V1180GL	5V	2997	118.00	0.67	1.47
5V1250GL	5V	3175	125.00	0.71	1.56
5V1320GL	5V	3353	132.00	0.75	1.65
5V1400GL	5V	3556	140.00	0.79	1.75
5V1500GL	5V	3810	150.00	0.85	1.87
5V1600GL	5V	4064	160.00	0.91	1.99
5V1630GL	5V	4140	163.00	0.92	2.03
5V1700GL	5V	4318	170.00	0.96	2.12
5V1800GL	5V	4572	180.00	1.02	2.24
5V1900GL	5V	4826	190.00	1.08	2.37
5V2000GL	5V	5080	200.00	1.13	2.49
5V2120GL	5V	5385	212.00	1.20	2.64
5V2240GL	5V	5690	224.00	1.27	2.79
5V2360GL	5V	5994	236.00	1.34	2.94
5V2500GL	5V	6350	250.00	1.42	3.12
5V2650GL	5V	6731	265.00	1.50	3.30
5V2800GL	5V	7112	280.00	1.58	3.49
5V3000GL	5V	7620	300.00	1.70	3.74
5V3150GL	5V	8001	315.00	1.78	3.93
5V3350GL	5V	8509	335.00	1.90	4.18
5V3550GL	5V	9017	355.00	2.01	4.43
8V1000GL	8V	2540	100.00	1.28	2.82
8V1060GL	8V	2692	106.00	1.36	2.99
8V1120GL	8V	2845	112.00	1.43	3.16
8V1180GL	8V	2997	118.00	1.51	3.33
8V1250GL	8V	3175	125.00	1.60	3.52
8V1320GL	8V	3353	132.00	1.69	3.72
8V1400GL	8V	3556	140.00	1.79	3.95
8V1500GL	8V	3810	150.00	1.92	4.23
8V1600GL	8V	4064	160.00	2.05	4.51
8V1700GL	8V	4318	170.00	2.18	4.79
8V1800GL	8V	4572	180.00	2.30	5.07
8V1900GL	8V	4826	190.00	2.43	5.36
8V2000GL	8V	5080	200.00	2.56	5.64
8V2120GL	8V	5385	212.00	2.71	5.98

GOLD LABEL Narrow - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
3V	9	8	0.076
5V	15	13	0.223
8V	25	23	0.504

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
3V	3/8	5/16	0.004
5V	5/8	17/32	0.012
8V	1	7/8	0.028


DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
8V2240GL	8V	5690	224.00	2.87	6.32
8V2300GL	8V	5842	230.00	2.94	6.48
8V2360GL	8V	5994	236.00	3.02	6.65
8V2500GL	8V	6350	250.00	3.20	7.05
8V2550GL	8V	6477	255.00	3.26	7.19
8V2650GL	8V	6731	265.00	3.39	7.47
8V2800GL	8V	7112	280.00	3.58	7.89
8V3000GL	8V	7620	300.00	3.84	8.46
8V3150GL	8V	8001	315.00	4.03	8.88
8V3300GL	8V	8382	330.00	4.22	9.30
8V3350GL	8V	8509	335.00	4.29	9.44
8V3550GL	8V	9017	355.00	4.54	10.01
8V3600GL	8V	9144	360.00	4.61	10.15
8V3750GL	8V	9525	375.00	4.80	10.57
8V4000GL	8V	10160	400.00	5.12	11.28
8V4250GL	8V	10795	425.00	5.44	11.98
8V4500GL	8V	11430	450.00	5.76	12.69
8V4750GL	8V	12065	475.00	6.08	13.39
8V5000GL	8V	12700	500.00	6.40	14.10
8V5600GL	8V	14224	560.00	7.17	15.79

GOLD LABEL Wedge - Product Description



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02

V-Belt

Part Number Description: **SPA1200GL**

SPA: Profile (13mm X 10mm)

1200: Datum Length (mm)

GL: Gold Label

Features and Benefits:

Fabric Cover: PET/Cotton, CR Impregnated

- Abrasion, wear and Oil Resistance
- Static Conductivity: ISO 1813

Tension Cords: High Modulus Polyester

- Superior Dimensional stability (low stretch and tension decay)
- High resistance to overloads and shock loads

Compression Rubber: SBR/NR Rubber blend

- Resistant to bending stress
- Superior Oil and Heat resistance
- Temperature Range: -35 To +70 C. / -31 To 160 F.

MM: Made for Match

Wedge Profile (Metric): Up to 3 times the Power transmission capacity of Classical V Profile
Designed for OEMs

Markets and Applications:

Recommended for industrial applications, designed with Metric cross-sections belts, where space, weight and power capacity are critical


Pulley Standards: DIN2211 – ISO 4183

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPZ562GL	SPZ	562	575	22.15	22.65	0.10	0.04
SPZ580GL	SPZ	580	593	22.85	23.35	0.10	0.05
SPZ587GL	SPZ	587	600	23.15	23.60	0.10	0.05
SPZ600GL	SPZ	600	613	23.65	24.15	0.10	0.05
SPZ604GL	SPZ	604	617	23.80	24.30	0.10	0.05
SPZ612GL	SPZ	612	625	24.10	24.60	0.11	0.05
SPZ615GL	SPZ	615	628	24.25	24.70	0.11	0.05
SPZ630GL	SPZ	630	643	24.80	25.30	0.11	0.05
SPZ637GL	SPZ	637	650	25.10	25.60	0.11	0.05
SPZ640GL	SPZ	640	653	25.20	25.70	0.11	0.05
SPZ643GL	SPZ	643	656	25.35	25.85	0.11	0.05
SPZ646GL	SPZ	646	659	25.45	25.95	0.11	0.05
SPZ650GL	SPZ	650	663	25.60	26.10	0.11	0.05
SPZ660GL	SPZ	660	673	26.00	26.50	0.11	0.05
SPZ662GL	SPZ	662	675	26.10	26.55	0.11	0.05
SPZ670GL	SPZ	670	683	26.40	26.90	0.11	0.05
SPZ675GL	SPZ	675	688	26.60	27.10	0.12	0.05
SPZ683GL	SPZ	683	696	26.90	27.40	0.12	0.05
SPZ690GL	SPZ	690	703	27.20	27.70	0.12	0.05
SPZ700GL	SPZ	700	713	27.60	28.05	0.12	0.05
SPZ710GL	SPZ	710	723	27.95	28.45	0.12	0.06
SPZ722GL	SPZ	722	735	28.45	28.95	0.12	0.06
SPZ725GL	SPZ	725	738	28.60	29.05	0.12	0.06
SPZ730GL	SPZ	730	743	28.80	29.25	0.12	0.06
SPZ735GL	SPZ	735	748	29.00	29.45	0.13	0.06
SPZ737GL	SPZ	737	750	29.05	29.55	0.13	0.06
SPZ750GL	SPZ	750	763	29.55	30.05	0.13	0.06
SPZ758GL	SPZ	758	771	29.90	30.35	0.13	0.06
SPZ760GL	SPZ	760	773	29.95	30.45	0.13	0.06
SPZ762GL	SPZ	762	775	30.00	30.50	0.13	0.06
SPZ763GL	SPZ	763	776	30.10	30.55	0.13	0.06
SPZ775GL	SPZ	775	788	30.55	31.00	0.13	0.06
SPZ785GL	SPZ	785	798	30.95	31.40	0.13	0.06
SPZ787GL	SPZ	787	800	31.00	31.50	0.13	0.06
SPZ800GL	SPZ	800	813	31.50	32.00	0.14	0.06
SPZ812GL	SPZ	812	825	32.00	32.50	0.14	0.06
SPZ813GL	SPZ	813	826	32.05	32.50	0.14	0.06
SPZ825GL	SPZ	825	838	32.50	33.00	0.14	0.06
SPZ837GL	SPZ	837	850	32.95	33.45	0.14	0.06
SPZ838GL	SPZ	838	851	33.00	33.50	0.14	0.06
SPZ845GL	SPZ	845	858	33.30	33.80	0.14	0.07
SPZ850GL	SPZ	850	863	33.50	34.00	0.15	0.07
SPZ862GL	SPZ	862	875	34.00	34.45	0.15	0.07
SPZ863GL	SPZ	863	876	34.00	34.50	0.15	0.07
SPZ875GL	SPZ	875	888	34.45	34.95	0.15	0.07

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPZ887GL	SPZ	887	900	34.95	35.45	0.15	0.07
SPZ888GL	SPZ	888	901	35.00	35.45	0.15	0.07
SPZ900GL	SPZ	900	913	35.45	35.95	0.15	0.07
SPZ912GL	SPZ	912	925	35.95	36.40	0.16	0.07
SPZ913GL	SPZ	913	926	36.00	36.45	0.16	0.07
SPZ925GL	SPZ	925	938	36.45	36.95	0.16	0.07
SPZ937GL	SPZ	937	950	36.90	37.40	0.16	0.07
SPZ940GL	SPZ	940	953	37.05	37.50	0.16	0.07
SPZ950GL	SPZ	950	963	37.40	37.90	0.16	0.07
SPZ962GL	SPZ	962	975	37.90	38.40	0.16	0.07
SPZ963GL	SPZ	963	976	37.95	38.45	0.16	0.07
SPZ975GL	SPZ	975	988	38.40	38.90	0.17	0.08
SPZ980GL	SPZ	980	993	38.60	39.10	0.17	0.08
SPZ985GL	SPZ	985	998	38.80	39.30	0.17	0.08
SPZ987GL	SPZ	987	1000	38.90	39.35	0.17	0.08
SPZ1000GL	SPZ	1000	1013	39.40	39.90	0.17	0.08
SPZ1010GL	SPZ	1010	1023	39.80	40.30	0.17	0.08
SPZ1012GL	SPZ	1012	1025	39.90	40.35	0.17	0.08
SPZ1013GL	SPZ	1013	1026	39.90	40.40	0.17	0.08
SPZ1024GL	SPZ	1024	1037	40.35	40.85	0.17	0.08
SPZ1025GL	SPZ	1025	1038	40.35	40.85	0.17	0.08
SPZ1030GL	SPZ	1030	1043	40.55	41.05	0.18	0.08
SPZ1037GL	SPZ	1037	1050	40.85	41.35	0.18	0.08
SPZ1047GL	SPZ	1047	1060	41.25	41.75	0.18	0.08
SPZ1050GL	SPZ	1050	1063	41.40	41.85	0.18	0.08
SPZ1060GL	SPZ	1060	1073	41.75	42.25	0.18	0.08
SPZ1073GL	SPZ	1073	1086	42.30	42.75	0.18	0.08
SPZ1077GL	SPZ	1077	1090	42.40	42.90	0.18	0.08
SPZ1080GL	SPZ	1080	1093	42.55	43.05	0.18	0.08
SPZ1087GL	SPZ	1087	1100	42.80	43.30	0.19	0.08
SPZ1090GL	SPZ	1090	1103	42.95	43.45	0.19	0.08
SPZ1100GL	SPZ	1100	1113	43.35	43.80	0.19	0.09
SPZ1112GL	SPZ	1112	1125	43.80	44.30	0.19	0.09
SPZ1120GL	SPZ	1120	1133	44.10	44.60	0.19	0.09
SPZ1125GL	SPZ	1125	1138	44.30	44.80	0.19	0.09
SPZ1137GL	SPZ	1137	1150	44.80	45.30	0.19	0.09
SPZ1140GL	SPZ	1140	1153	44.90	45.40	0.19	0.09
SPZ1150GL	SPZ	1150	1163	45.30	45.80	0.20	0.09
SPZ1162GL	SPZ	1162	1175	45.75	46.25	0.20	0.09
SPZ1170GL	SPZ	1170	1183	46.10	46.55	0.20	0.09
SPZ1180GL	SPZ	1180	1193	46.50	46.95	0.20	0.09
SPZ1185GL	SPZ	1185	1198	46.65	47.15	0.20	0.09
SPZ1187GL	SPZ	1187	1200	46.75	47.25	0.20	0.09
SPZ1195GL	SPZ	1195	1208	47.05	47.55	0.20	0.09
SPZ1200GL	SPZ	1200	1213	47.30	47.75	0.20	0.09

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPZ1202GL	SPZ	1202	1215	47.35	47.85	0.20	0.09
SPZ1210GL	SPZ	1210	1223	47.70	48.15	0.21	0.09
SPZ1212GL	SPZ	1212	1225	47.75	48.25	0.21	0.09
SPZ1215GL	SPZ	1215	1228	47.85	48.35	0.21	0.09
SPZ1220GL	SPZ	1220	1233	48.05	48.55	0.21	0.09
SPZ1225GL	SPZ	1225	1238	48.25	48.75	0.21	0.09
SPZ1237GL	SPZ	1237	1250	48.70	49.20	0.21	0.10
SPZ1240GL	SPZ	1240	1253	48.85	49.35	0.21	0.10
SPZ1250GL	SPZ	1250	1263	49.25	49.70	0.21	0.10
SPZ1262GL	SPZ	1262	1275	49.70	50.20	0.21	0.10
SPZ1263GL	SPZ	1263	1276	49.75	50.25	0.21	0.10
SPZ1270GL	SPZ	1270	1283	50.00	50.50	0.22	0.10
SPZ1275GL	SPZ	1275	1288	50.20	50.70	0.22	0.10
SPZ1280GL	SPZ	1280	1293	50.40	50.90	0.22	0.10
SPZ1282GL	SPZ	1282	1295	50.50	51.00	0.22	0.10
SPZ1285GL	SPZ	1285	1298	50.60	51.10	0.22	0.10
SPZ1287GL	SPZ	1287	1300	50.70	51.20	0.22	0.10
SPZ1300GL	SPZ	1300	1313	51.20	51.70	0.22	0.10
SPZ1312GL	SPZ	1312	1325	51.65	52.15	0.22	0.10
SPZ1320GL	SPZ	1320	1333	52.00	52.50	0.22	0.10
SPZ1325GL	SPZ	1325	1338	52.20	52.70	0.23	0.10
SPZ1337GL	SPZ	1337	1350	52.70	53.15	0.23	0.10
SPZ1340GL	SPZ	1340	1353	52.80	53.25	0.23	0.10
SPZ1350GL	SPZ	1350	1363	53.15	53.65	0.23	0.10
SPZ1360GL	SPZ	1360	1373	53.60	54.05	0.23	0.10
SPZ1362GL	SPZ	1362	1375	53.65	54.15	0.23	0.11
SPZ1370GL	SPZ	1370	1383	54.00	54.45	0.23	0.11
SPZ1375GL	SPZ	1375	1388	54.15	54.65	0.23	0.11
SPZ1380GL	SPZ	1380	1393	54.35	54.85	0.23	0.11
SPZ1387GL	SPZ	1387	1400	54.65	55.10	0.24	0.11
SPZ1400GL	SPZ	1400	1413	55.15	55.65	0.24	0.11
SPZ1412GL	SPZ	1412	1425	55.60	56.10	0.24	0.11
SPZ1413GL	SPZ	1413	1426	55.65	56.15	0.24	0.11
SPZ1415GL	SPZ	1415	1428	55.75	56.20	0.24	0.11
SPZ1420GL	SPZ	1420	1433	55.95	56.40	0.24	0.11
SPZ1425GL	SPZ	1425	1438	56.14	56.60	0.24	0.11
SPZ1430GL	SPZ	1430	1443	56.30	56.80	0.24	0.11
SPZ1437GL	SPZ	1437	1450	56.60	57.10	0.24	0.11
SPZ1450GL	SPZ	1450	1463	57.10	57.60	0.25	0.11
SPZ1462GL	SPZ	1462	1475	57.60	58.05	0.25	0.11
SPZ1470GL	SPZ	1470	1483	57.90	58.40	0.25	0.11
SPZ1475GL	SPZ	1475	1488	58.10	58.60	0.25	0.11
SPZ1487GL	SPZ	1487	1500	58.60	59.05	0.25	0.11
SPZ1490GL	SPZ	1490	1503	58.70	59.15	0.25	0.11
SPZ1500GL	SPZ	1500	1513	59.10	59.55	0.25	0.12

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPZ1512GL	SPZ	1512	1525	59.55	60.05	0.26	0.12
SPZ1513GL	SPZ	1513	1526	59.60	60.10	0.26	0.12
SPZ1520GL	SPZ	1520	1533	59.90	60.35	0.26	0.12
SPZ1525GL	SPZ	1525	1538	60.10	60.55	0.26	0.12
SPZ1537GL	SPZ	1537	1550	60.55	61.00	0.26	0.12
SPZ1545GL	SPZ	1545	1558	60.85	61.35	0.26	0.12
SPZ1550GL	SPZ	1550	1563	61.05	61.55	0.26	0.12
SPZ1560GL	SPZ	1560	1573	61.45	61.95	0.26	0.12
SPZ1562GL	SPZ	1562	1575	61.50	62.00	0.26	0.12
SPZ1575GL	SPZ	1575	1588	62.05	62.50	0.27	0.12
SPZ1587GL	SPZ	1587	1600	62.50	63.00	0.27	0.12
SPZ1600GL	SPZ	1600	1613	63.00	63.50	0.27	0.12
SPZ1612GL	SPZ	1612	1625	63.50	64.00	0.27	0.12
SPZ1613GL	SPZ	1613	1626	63.50	64.00	0.27	0.12
SPZ1625GL	SPZ	1625	1638	64.00	64.50	0.28	0.13
SPZ1630GL	SPZ	1630	1643	64.20	64.70	0.28	0.13
SPZ1637GL	SPZ	1637	1650	64.45	64.95	0.28	0.13
SPZ1640GL	SPZ	1640	1653	64.60	65.10	0.28	0.13
SPZ1650GL	SPZ	1650	1663	65.00	65.45	0.28	0.13
SPZ1662GL	SPZ	1662	1675	65.45	65.95	0.28	0.13
SPZ1675GL	SPZ	1675	1688	66.00	66.45	0.28	0.13
SPZ1687GL	SPZ	1687	1700	66.45	66.95	0.29	0.13
SPZ1700GL	SPZ	1700	1713	66.95	67.45	0.29	0.13
SPZ1710GL	SPZ	1710	1723	67.35	67.85	0.29	0.13
SPZ1712GL	SPZ	1712	1725	67.40	67.90	0.29	0.13
SPZ1713GL	SPZ	1713	1726	67.50	67.95	0.29	0.13
SPZ1737GL	SPZ	1737	1750	68.40	68.90	0.29	0.13
SPZ1750GL	SPZ	1750	1763	68.90	69.40	0.30	0.13
SPZ1760GL	SPZ	1760	1773	69.30	69.80	0.30	0.14
SPZ1762GL	SPZ	1762	1775	69.40	69.90	0.30	0.14
SPZ1775GL	SPZ	1775	1788	69.90	70.40	0.30	0.14
SPZ1787GL	SPZ	1787	1800	70.35	70.80	0.30	0.14
SPZ1800GL	SPZ	1800	1813	70.90	71.40	0.31	0.14
SPZ1812GL	SPZ	1812	1825	71.40	71.85	0.31	0.14
SPZ1813GL	SPZ	1813	1826	71.40	71.90	0.31	0.14
SPZ1837GL	SPZ	1837	1850	72.35	72.85	0.31	0.14
SPZ1845GL	SPZ	1845	1858	72.70	73.15	0.31	0.14
SPZ1850GL	SPZ	1850	1863	72.85	73.35	0.31	0.14
SPZ1862GL	SPZ	1862	1875	73.35	73.80	0.32	0.14
SPZ1875GL	SPZ	1875	1888	73.85	74.35	0.32	0.14
SPZ1887GL	SPZ	1887	1900	74.30	74.80	0.32	0.15
SPZ1900GL	SPZ	1900	1913	74.80	75.30	0.32	0.15
SPZ1913GL	SPZ	1913	1926	75.35	75.85	0.32	0.15
SPZ1937GL	SPZ	1937	1950	76.30	76.75	0.33	0.15
SPZ1950GL	SPZ	1950	1963	76.80	77.30	0.33	0.15

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPZ1962GL	SPZ	1962	1975	77.30	77.75	0.33	0.15
SPZ1987GL	SPZ	1987	2000	78.25	78.75	0.34	0.15
SPZ2000GL	SPZ	2000	2013	78.80	79.25	0.34	0.15
SPZ2013GL	SPZ	2013	2026	79.25	79.75	0.34	0.15
SPZ2030GL	SPZ	2030	2043	79.95	80.45	0.34	0.16
SPZ2037GL	SPZ	2037	2050	80.20	80.70	0.34	0.16
SPZ2060GL	SPZ	2060	2073	81.10	81.60	0.35	0.16
SPZ2062GL	SPZ	2062	2075	81.20	81.70	0.35	0.16
SPZ2087GL	SPZ	2087	2100	82.20	82.70	0.35	0.16
SPZ2120GL	SPZ	2120	2133	83.50	84.00	0.36	0.16
SPZ2133GL	SPZ	2133	2146	84.00	84.50	0.36	0.16
SPZ2137GL	SPZ	2137	2150	84.15	84.65	0.36	0.16
SPZ2160GL	SPZ	2160	2173	85.10	85.55	0.37	0.17
SPZ2187GL	SPZ	2187	2200	86.10	86.60	0.37	0.17
SPZ2220GL	SPZ	2220	2233	87.40	87.90	0.38	0.17
SPZ2240GL	SPZ	2240	2253	88.20	88.70	0.38	0.17
SPZ2253GL	SPZ	2253	2266	88.70	89.20	0.38	0.17
SPZ2280GL	SPZ	2280	2293	89.80	90.30	0.39	0.18
SPZ2287GL	SPZ	2287	2300	90.10	90.55	0.39	0.18
SPZ2300GL	SPZ	2300	2313	90.55	91.05	0.39	0.18
SPZ2360GL	SPZ	2360	2373	92.95	93.45	0.40	0.18
SPZ2375GL	SPZ	2375	2388	93.50	94.00	0.40	0.18
SPZ2410GL	SPZ	2410	2423	94.90	95.40	0.41	0.19
SPZ2430GL	SPZ	2430	2443	95.70	96.18	0.41	0.19
SPZ2437GL	SPZ	2437	2450	96.00	96.45	0.41	0.19
SPZ2487GL	SPZ	2487	2500	97.95	98.45	0.42	0.19
SPZ2500GL	SPZ	2500	2513	98.45	98.95	0.42	0.19
SPZ2513GL	SPZ	2513	2526	99.00	99.45	0.42	0.19
SPZ2530GL	SPZ	2530	2543	99.65	100.10	0.43	0.19
SPZ2540GL	SPZ	2540	2553	100.00	100.50	0.43	0.19
SPZ2580GL	SPZ	2580	2593	101.60	102.10	0.44	0.20
SPZ2650GL	SPZ	2650	2663	104.35	104.85	0.45	0.20
SPZ2663GL	SPZ	2663	2676	104.90	105.35	0.45	0.20
SPZ2690GL	SPZ	2690	2703	105.95	106.40	0.45	0.21
SPZ2750GL	SPZ	2750	2763	108.30	108.80	0.46	0.21
SPZ2800GL	SPZ	2800	2813	110.30	110.75	0.47	0.21
SPZ2813GL	SPZ	2813	2826	110.75	111.25	0.48	0.22
SPZ2840GL	SPZ	2840	2853	111.85	112.30	0.48	0.22
SPZ2900GL	SPZ	2900	2913	114.20	114.70	0.49	0.22
SPZ2915GL	SPZ	2915	2928	114.80	115.30	0.49	0.22
SPZ2990GL	SPZ	2990	3003	117.75	118.25	0.51	0.23
SPZ3000GL	SPZ	3000	3013	118.15	118.60	0.51	0.23
SPZ3013GL	SPZ	3013	3026	118.65	119.15	0.51	0.23
SPZ3070GL	SPZ	3070	3083	120.90	121.40	0.52	0.24
SPZ3100GL	SPZ	3100	3113	122.05	122.55	0.52	0.24

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPZ3150GL	SPZ	3150	3163	124.05	124.55	0.53	0.24
SPZ3163GL	SPZ	3163	3176	124.55	125.05	0.53	0.24
SPZ3170GL	SPZ	3170	3183	124.80	125.30	0.54	0.24
SPZ3250GL	SPZ	3250	3263	127.95	128.45	0.55	0.25
SPZ3350GL	SPZ	3350	3363	131.90	132.40	0.57	0.26
SPZ3363GL	SPZ	3363	3376	132.40	132.90	0.57	0.26
SPZ3450GL	SPZ	3450	3463	135.85	136.35	0.58	0.26
SPZ3550GL	SPZ	3550	3563	139.80	140.30	0.60	0.27
SPZ3563GL	SPZ	3563	3576	140.30	140.80	0.60	0.27
SPA600GL	SPA	600	618	23.65	24.35	0.08	0.18
SPA650GL	SPA	650	668	25.60	26.30	0.09	0.20
SPA700GL	SPA	700	718	27.60	28.30	0.10	0.21
SPA732GL	SPA	732	750	28.85	29.55	0.10	0.22
SPA750GL	SPA	750	768	29.55	30.25	0.10	0.23
SPA757GL	SPA	757	775	29.82	30.55	0.10	0.23
SPA775GL	SPA	775	793	30.55	31.25	0.11	0.23
SPA782GL	SPA	782	800	30.80	31.50	0.11	0.24
SPA800GL	SPA	800	818	31.50	32.20	0.11	0.24
SPA807GL	SPA	807	825	31.80	32.50	0.11	0.24
SPA810GL	SPA	810	828	31.90	32.60	0.11	0.24
SPA818GL	SPA	818	836	32.20	32.95	0.11	0.25
SPA825GL	SPA	825	843	32.48	33.20	0.11	0.25
SPA832GL	SPA	832	850	32.80	33.50	0.11	0.25
SPA850GL	SPA	850	868	33.50	34.20	0.12	0.26
SPA868GL	SPA	868	886	34.20	34.90	0.12	0.26
SPA875GL	SPA	875	893	34.45	35.20	0.12	0.26
SPA900GL	SPA	900	918	35.45	36.15	0.12	0.27
SPA918GL	SPA	918	936	36.15	36.85	0.13	0.28
SPA925GL	SPA	925	943	36.45	37.15	0.13	0.28
SPA930GL	SPA	930	948	36.65	37.35	0.13	0.28
SPA932GL	SPA	932	950	36.70	37.40	0.13	0.28
SPA950GL	SPA	950	968	37.40	38.15	0.13	0.29
SPA967GL	SPA	967	985	38.10	38.80	0.13	0.29
SPA968GL	SPA	968	986	38.15	38.85	0.13	0.29
SPA975GL	SPA	975	993	38.40	39.10	0.13	0.29
SPA982GL	SPA	982	1000	38.70	39.40	0.13	0.29
SPA1000GL	SPA	1000	1018	39.40	40.10	0.14	0.30
SPA1018GL	SPA	1018	1036	40.10	40.80	0.14	0.31
SPA1025GL	SPA	1025	1043	40.35	41.10	0.14	0.31
SPA1032GL	SPA	1032	1050	40.65	41.35	0.14	0.31
SPA1050GL	SPA	1050	1068	41.35	42.05	0.14	0.31
SPA1057GL	SPA	1057	1075	41.65	42.35	0.14	0.32
SPA1060GL	SPA	1060	1078	41.75	42.45	0.14	0.32
SPA1078GL	SPA	1078	1096	42.45	43.15	0.15	0.32
SPA1082GL	SPA	1082	1100	42.60	43.35	0.15	0.32

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPA1100GL	SPA	1100	1118	43.35	44.05	0.15	0.33
SPA1107GL	SPA	1107	1125	43.60	44.30	0.15	0.33
SPA1120GL	SPA	1120	1138	44.10	44.80	0.15	0.34
SPA1125GL	SPA	1125	1143	44.30	45.00	0.15	0.34
SPA1132GL	SPA	1132	1150	44.60	45.30	0.15	0.34
SPA1138GL	SPA	1138	1156	44.80	45.55	0.15	0.34
SPA1150GL	SPA	1150	1168	45.30	46.00	0.16	0.34
SPA1157GL	SPA	1157	1175	45.55	46.30	0.16	0.35
SPA1175GL	SPA	1175	1193	46.30	47.00	0.16	0.35
SPA1180GL	SPA	1180	1198	46.50	47.20	0.16	0.35
SPA1198GL	SPA	1198	1216	47.20	47.90	0.16	0.36
SPA1200GL	SPA	1200	1218	47.25	47.95	0.16	0.36
SPA1207GL	SPA	1207	1225	47.55	48.25	0.16	0.36
SPA1225GL	SPA	1225	1243	48.25	48.95	0.17	0.37
SPA1232GL	SPA	1232	1250	48.50	49.25	0.17	0.37
SPA1250GL	SPA	1250	1268	49.25	49.95	0.17	0.37
SPA1257GL	SPA	1257	1275	49.50	50.20	0.17	0.38
SPA1268GL	SPA	1268	1286	49.95	50.65	0.17	0.38
SPA1272GL	SPA	1272	1290	50.10	50.80	0.17	0.38
SPA1275GL	SPA	1275	1293	50.20	50.95	0.17	0.38
SPA1280GL	SPA	1280	1298	50.40	51.10	0.17	0.38
SPA1282GL	SPA	1282	1300	50.50	51.20	0.17	0.38
SPA1300GL	SPA	1300	1318	51.20	51.90	0.18	0.39
SPA1307GL	SPA	1307	1325	51.50	52.20	0.18	0.39
SPA1320GL	SPA	1320	1338	52.00	52.70	0.18	0.39
SPA1325GL	SPA	1325	1343	52.20	52.90	0.18	0.40
SPA1332GL	SPA	1332	1350	52.45	53.15	0.18	0.40
SPA1338GL	SPA	1338	1356	52.70	53.40	0.18	0.40
SPA1350GL	SPA	1350	1368	53.15	53.90	0.18	0.40
SPA1357GL	SPA	1357	1375	53.45	54.15	0.18	0.41
SPA1360GL	SPA	1360	1378	53.55	54.25	0.18	0.41
SPA1375GL	SPA	1375	1393	54.15	54.85	0.19	0.41
SPA1382GL	SPA	1382	1400	54.45	55.15	0.19	0.41
SPA1400GL	SPA	1400	1418	55.15	55.85	0.19	0.42
SPA1407GL	SPA	1407	1425	55.40	56.10	0.19	0.42
SPA1418GL	SPA	1418	1436	55.85	56.55	0.19	0.42
SPA1425GL	SPA	1425	1443	56.10	56.85	0.19	0.43
SPA1428GL	SPA	1428	1446	56.25	56.95	0.19	0.43
SPA1432GL	SPA	1432	1450	56.40	57.10	0.19	0.43
SPA1450GL	SPA	1450	1468	57.10	57.80	0.20	0.43
SPA1457GL	SPA	1457	1475	57.40	58.10	0.20	0.43
SPA1475GL	SPA	1475	1493	58.10	58.80	0.20	0.44
SPA1482GL	SPA	1482	1500	58.35	59.10	0.20	0.44
SPA1500GL	SPA	1500	1518	59.10	59.80	0.20	0.45
SPA1507GL	SPA	1507	1525	59.35	60.05	0.20	0.45

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPA1518GL	SPA	1518	1536	59.80	60.50	0.21	0.45
SPA1525GL	SPA	1525	1543	60.05	60.75	0.21	0.45
SPA1532GL	SPA	1532	1550	60.35	61.05	0.21	0.46
SPA1550GL	SPA	1550	1568	61.05	61.75	0.21	0.46
SPA1557GL	SPA	1557	1575	61.30	62.05	0.21	0.46
SPA1575GL	SPA	1575	1593	62.05	62.75	0.21	0.47
SPA1582GL	SPA	1582	1600	62.30	63.00	0.21	0.47
SPA1600GL	SPA	1600	1618	63.00	63.70	0.22	0.48
SPA1607GL	SPA	1607	1625	63.30	64.00	0.22	0.48
SPA1618GL	SPA	1618	1636	63.70	64.45	0.22	0.48
SPA1625GL	SPA	1625	1643	64.00	64.70	0.22	0.48
SPA1632GL	SPA	1632	1650	64.25	65.00	0.22	0.49
SPA1650GL	SPA	1650	1668	65.00	65.70	0.22	0.49
SPA1657GL	SPA	1657	1675	65.25	65.95	0.22	0.49
SPA1675GL	SPA	1675	1693	65.95	66.65	0.23	0.50
SPA1682GL	SPA	1682	1700	66.25	66.95	0.23	0.50
SPA1700GL	SPA	1700	1718	66.95	67.65	0.23	0.51
SPA1707GL	SPA	1707	1725	67.20	67.95	0.23	0.51
SPA1718GL	SPA	1718	1736	67.65	68.35	0.23	0.51
SPA1725GL	SPA	1725	1743	67.95	68.65	0.23	0.51
SPA1732GL	SPA	1732	1750	68.20	68.90	0.23	0.52
SPA1750GL	SPA	1750	1768	68.90	69.65	0.24	0.52
SPA1757GL	SPA	1757	1775	69.20	69.90	0.24	0.52
SPA1782GL	SPA	1782	1800	70.20	70.90	0.24	0.53
SPA1800GL	SPA	1800	1818	70.90	71.60	0.24	0.54
SPA1807GL	SPA	1807	1825	71.15	71.85	0.24	0.54
SPA1818GL	SPA	1818	1836	71.60	72.30	0.25	0.54
SPA1825GL	SPA	1825	1843	71.85	72.60	0.25	0.54
SPA1832GL	SPA	1832	1850	72.15	72.85	0.25	0.55
SPA1850GL	SPA	1850	1868	72.85	73.55	0.25	0.55
SPA1857GL	SPA	1857	1875	73.15	73.85	0.25	0.55
SPA1875GL	SPA	1875	1893	73.85	74.55	0.25	0.56
SPA1882GL	SPA	1882	1900	74.10	74.80	0.25	0.56
SPA1900GL	SPA	1900	1918	74.80	75.55	0.26	0.57
SPA1907GL	SPA	1907	1925	75.10	75.80	0.26	0.57
SPA1918GL	SPA	1918	1936	75.55	76.25	0.26	0.57
SPA1925GL	SPA	1925	1943	75.80	76.50	0.26	0.57
SPA1932GL	SPA	1932	1950	76.10	76.80	0.26	0.57
SPA1950GL	SPA	1950	1968	76.80	77.50	0.26	0.58
SPA1982GL	SPA	1982	2000	78.05	78.75	0.27	0.59
SPA2000GL	SPA	2000	2018	78.75	79.45	0.27	0.59
SPA2018GL	SPA	2018	2036	79.45	80.20	0.27	0.60
SPA2032GL	SPA	2032	2050	80.00	80.75	0.27	0.60
SPA2057GL	SPA	2057	2075	81.00	81.70	0.28	0.61
SPA2082GL	SPA	2082	2100	82.00	82.70	0.28	0.62

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPA2100GL	SPA	2100	2118	82.70	83.40	0.28	0.62
SPA2120GL	SPA	2120	2138	83.50	84.20	0.29	0.63
SPA2132GL	SPA	2132	2150	83.95	84.65	0.29	0.63
SPA2138GL	SPA	2138	2156	84.20	84.90	0.29	0.64
SPA2150GL	SPA	2150	2168	84.65	85.35	0.29	0.64
SPA2182GL	SPA	2182	2200	85.95	86.65	0.29	0.65
SPA2200GL	SPA	2200	2218	86.65	87.35	0.30	0.65
SPA2207GL	SPA	2207	2225	86.90	87.60	0.30	0.66
SPA2227GL	SPA	2227	2245	87.70	88.40	0.30	0.66
SPA2232GL	SPA	2232	2250	87.90	88.60	0.30	0.66
SPA2240GL	SPA	2240	2258	88.20	88.90	0.30	0.67
SPA2250GL	SPA	2250	2268	88.60	89.30	0.30	0.67
SPA2258GL	SPA	2258	2276	88.90	89.65	0.30	0.67
SPA2282GL	SPA	2282	2300	89.85	90.55	0.31	0.68
SPA2300GL	SPA	2300	2318	90.55	91.30	0.31	0.68
SPA2307GL	SPA	2307	2325	90.85	91.55	0.31	0.69
SPA2325GL	SPA	2325	2343	91.55	92.25	0.31	0.69
SPA2332GL	SPA	2332	2350	91.85	92.55	0.31	0.69
SPA2360GL	SPA	2360	2378	92.95	93.65	0.32	0.70
SPA2378GL	SPA	2378	2396	93.65	94.35	0.32	0.71
SPA2382GL	SPA	2382	2400	93.80	94.49	0.32	0.71
SPA2400GL	SPA	2400	2418	94.50	95.20	0.32	0.71
SPA2432GL	SPA	2432	2450	95.75	96.50	0.33	0.72
SPA2450GL	SPA	2450	2468	96.50	97.20	0.33	0.73
SPA2482GL	SPA	2482	2500	97.75	98.45	0.33	0.74
SPA2500GL	SPA	2500	2518	98.45	99.15	0.34	0.74
SPA2518GL	SPA	2518	2536	99.15	99.85	0.34	0.75
SPA2532GL	SPA	2532	2550	99.70	100.40	0.34	0.75
SPA2582GL	SPA	2582	2600	101.65	102.40	0.35	0.77
SPA2600GL	SPA	2600	2618	102.40	103.10	0.35	0.77
SPA2607GL	SPA	2607	2625	102.65	103.35	0.35	0.77
SPA2625GL	SPA	2625	2643	103.35	104.10	0.35	0.78
SPA2650GL	SPA	2650	2668	104.35	105.05	0.36	0.79
SPA2668GL	SPA	2668	2686	105.05	105.75	0.36	0.79
SPA2682GL	SPA	2682	2700	105.60	106.30	0.36	0.80
SPA2700GL	SPA	2700	2718	106.30	107.05	0.36	0.80
SPA2732GL	SPA	2732	2750	107.60	108.30	0.37	0.81
SPA2750GL	SPA	2750	2768	108.30	109.00	0.37	0.82
SPA2782GL	SPA	2782	2800	109.55	110.25	0.37	0.83
SPA2800GL	SPA	2800	2818	110.25	110.95	0.38	0.83
SPA2818GL	SPA	2818	2836	110.95	111.65	0.38	0.84
SPA2832GL	SPA	2832	2850	111.50	112.20	0.38	0.84
SPA2850GL	SPA	2850	2868	112.20	112.95	0.38	0.85
SPA2882GL	SPA	2882	2900	113.50	114.20	0.39	0.86
SPA2900GL	SPA	2900	2918	114.20	114.90	0.39	0.86

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPA2950GL	SPA	2950	2968	116.15	116.85	0.40	0.88
SPA2982GL	SPA	2982	3000	117.40	118.15	0.40	0.88
SPA3000GL	SPA	3000	3018	118.15	118.85	0.40	0.89
SPA3020GL	SPA	3020	3038	118.90	119.65	0.41	0.90
SPA3030GL	SPA	3030	3048	119.30	120.00	0.41	0.90
SPA3032GL	SPA	3032	3050	119.40	120.10	0.41	0.90
SPA3070GL	SPA	3070	3088	120.90	121.60	0.41	0.91
SPA3082GL	SPA	3082	3100	121.35	122.05	0.41	0.91
SPA3150GL	SPA	3150	3168	124.05	124.75	0.42	0.93
SPA3160GL	SPA	3160	3178	124.45	125.15	0.43	0.94
SPA3182GL	SPA	3182	3200	125.30	126.00	0.43	0.94
SPA3282GL	SPA	3282	3300	129.25	129.95	0.44	0.97
SPA3290GL	SPA	3290	3308	129.55	130.25	0.44	0.98
SPA3350GL	SPA	3350	3368	131.90	132.60	0.45	0.99
SPA3382GL	SPA	3382	3400	133.15	133.90	0.46	1.00
SPA3390GL	SPA	3390	3408	133.50	134.20	0.46	1.00
SPA3450GL	SPA	3450	3468	135.85	136.55	0.46	1.02
SPA3482GL	SPA	3482	3500	137.10	137.80	0.47	1.03
SPA3550GL	SPA	3550	3568	139.80	140.50	0.48	1.05
SPA3650GL	SPA	3650	3668	143.70	144.45	0.49	1.08
SPA3660GL	SPA	3660	3678	144.10	144.80	0.49	1.08
SPA3750GL	SPA	3750	3768	147.65	148.35	0.50	1.11
SPA3870GL	SPA	3870	3888	152.40	153.10	0.52	1.15
SPA3880GL	SPA	3880	3898	152.80	153.50	0.52	1.15
SPA4000GL	SPA	4000	4018	157.50	158.20	0.54	1.18
SPA4010GL	SPA	4010	4028	157.90	158.60	0.54	1.19
SPA4125GL	SPA	4125	4143	162.40	163.15	0.55	1.22
SPA4230GL	SPA	4230	4248	166.55	167.25	0.57	1.25
SPA4250GL	SPA	4250	4268	167.35	168.05	0.57	1.26
SPA4260GL	SPA	4260	4278	167.75	168.45	0.57	1.26
SPA4375GL	SPA	4375	4393	172.24	172.95	0.59	1.30
SPA4500GL	SPA	4500	4518	177.20	177.90	0.60	1.33
SPA5100GL	SPA	5100	5118	200.80	201.50	0.69	1.51
SPB1250GL	SPB	1250	1272	49.25	50.10	0.28	0.62
SPB1320GL	SPB	1320	1342	52.00	52.85	0.30	0.66
SPB1340GL	SPB	1340	1362	52.80	53.65	0.30	0.67
SPB1400GL	SPB	1400	1422	55.15	56.00	0.32	0.70
SPB1410GL	SPB	1410	1432	55.55	56.40	0.32	0.70
SPB1450GL	SPB	1450	1472	57.10	57.95	0.33	0.72
SPB1500GL	SPB	1500	1522	59.10	59.95	0.34	0.75
SPB1600GL	SPB	1600	1622	63.00	63.90	0.36	0.80
SPB1700GL	SPB	1700	1722	66.95	67.80	0.38	0.85
SPB1800GL	SPB	1800	1822	70.90	71.75	0.41	0.89
SPB1900GL	SPB	1900	1922	74.80	75.70	0.43	0.94
SPB2000GL	SPB	2000	2022	78.75	79.65	0.45	0.99

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPB2020GL	SPB	2020	2042	79.55	80.40	0.46	1.00
SPB2098GL	SPB	2098	2120	82.60	83.50	0.47	1.04
SPB2120GL	SPB	2120	2142	83.50	84.35	0.48	1.05
SPB2150GL	SPB	2150	2172	84.65	85.55	0.48	1.07
SPB2180GL	SPB	2180	2202	85.85	86.70	0.49	1.08
SPB2240GL	SPB	2240	2262	88.20	89.10	0.50	1.11
SPB2280GL	SPB	2280	2302	89.80	90.65	0.51	1.13
SPB2300GL	SPB	2300	2322	90.55	91.45	0.52	1.14
SPB2360GL	SPB	2360	2382	92.95	93.80	0.53	1.17
SPB2391GL	SPB	2391	2413	94.15	95.00	0.54	1.18
SPB2410GL	SPB	2410	2432	94.90	95.75	0.54	1.19
SPB2500GL	SPB	2500	2522	98.45	99.30	0.56	1.24
SPB2650GL	SPB	2650	2672	104.35	105.20	0.60	1.31
SPB2680GL	SPB	2680	2702	105.55	106.40	0.60	1.33
SPB2800GL	SPB	2800	2822	110.25	111.10	0.63	1.39
SPB2990GL	SPB	2990	3012	117.75	118.60	0.67	1.48
SPB3000GL	SPB	3000	3022	118.15	119.00	0.67	1.48
SPB3070GL	SPB	3070	3092	120.90	121.75	0.69	1.52
SPB3100GL	SPB	3100	3122	122.05	122.95	0.70	1.53
SPB3150GL	SPB	3150	3172	124.05	124.90	0.71	1.56
SPB3170GL	SPB	3170	3192	124.80	125.70	0.71	1.57
SPB3200GL	SPB	3200	3222	126.00	126.85	0.72	1.58
SPB3250GL	SPB	3250	3272	127.95	128.85	0.73	1.61
SPB3350GL	SPB	3350	3372	131.90	132.80	0.75	1.66
SPB3450GL	SPB	3450	3472	135.85	136.70	0.77	1.70
SPB3550GL	SPB	3550	3572	139.80	140.65	0.80	1.75
SPB3600GL	SPB	3600	3622	141.75	142.60	0.81	1.78
SPB3650GL	SPB	3650	3672	143.70	144.60	0.82	1.80
SPB3675GL	SPB	3675	3697	144.70	145.55	0.82	1.81
SPB3750GL	SPB	3750	3772	147.65	148.50	0.84	1.85
SPB3800GL	SPB	3800	3822	149.65	150.50	0.85	1.88
SPB3870GL	SPB	3870	3892	152.40	153.25	0.87	1.91
SPB4000GL	SPB	4000	4022	157.50	158.35	0.90	1.97
SPB4060GL	SPB	4060	4082	159.85	160.75	0.91	2.00
SPB4120GL	SPB	4120	4142	162.20	163.10	0.92	2.03
SPB4200GL	SPB	4200	4222	165.35	166.25	0.94	2.07
SPB4250GL	SPB	4250	4272	167.35	168.20	0.95	2.10
SPB4310GL	SPB	4310	4332	169.70	170.55	0.97	2.13
SPB4370GL	SPB	4370	4392	172.05	172.95	0.98	2.16
SPB4500GL	SPB	4500	4522	177.20	178.05	1.01	2.22
SPB4560GL	SPB	4560	4582	179.55	180.40	1.02	2.25
SPB4620GL	SPB	4620	4642	181.90	182.80	1.03	2.28
SPB4680GL	SPB	4680	4702	184.25	185.15	1.05	2.31
SPB4750GL	SPB	4750	4772	187.05	187.90	1.06	2.34
SPB4820GL	SPB	4820	4842	189.80	190.65	1.08	2.38

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPB4870GL	SPB	4870	4892	191.75	192.60	1.09	2.40
SPB5000GL	SPB	5000	5022	196.85	197.75	1.12	2.46
SPB5070GL	SPB	5070	5092	199.65	200.50	1.13	2.50
SPB5150GL	SPB	5150	5172	202.80	203.65	1.15	2.54
SPB5300GL	SPB	5300	5322	208.70	209.55	1.19	2.61
SPB5322GL	SPB	5322	5344	209.55	210.40	1.19	2.62
SPB5380GL	SPB	5380	5402	211.85	212.70	1.20	2.65
SPB5450GL	SPB	5450	5472	214.60	215.45	1.22	2.69
SPB5500GL	SPB	5500	5522	216.55	217.40	1.23	2.71
SPB5600GL	SPB	5600	5622	220.50	221.35	1.25	2.76
SPB5680GL	SPB	5680	5702	223.65	224.50	1.27	2.80
SPB5800GL	SPB	5800	5822	228.35	229.25	1.30	2.86
SPB5900GL	SPB	5900	5922	232.30	233.15	1.32	2.91
SPB6000GL	SPB	6000	6022	236.25	237.10	1.34	2.96
SPB6150GL	SPB	6150	6172	242.15	243.00	1.38	3.03
SPB6300GL	SPB	6300	6322	248.05	248.90	1.41	3.10
SPB6340GL	SPB	6340	6362	249.65	250.50	1.42	3.12
SPB6500GL	SPB	6500	6522	255.95	256.80	1.45	3.20
SPB6700GL	SPB	6700	6722	263.80	264.65	1.50	3.30
SPB6740GL	SPB	6740	6762	265.35	266.25	1.51	3.32
SPB6850GL	SPB	6850	6872	269.70	270.55	1.53	3.37
SPB7100GL	SPB	7100	7122	279.55	280.40	1.59	3.50
SPB7500GL	SPB	7500	7522	295.30	296.15	1.68	3.69
SPB7600GL	SPB	7600	7622	299.25	300.10	1.70	3.74
SPB7800GL	SPB	7800	7822	307.10	307.95	1.74	3.84
SPB8000GL	SPB	8000	8022	315.00	315.85	1.79	3.94
SPB8500GL	SPB	8500	8522	334.65	335.55	1.90	4.18
SPB9000GL	SPB	9000	9022	354.35	355.20	2.01	4.43
SPC2000GL	SPC	2000	2030	78.75	79.95	0.72	1.58
SPC2120GL	SPC	2120	2150	83.50	84.65	0.76	1.68
SPC2240GL	SPC	2240	2270	88.20	89.40	0.80	1.77
SPC2360GL	SPC	2360	2390	92.95	94.10	0.85	1.87
SPC2500GL	SPC	2500	2530	98.45	99.65	0.90	1.97
SPC2650GL	SPC	2650	2680	104.35	105.55	0.95	2.09
SPC2800GL	SPC	2800	2830	110.25	111.45	1.00	2.21
SPC3000GL	SPC	3000	3030	118.15	119.30	1.07	2.36
SPC3150GL	SPC	3150	3180	124.05	125.20	1.13	2.48
SPC3175GL	SPC	3175	3205	125.00	126.20	1.14	2.50
SPC3350GL	SPC	3350	3380	131.90	133.10	1.20	2.64
SPC3550GL	SPC	3550	3580	139.80	140.95	1.27	2.79
SPC3580GL	SPC	3580	3610	140.95	142.15	1.28	2.82
SPC3750GL	SPC	3750	3780	147.65	148.85	1.34	2.95
SPC4000GL	SPC	4000	4030	157.50	158.70	1.43	3.15
SPC4135GL	SPC	4135	4165	162.80	164.00	1.48	3.25
SPC4250GL	SPC	4250	4280	167.35	168.50	1.52	3.34

GOLD LABEL Wedge - Size List



V-Belt

GOLD LABEL.




Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
SPZ	10	8	0.076
SPA	13	10	0.134
SPB	17	14	0.223
SPC	22	18	0.354


Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
SPZ	25/64	5/16	0.004
SPA	33/64	25/64	0.007
SPB	43/64	35/64	0.012
SPC	7/8	45/64	0.02

DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
SPC4280GL	SPC	4280	4310	168.50	169.70	1.53	3.36
SPC4300GL	SPC	4300	4330	169.30	170.50	1.53	3.38
SPC4500GL	SPC	4500	4530	177.20	178.35	1.61	3.54
SPC4750GL	SPC	4750	4780	187.05	188.20	1.69	3.73
SPC5000GL	SPC	5000	5030	196.85	198.05	1.78	3.93
SPC5100GL	SPC	5100	5130	200.80	202.00	1.82	4.00
SPC5300GL	SPC	5300	5330	208.70	209.85	1.89	4.16
SPC5400GL	SPC	5400	5430	212.60	213.80	1.92	4.24
SPC5500GL	SPC	5500	5530	216.55	217.75	1.96	4.32
SPC5600GL	SPC	5600	5630	220.50	221.65	1.99	4.39
SPC6000GL	SPC	6000	6030	236.25	237.40	2.14	4.71
SPC6300GL	SPC	6300	6330	248.05	249.25	2.24	4.94
SPC6700GL	SPC	6700	6730	263.80	265.00	2.38	5.25
SPC7100GL	SPC	7100	7130	279.55	280.75	2.53	5.56
SPC7500GL	SPC	7500	7530	295.30	296.50	2.67	5.88
SPC7530GL	SPC	7530	7560	296.50	297.65	2.68	5.90
SPC7600GL	SPC	7600	7630	299.25	300.40	2.70	5.95
SPC8000GL	SPC	8000	8030	315.00	316.15	2.85	6.27
SPC8500GL	SPC	8500	8530	334.65	335.85	3.02	6.66
SPC9000GL	SPC	9000	9030	354.35	355.55	3.20	7.05
SPC9500GL	SPC	9500	9530	374.05	375.20	3.38	7.44
SPC10000GL	SPC	10000	10030	393.70	394.90	3.55	7.83
SPC10500GL	SPC	10500	10530	413.40	414.60	3.73	8.22
SPC10600GL	SPC	10600	10630	417.35	418.50	3.77	8.30
SPC11200GL	SPC	11200	11230	440.95	442.15	3.98	8.76
SPC11800GL	SPC	11800	11830	464.60	465.75	4.19	9.23
SPC12500GL	SPC	12500	12530	492.15	493.35	4.44	9.78

GOLD LABEL X Classical - Product Description



V-Belt Raw Edge **GOLD LABEL.**



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
ZX	10	6	0.051
AX	13	8	0.115
BX	17	11	0.193
CX	22	14	0.32

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
ZX	25/64	15/64	0.003
AX	1/2	5/16	0.006
BX	21/32	13/32	0.011
CX	7/8	17/32	0.018

V-Belt Raw Edge

Part Number Description: **AX120GL**

AX: Profile (13mm X 8mm)

120: Internal Length (inches)

GL: Gold Label

Features and Benefits:

Top Fabric:

- Abrasion, Wear Resistant

Tension Cords: High Modulus Polyester

- Superior Dimensional stability
- High Resistance to overloads and shock loads

Special Cogs Profile Engineered for:

- Additional Resistance to Bending Stress
- Extra-Flexibility for smaller pulleys
- Cooling effect

Compression Rubber: EPDM Rubber Blend

- Excellent Abrasion resistance
- High Coefficient of friction (higher Power capacity compared to wrapped Belts)
- Limited Oil Resistance, Excellent Heat Resistance
- Temperature Range: -30 to 130 °C / -22 to 266 °F

Static Conductivity ISO 1813

MM: Made for Match

Designed for OEM

Markets and Applications:


Suitable for all applications, especially where small or sub-minimal sheave diameters are required

Pulley Standards: DIN2217 – ISO 4183

GOLD LABEL X Classical - Size List



V-Belt Raw Edge **GOLD LABEL.**



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
ZX	10	6	0.051
AX	13	8	0.115
BX	17	11	0.193
CX	22	14	0.32


Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
ZX	25/64	15/64	0.003
AX	1/2	5/16	0.006
BX	21/32	13/32	0.011
CX	7/8	17/32	0.018

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
ZX15.75GL	ZX	400	425	438	15.75	16.75	17.25	0.02	0.05
ZX17.5GL	ZX	445	470	483	17.50	18.50	19.00	0.02	0.05
ZX18GL	ZX	457	482	495	18.00	19.00	19.50	0.03	0.06
ZX19.5GL	ZX	495	520	533	19.50	20.50	21.00	0.03	0.06
ZX20GL	ZX	508	533	546	20.00	21.00	21.50	0.03	0.06
ZX20.5GL	ZX	521	546	559	20.50	21.50	22.00	0.03	0.06
ZX21GL	ZX	533	558	571	21.00	22.00	22.50	0.03	0.06
ZX21.25GL	ZX	540	565	578	21.25	22.23	22.75	0.03	0.06
ZX21.5GL	ZX	546	571	584	21.50	22.50	23.00	0.03	0.07
ZX21.75GL	ZX	552	577	590	21.75	22.75	23.25	0.03	0.07
ZX22GL	ZX	559	584	597	22.00	23.00	23.50	0.03	0.07
ZX22.25GL	ZX	565	590	603	22.25	23.23	23.75	0.03	0.07
ZX22.5GL	ZX	572	597	610	22.50	23.50	24.00	0.03	0.07
ZX23GL	ZX	584	609	622	23.00	24.00	24.50	0.03	0.07
ZX23.5GL	ZX	597	622	635	23.50	24.50	25.00	0.03	0.07
ZX23.75GL	ZX	603	628	641	23.75	24.75	25.25	0.03	0.07
ZX24GL	ZX	610	635	648	24.00	25.00	25.50	0.03	0.07
ZX24.75GL	ZX	629	654	667	24.75	25.75	26.25	0.03	0.07
ZX25GL	ZX	635	660	673	25.00	26.00	26.50	0.03	0.08
ZX25.5GL	ZX	648	673	686	25.50	26.50	27.00	0.03	0.08
ZX25.75GL	ZX	654	679	692	25.75	26.75	27.25	0.04	0.08
ZX26GL	ZX	660	685	698	26.00	27.00	27.50	0.04	0.08
ZX26.5GL	ZX	673	698	711	26.50	27.50	28.00	0.04	0.08
ZX27GL	ZX	686	711	724	27.00	28.00	28.50	0.04	0.08
ZX27.5GL	ZX	699	724	737	27.50	28.50	29.00	0.04	0.08
ZX28GL	ZX	711	736	749	28.00	29.00	29.50	0.04	0.08
ZX28.5GL	ZX	724	749	762	28.50	29.50	30.00	0.04	0.09
ZX29GL	ZX	737	762	775	29.00	30.00	30.50	0.04	0.09
ZX29.5GL	ZX	749	774	787	29.50	30.50	31.00	0.04	0.09
ZX30GL	ZX	762	787	800	30.00	31.00	31.50	0.04	0.09
ZX30.5GL	ZX	775	800	813	30.50	31.50	32.00	0.04	0.09
ZX30.75GL	ZX	781	806	819	30.75	31.75	32.25	0.04	0.09
ZX31GL	ZX	787	812	825	31.00	32.00	32.50	0.04	0.09
ZX31.5GL	ZX	800	825	838	31.50	32.50	33.00	0.04	0.09
ZX32GL	ZX	813	838	851	32.00	33.00	33.50	0.04	0.10
ZX32.5GL	ZX	826	851	864	32.50	33.50	34.00	0.04	0.10
ZX33GL	ZX	838	863	876	33.00	34.00	34.50	0.04	0.10
ZX33.5GL	ZX	851	876	889	33.50	34.50	35.00	0.05	0.10
ZX34GL	ZX	864	889	902	34.00	35.00	35.50	0.05	0.10
ZX34.25GL	ZX	870	895	908	34.25	35.23	35.75	0.05	0.10
ZX34.5GL	ZX	876	901	914	34.50	35.50	36.00	0.05	0.10
ZX35GL	ZX	889	914	927	35.00	36.00	36.50	0.05	0.10
ZX35.5GL	ZX	902	927	940	35.50	36.50	37.00	0.05	0.11
ZX36GL	ZX	914	939	952	36.00	37.00	37.50	0.05	0.11
ZX36.5GL	ZX	927	952	965	36.50	37.50	38.00	0.05	0.11
ZX36.75GL	ZX	933	958	971	36.75	37.75	38.25	0.05	0.11
ZX37GL	ZX	940	965	978	37.00	38.00	38.50	0.05	0.11
ZX37.5GL	ZX	953	978	991	37.50	38.50	39.00	0.05	0.11
ZX38GL	ZX	965	990	1003	38.00	39.00	39.50	0.05	0.11
ZX38.25GL	ZX	972	997	1010	38.25	39.23	39.75	0.05	0.11
ZX38.5GL	ZX	978	1003	1016	38.50	39.50	40.00	0.05	0.11
ZX39GL	ZX	991	1016	1029	39.00	40.00	40.50	0.05	0.12
ZX39.5GL	ZX	1003	1028	1041	39.50	40.50	41.00	0.05	0.12
ZX40GL	ZX	1016	1041	1054	40.00	41.00	41.50	0.05	0.12
ZX40.5GL	ZX	1029	1054	1067	40.50	41.50	42.00	0.05	0.12
ZX41GL	ZX	1041	1066	1079	41	42.00	42.50	0.05	0.12
ZX41.5GL	ZX	1054	1079	1092	41.50	42.50	43.00	0.06	0.12

GOLD LABEL X Classical - Size List



V-Belt Raw Edge **GOLD LABEL.**



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
ZX	10	6	0.051
AX	13	8	0.115
BX	17	11	0.193
CX	22	14	0.32


Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
ZX	25/64	15/64	0.003
AX	1/2	5/16	0.006
BX	21/32	13/32	0.011
CX	7/8	17/32	0.018

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
ZX41.75GL	ZX	1060	1085	1098	41.75	42.75	43.25	0.06	0.12
ZX42GL	ZX	1067	1092	1105	42.00	43.00	43.50	0.06	0.12
ZX42.5GL	ZX	1080	1105	1118	42.50	43.50	44.00	0.06	0.13
ZX43GL	ZX	1092	1117	1130	43.00	44.00	44.50	0.06	0.13
ZX43.25GL	ZX	1099	1124	1137	43.25	44.23	44.75	0.06	0.13
ZX44GL	ZX	1118	1143	1156	44.00	45.00	45.50	0.06	0.13
ZX45GL	ZX	1143	1168	1181	45.00	46.00	46.50	0.06	0.13
ZX46GL	ZX	1168	1193	1206	46.00	47.00	47.50	0.06	0.13
ZX46.75GL	ZX	1187	1212	1225	46.75	47.75	48.25	0.06	0.14
ZX47GL	ZX	1194	1219	1232	47.00	48.00	48.50	0.06	0.14
ZX47.5GL	ZX	1207	1232	1245	47.50	48.50	49.00	0.06	0.14
ZX47.75GL	ZX	1213	1238	1251	47.75	48.75	49.25	0.06	0.14
ZX48GL	ZX	1219	1244	1257	48.00	49.00	49.50	0.06	0.14
ZX49GL	ZX	1245	1270	1283	49.00	50.00	50.50	0.07	0.14
ZX50GL	ZX	1270	1295	1308	50.00	51.00	51.50	0.07	0.15
ZX50.5GL	ZX	1283	1308	1321	50.50	51.50	52.00	0.07	0.15
ZX51GL	ZX	1295	1320	1333	51.00	52.00	52.50	0.07	0.15
ZX52GL	ZX	1321	1346	1359	52.00	53.00	53.50	0.07	0.15
ZX53GL	ZX	1346	1371	1384	53.00	54.00	54.50	0.07	0.15
ZX54GL	ZX	1372	1397	1410	54.00	55.00	55.50	0.07	0.16
ZX55GL	ZX	1397	1422	1435	55.00	56.00	56.50	0.07	0.16
ZX56GL	ZX	1422	1447	1460	56.00	57.00	57.50	0.07	0.16
ZX57GL	ZX	1448	1473	1486	57.00	58.00	58.50	0.08	0.17
ZX58GL	ZX	1473	1498	1511	58.00	59.00	59.50	0.08	0.17
ZX59GL	ZX	1499	1524	1537	59.00	60.00	60.50	0.08	0.17
ZX59.5GL	ZX	1511	1536	1549	59.50	60.50	61.00	0.08	0.17
ZX60GL	ZX	1524	1549	1562	60.00	61.00	61.50	0.08	0.17
ZX61GL	ZX	1549	1574	1587	61.00	62.00	62.50	0.08	0.18
ZX62GL	ZX	1575	1600	1613	62.00	63.00	63.50	0.08	0.18
ZX63GL	ZX	1600	1625	1638	63.00	64.00	64.50	0.08	0.18
ZX64GL	ZX	1626	1651	1664	64.00	65.00	65.50	0.08	0.19
ZX65GL	ZX	1651	1676	1689	65.00	66.00	66.50	0.09	0.19
ZX66GL	ZX	1676	1701	1714	66.00	67.00	67.50	0.09	0.19
ZX67GL	ZX	1702	1727	1740	67.00	68.00	68.50	0.09	0.19
ZX68GL	ZX	1727	1752	1765	68.00	69.00	69.50	0.09	0.20
ZX69GL	ZX	1753	1778	1791	69.00	70.00	70.50	0.09	0.20
ZX70GL	ZX	1778	1803	1816	70.00	71.00	71.50	0.09	0.20
ZX71GL	ZX	1803	1828	1841	71.00	72.00	72.50	0.09	0.21
ZX73GL	ZX	1854	1879	1892	73.00	74.00	74.50	0.10	0.21
ZX75GL	ZX	1905	1930	1943	75.00	76.00	76.50	0.10	0.22
ZX76GL	ZX	1930	1955	1968	76.00	77.00	77.50	0.10	0.22
ZX78GL	ZX	1981	2006	2019	78.00	79.00	79.50	0.10	0.23
ZX79GL	ZX	2007	2032	2045	79.00	80.00	80.50	0.10	0.23
ZX80GL	ZX	2032	2057	2070	80.00	81.00	81.50	0.11	0.23
ZX83GL	ZX	2108	2133	2146	83.00	84.00	84.50	0.11	0.24
ZX85GL	ZX	2159	2184	2197	85.00	86.00	86.50	0.11	0.25
ZX88GL	ZX	2235	2260	2273	88.00	89.00	89.50	0.12	0.25
ZX90GL	ZX	2286	2311	2324	90.00	91.00	91.50	0.12	0.26
ZX95GL	ZX	2413	2438	2451	95.00	96.00	96.50	0.12	0.27
ZX98GL	ZX	2489	2514	2527	98.00	99.00	99.50	0.13	0.28
AX16GL	AX	406	439	456	16.00	17.30	17.95	0.05	0.12
AX18GL	AX	457	490	507	18.00	19.30	19.95	0.06	0.13
AX19GL	AX	483	516	533	19.00	20.30	20.95	0.06	0.14
AX20GL	AX	508	541	558	20.00	21.30	21.95	0.06	0.14
AX21GL	AX	533	566	583	21.00	22.30	22.95	0.07	0.15
AX22GL	AX	559	592	609	22.00	23.30	23.95	0.07	0.15
AX22.75GL	AX	578	611	628	22.75	24.05	24.70	0.07	0.16

GOLD LABEL X Classical - Size List



V-Belt Raw Edge **GOLD LABEL.**



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
ZX	10	6	0.051
AX	13	8	0.115
BX	17	11	0.193
CX	22	14	0.32


Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
ZX	25/64	15/64	0.003
AX	1/2	5/16	0.006
BX	21/32	13/32	0.011
CX	7/8	17/32	0.018

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
AX23GL	AX	584	617	634	23.00	24.30	24.95	0.07	0.16
AX23.5GL	AX	597	630	647	23.50	24.80	25.45	0.07	0.16
AX24GL	AX	610	643	660	24.00	25.30	25.95	0.08	0.17
AX25GL	AX	635	668	685	25.00	26.30	26.95	0.08	0.17
AX25.5GL	AX	648	681	698	25.50	26.80	27.45	0.08	0.18
AX26GL	AX	660	693	710	26.00	27.30	27.95	0.08	0.18
AX26.5GL	AX	673	706	723	26.50	27.80	28.45	0.08	0.18
AX27GL	AX	686	719	736	27.00	28.30	28.95	0.08	0.19
AX27.5GL	AX	699	732	749	27.50	28.80	29.45	0.09	0.19
AX28GL	AX	711	744	761	28.00	29.30	29.95	0.09	0.19
AX28.5GL	AX	724	757	774	28.50	29.80	30.45	0.09	0.20
AX29GL	AX	737	770	787	29.00	30.30	30.95	0.09	0.20
AX29.5GL	AX	749	782	799	29.50	30.80	31.45	0.09	0.20
AX30GL	AX	762	795	812	30.00	31.30	31.95	0.09	0.21
AX30.5GL	AX	775	808	825	30.50	31.80	32.45	0.10	0.21
AX31GL	AX	787	820	837	31.00	32.30	32.95	0.10	0.21
AX31.5GL	AX	800	833	850	31.50	32.80	33.45	0.10	0.22
AX32GL	AX	813	846	863	32.00	33.30	33.95	0.10	0.22
AX32.5GL	AX	826	859	876	32.50	33.80	34.45	0.10	0.22
AX33GL	AX	838	871	888	33.00	34.30	34.95	0.10	0.23
AX33.5GL	AX	851	884	901	33.50	34.80	35.45	0.10	0.23
AX34GL	AX	864	897	914	34.00	35.30	35.95	0.11	0.23
AX35GL	AX	889	922	939	35.00	36.30	36.95	0.11	0.24
AX35.5GL	AX	902	935	952	35.50	36.80	37.45	0.11	0.24
AX36GL	AX	914	947	964	36.00	37.30	37.95	0.11	0.24
AX36.25GL	AX	921	954	971	36.25	37.55	38.20	0.11	0.25
AX36.5GL	AX	927	960	977	36.50	37.80	38.45	0.11	0.25
AX37GL	AX	940	973	990	37.00	38.30	38.95	0.11	0.25
AX37.5GL	AX	953	986	1003	37.50	38.80	39.45	0.12	0.25
AX38GL	AX	965	998	1015	38.00	39.30	39.95	0.12	0.26
AX38.5GL	AX	978	1011	1028	38.50	39.80	40.45	0.12	0.26
AX39GL	AX	991	1024	1041	39.00	40.30	40.95	0.12	0.26
AX40GL	AX	1016	1049	1066	40.00	41.30	41.95	0.12	0.27
AX40.5GL	AX	1029	1062	1079	40.50	41.80	42.45	0.12	0.27
AX41GL	AX	1041	1074	1091	41.00	42.30	42.95	0.13	0.28
AX41.5GL	AX	1054	1087	1104	41.50	42.80	43.45	0.13	0.28
AX42GL	AX	1067	1100	1117	42.00	43.30	43.95	0.13	0.28
AX42.5GL	AX	1080	1113	1130	42.50	43.80	44.45	0.13	0.29
AX43GL	AX	1092	1125	1142	43.00	44.30	44.95	0.13	0.29
AX44GL	AX	1118	1151	1168	44.00	45.30	45.95	0.13	0.30
AX45GL	AX	1143	1176	1193	45.00	46.30	46.95	0.14	0.30
AX45.25GL	AX	1149	1182	1199	45.25	46.55	47.20	0.14	0.30
AX45.5GL	AX	1156	1189	1206	45.50	46.80	47.45	0.14	0.31
AX46GL	AX	1168	1201	1218	46.00	47.30	47.95	0.14	0.31
AX46.5GL	AX	1181	1214	1231	46.50	47.80	48.45	0.14	0.31
AX47GL	AX	1194	1227	1244	47.00	48.30	48.95	0.14	0.32
AX48GL	AX	1219	1252	1269	48.00	49.30	49.95	0.15	0.32
AX49GL	AX	1245	1278	1295	49.00	50.30	50.95	0.15	0.33
AX50GL	AX	1270	1303	1320	50.00	51.30	51.95	0.15	0.33
AX51GL	AX	1295	1328	1345	51.00	52.30	52.95	0.15	0.34
AX52GL	AX	1321	1354	1371	52.00	53.30	53.95	0.16	0.35
AX53GL	AX	1346	1379	1396	53.00	54.30	54.95	0.16	0.35
AX54GL	AX	1372	1405	1422	54.00	55.30	55.95	0.16	0.36
AX55GL	AX	1397	1430	1447	55.00	56.30	56.95	0.17	0.37
AX56GL	AX	1422	1455	1472	56.00	57.30	57.95	0.17	0.37
AX57GL	AX	1448	1481	1498	57.00	58.30	58.95	0.17	0.38
AX58GL	AX	1473	1506	1523	58.00	59.30	59.95	0.18	0.39

GOLD LABEL X Classical - Size List



V-Belt Raw Edge **GOLD LABEL.**



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
ZX	10	6	0.051
AX	13	8	0.115
BX	17	11	0.193
CX	22	14	0.32


Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
ZX	25/64	15/64	0.003
AX	1/2	5/16	0.006
BX	21/32	13/32	0.011
CX	7/8	17/32	0.018

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
AX59GL	AX	1499	1532	1549	59.00	60.30	60.95	0.18	0.39
AX60GL	AX	1524	1557	1574	60.00	61.30	61.95	0.18	0.40
AX61GL	AX	1549	1582	1599	61.00	62.30	62.95	0.18	0.41
AX62GL	AX	1575	1608	1625	62.00	63.30	63.95	0.19	0.41
AX63GL	AX	1600	1633	1650	63.00	64.30	64.95	0.19	0.42
AX63.5GL	AX	1613	1646	1663	63.50	64.80	65.45	0.19	0.42
AX64GL	AX	1626	1659	1676	64.00	65.30	65.95	0.19	0.43
AX65GL	AX	1651	1684	1701	65.00	66.30	66.95	0.20	0.43
AX65.5GL	AX	1664	1697	1714	65.50	66.80	67.45	0.20	0.43
AX66GL	AX	1676	1709	1726	66.00	67.30	67.95	0.20	0.44
AX67GL	AX	1702	1735	1752	67.00	68.30	68.95	0.20	0.44
AX67.5GL	AX	1715	1748	1765	67.50	68.80	69.45	0.20	0.45
AX68GL	AX	1727	1760	1777	68.00	69.30	69.95	0.20	0.45
AX69GL	AX	1753	1786	1803	69.00	70.30	70.95	0.21	0.46
AX70GL	AX	1778	1811	1828	70.00	71.30	71.95	0.21	0.46
AX71GL	AX	1803	1836	1853	71.00	72.30	72.95	0.21	0.47
AX71.5GL	AX	1816	1849	1866	71.50	72.80	73.45	0.21	0.47
AX72GL	AX	1829	1862	1879	72.00	73.30	73.95	0.22	0.48
AX73GL	AX	1854	1887	1904	73.00	74.30	74.95	0.22	0.48
AX74GL	AX	1880	1913	1930	74.00	75.30	75.95	0.22	0.49
AX75GL	AX	1905	1938	1955	75.00	76.30	76.95	0.23	0.50
AX75.5GL	AX	1918	1951	1968	75.50	76.80	77.45	0.23	0.50
AX76GL	AX	1930	1963	1980	76.00	77.30	77.95	0.23	0.50
AX77GL	AX	1956	1989	2006	77.00	78.30	78.95	0.23	0.51
AX78GL	AX	1981	2014	2031	78.00	79.30	79.95	0.23	0.52
AX79GL	AX	2007	2040	2057	79.00	80.30	80.95	0.24	0.52
AX80GL	AX	2032	2065	2082	80.00	81.30	81.95	0.24	0.53
AX81GL	AX	2057	2090	2107	81.00	82.30	82.95	0.24	0.53
AX82GL	AX	2083	2116	2133	82.00	83.30	83.95	0.25	0.54
AX83GL	AX	2108	2141	2158	83.00	84.30	84.95	0.25	0.55
AX84GL	AX	2134	2167	2184	84.00	85.30	85.95	0.25	0.55
AX85GL	AX	2159	2192	2209	85.00	86.30	86.95	0.25	0.56
AX86GL	AX	2184	2217	2234	86.00	87.30	87.95	0.26	0.57
AX87GL	AX	2210	2243	2260	87.00	88.30	88.95	0.26	0.57
AX88GL	AX	2235	2268	2285	88.00	89.30	89.95	0.26	0.58
AX89GL	AX	2261	2294	2311	89.00	90.30	90.95	0.27	0.59
AX90GL	AX	2286	2319	2336	90.00	91.30	91.95	0.27	0.59
AX91GL	AX	2311	2344	2361	91.00	92.30	92.95	0.27	0.60
AX92GL	AX	2337	2370	2387	92.00	93.30	93.95	0.27	0.61
AX93GL	AX	2362	2395	2412	93.00	94.30	94.95	0.28	0.61
AX94GL	AX	2388	2421	2438	94.00	95.30	95.95	0.28	0.62
AX95GL	AX	2413	2446	2463	95.00	96.30	96.95	0.28	0.62
AX96GL	AX	2438	2471	2488	96.00	97.30	97.95	0.29	0.63
AX97GL	AX	2464	2497	2514	97.00	98.30	98.95	0.29	0.64
AX98GL	AX	2489	2522	2539	98.00	99.30	99.95	0.29	0.64
AX100GL	AX	2540	2573	2590	100.00	101.30	101.95	0.30	0.66
AX101GL	AX	2565	2598	2615	101.00	102.30	102.95	0.30	0.66
AX102GL	AX	2591	2624	2641	102.00	103.30	103.95	0.30	0.67
AX103GL	AX	2616	2649	2666	103.00	104.30	104.95	0.31	0.68
AX105GL	AX	2667	2700	2717	105.00	106.30	106.95	0.31	0.69
AX106GL	AX	2692	2725	2742	106.00	107.30	107.95	0.32	0.70
AX107GL	AX	2718	2751	2768	107.00	108.30	108.95	0.32	0.70
AX108GL	AX	2743	2776	2793	108.00	109.30	109.95	0.32	0.71
AX109GL	AX	2769	2802	2819	109.00	110.30	110.95	0.32	0.72
AX110GL	AX	2794	2827	2844	110.00	111.30	111.95	0.33	0.72
AX112GL	AX	2845	2878	2895	112.00	113.30	113.95	0.33	0.73
AX114GL	AX	2896	2929	2946	114.00	115.30	115.95	0.34	0.75

GOLD LABEL X Classical - Size List



V-Belt Raw Edge **GOLD LABEL.**



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
ZX	10	6	0.051
AX	13	8	0.115
BX	17	11	0.193
CX	22	14	0.32


Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
ZX	25/64	15/64	0.003
AX	1/2	5/16	0.006
BX	21/32	13/32	0.011
CX	7/8	17/32	0.018

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
AX115GL	AX	2921	2954	2971	115.00	116.30	116.95	0.34	0.75
AX118GL	AX	2997	3030	3047	118.00	119.30	119.95	0.35	0.77
AX120GL	AX	3048	3081	3098	120.00	121.30	121.95	0.36	0.79
AX128GL	AX	3251	3284	3301	128.00	129.30	129.95	0.38	0.84
AX130GL	AX	3302	3335	3352	130.00	131.30	131.95	0.39	0.85
AX136GL	AX	3454	3487	3504	136.00	137.30	137.95	0.40	0.89
AX140GL	AX	3556	3589	3606	140.00	141.30	141.95	0.42	0.91
AX144GL	AX	3658	3691	3708	144.00	145.30	145.95	0.43	0.94
AX150GL	AX	3810	3843	3860	150.00	151.30	151.95	0.44	0.98
AX158GL	AX	4013	4046	4063	158.00	159.30	159.95	0.47	1.03
AX160GL	AX	4064	4097	4114	160.00	161.30	161.95	0.47	1.04
AX162GL	AX	4115	4148	4165	162.00	163.30	163.95	0.48	1.06
AX165GL	AX	4191	4224	4241	165.00	166.30	166.95	0.49	1.08
AX166GL	AX	4216	4249	4266	166.00	167.30	167.95	0.49	1.08
AX167GL	AX	4242	4275	4292	167.00	168.30	168.95	0.49	1.09
AX170GL	AX	4318	4351	4368	170.00	171.30	171.95	0.50	1.11
AX173GL	AX	4394	4427	4444	173.00	174.30	174.95	0.51	1.13
AX176GL	AX	4470	4503	4520	176.00	177.30	177.95	0.52	1.15
AX180GL	AX	4572	4605	4622	180.00	181.30	181.95	0.53	1.17
AX185GL	AX	4699	4732	4749	185.00	186.30	186.95	0.55	1.20
AX187GL	AX	4750	4783	4800	187.00	188.30	188.95	0.55	1.22
AX190GL	AX	4826	4859	4876	190.00	191.30	191.95	0.56	1.24
AX195GL	AX	4953	4986	5003	195.00	196.30	196.95	0.58	1.27
AX197GL	AX	5004	5037	5054	197.00	198.30	198.95	0.58	1.28
BX22GL	BX	559	599	628	22.00	23.55	24.70	0.12	0.27
BX23GL	BX	584	624	653	23.00	24.55	25.70	0.13	0.28
BX24GL	BX	610	650	679	24.00	25.55	26.70	0.13	0.29
BX25GL	BX	635	675	704	25.00	26.55	27.70	0.14	0.30
BX26GL	BX	660	700	729	26.00	27.55	28.70	0.14	0.31
BX26.5GL	BX	673	713	742	26.50	28.05	29.20	0.14	0.32
BX27GL	BX	686	726	755	27.00	28.55	29.70	0.15	0.32
BX28GL	BX	711	751	780	28.00	29.55	30.70	0.15	0.33
BX28.5GL	BX	724	764	793	28.50	30.05	31.20	0.15	0.34
BX29GL	BX	737	777	806	29.00	30.55	31.70	0.16	0.34
BX29.5GL	BX	749	789	818	29.50	31.05	32.20	0.16	0.35
BX30GL	BX	762	802	831	30.00	31.55	32.70	0.16	0.35
BX31GL	BX	787	827	856	31.00	32.55	33.70	0.16	0.36
BX31.5GL	BX	800	840	869	31.50	33.05	34.20	0.17	0.37
BX32GL	BX	813	853	882	32.00	33.55	34.70	0.17	0.37
BX32.5GL	BX	826	866	895	32.50	34.05	35.20	0.17	0.38
BX33GL	BX	838	878	907	33.00	34.55	35.70	0.17	0.39
BX33.5GL	BX	851	891	920	33.50	35.05	36.20	0.18	0.39
BX34GL	BX	864	904	933	34.00	35.55	36.70	0.18	0.40
BX34.5GL	BX	876	916	945	34.50	36.05	37.20	0.18	0.40
BX35GL	BX	889	929	958	35.00	36.55	37.70	0.18	0.41
BX35.5GL	BX	902	942	971	35.50	37.05	38.20	0.19	0.41
BX35.75GL	BX	908	948	977	35.75	37.30	38.45	0.19	0.41
BX36GL	BX	914	954	983	36.00	37.55	38.70	0.19	0.42
BX36.25GL	BX	921	961	990	36.25	37.80	38.95	0.19	0.42
BX36.5GL	BX	927	967	996	36.50	38.05	39.20	0.19	0.42
BX37GL	BX	940	980	1009	37.00	38.55	39.70	0.19	0.43
BX37.5GL	BX	953	993	1022	37.50	39.05	40.20	0.20	0.43
BX38GL	BX	965	1005	1034	38.00	39.55	40.70	0.20	0.44
BX38.5GL	BX	978	1018	1047	38.50	40.05	41.20	0.20	0.44
BX39GL	BX	991	1031	1060	39.00	40.55	41.70	0.20	0.45
BX39.5GL	BX	1003	1043	1072	39.50	41.05	42.20	0.21	0.46
BX40GL	BX	1016	1056	1085	40.00	41.55	42.70	0.21	0.46

GOLD LABEL X Classical - Size List



V-Belt Raw Edge **GOLD LABEL.**



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
ZX	10	6	0.051
AX	13	8	0.115
BX	17	11	0.193
CX	22	14	0.32


Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
ZX	25/64	15/64	0.003
AX	1/2	5/16	0.006
BX	21/32	13/32	0.011
CX	7/8	17/32	0.018

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
BX40.5GL	BX	1029	1069	1098	40.50	42.05	43.20	0.21	0.47
BX41GL	BX	1041	1081	1110	41.00	42.55	43.70	0.21	0.47
BX41.5GL	BX	1054	1094	1123	41.50	43.05	44.20	0.22	0.48
BX42GL	BX	1067	1107	1136	42.00	43.55	44.70	0.22	0.48
BX42.5GL	BX	1080	1120	1149	42.50	44.05	45.20	0.22	0.49
BX43GL	BX	1092	1132	1161	43.00	44.55	45.70	0.22	0.49
BX43.25GL	BX	1099	1139	1168	43.25	44.80	45.95	0.23	0.50
BX44GL	BX	1118	1158	1187	44.00	45.55	46.70	0.23	0.50
BX45GL	BX	1143	1183	1212	45.00	46.55	47.70	0.23	0.51
BX45.5GL	BX	1156	1196	1225	45.50	47.05	48.20	0.24	0.52
BX46GL	BX	1168	1208	1237	46.00	47.55	48.70	0.24	0.53
BX46.5GL	BX	1181	1221	1250	46.50	48.05	49.20	0.24	0.53
BX47GL	BX	1194	1234	1263	47.00	48.55	49.70	0.24	0.54
BX47.5GL	BX	1207	1247	1276	47.50	49.05	50.20	0.25	0.54
BX48GL	BX	1219	1259	1288	48.00	49.55	50.70	0.25	0.55
BX49GL	BX	1245	1285	1314	49.00	50.55	51.70	0.25	0.56
BX49.5GL	BX	1257	1297	1326	49.50	51.05	52.20	0.26	0.56
BX50GL	BX	1270	1310	1339	50.00	51.55	52.70	0.26	0.57
BX50.5GL	BX	1283	1323	1352	50.50	52.05	53.20	0.26	0.57
BX51GL	BX	1295	1335	1364	51.00	52.55	53.70	0.26	0.58
BX52GL	BX	1321	1361	1390	52.00	53.55	54.70	0.27	0.59
BX52.5GL	BX	1334	1374	1403	52.50	54.05	55.20	0.27	0.60
BX53GL	BX	1346	1386	1415	53.00	54.55	55.70	0.27	0.60
BX53.5GL	BX	1359	1399	1428	53.50	55.05	56.20	0.28	0.61
BX54GL	BX	1372	1412	1441	54.00	55.55	56.70	0.28	0.61
BX55GL	BX	1397	1437	1466	55.00	56.55	57.70	0.28	0.62
BX56GL	BX	1422	1462	1491	56.00	57.55	58.70	0.29	0.63
BX57GL	BX	1448	1488	1517	57.00	58.55	59.70	0.29	0.64
BX57.5GL	BX	1461	1501	1530	57.50	59.05	60.20	0.29	0.65
BX58GL	BX	1473	1513	1542	58.00	59.55	60.70	0.30	0.65
BX59GL	BX	1499	1539	1568	59.00	60.55	61.70	0.30	0.67
BX60GL	BX	1524	1564	1593	60.00	61.55	62.70	0.31	0.68
BX61GL	BX	1549	1589	1618	61.00	62.55	63.70	0.31	0.69
BX61.5GL	BX	1562	1602	1631	61.50	63.05	64.20	0.31	0.69
BX62GL	BX	1575	1615	1644	62.00	63.55	64.70	0.32	0.70
BX63GL	BX	1600	1640	1669	63.00	64.55	65.70	0.32	0.71
BX63.5GL	BX	1613	1653	1682	63.50	65.05	66.20	0.32	0.71
BX64GL	BX	1626	1666	1695	64.00	65.55	66.70	0.33	0.72
BX65GL	BX	1651	1691	1720	65.00	66.55	67.70	0.33	0.73
BX66GL	BX	1676	1716	1745	66.00	67.55	68.70	0.34	0.74
BX67GL	BX	1702	1742	1771	67.00	68.55	69.70	0.34	0.75
BX67.5GL	BX	1715	1755	1784	67.50	69.05	70.20	0.34	0.76
BX68GL	BX	1727	1767	1796	68.00	69.55	70.70	0.35	0.76
BX69GL	BX	1753	1793	1822	69.00	70.55	71.70	0.35	0.77
BX69.5GL	BX	1765	1805	1834	69.50	71.05	72.20	0.35	0.78
BX70GL	BX	1778	1818	1847	70.00	71.55	72.70	0.36	0.78
BX71GL	BX	1803	1843	1872	71.00	72.55	73.70	0.36	0.79
BX72GL	BX	1829	1869	1898	72.00	73.55	74.70	0.37	0.81
BX73GL	BX	1854	1894	1923	73.00	74.55	75.70	0.37	0.82
BX74GL	BX	1880	1920	1949	74.00	75.55	76.70	0.38	0.83
BX75GL	BX	1905	1945	1974	75.00	76.55	77.70	0.38	0.84
BX76GL	BX	1930	1970	1999	76.00	77.55	78.70	0.39	0.85
BX77GL	BX	1956	1996	2025	77.00	78.55	79.70	0.39	0.86
BX78GL	BX	1981	2021	2050	78.00	79.55	80.70	0.40	0.87
BX79GL	BX	2007	2047	2076	79.00	80.55	81.70	0.40	0.88
BX80GL	BX	2032	2072	2101	80.00	81.55	82.70	0.40	0.89
BX81GL	BX	2057	2097	2126	81.00	82.55	83.70	0.41	0.90

GOLD LABEL X Classical - Size List



V-Belt Raw Edge **GOLD LABEL.**



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
ZX	10	6	0.051
AX	13	8	0.115
BX	17	11	0.193
CX	22	14	0.32


Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
ZX	25/64	15/64	0.003
AX	1/2	5/16	0.006
BX	21/32	13/32	0.011
CX	7/8	17/32	0.018

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
BX82GL	BX	2083	2123	2152	82.00	83.55	84.70	0.41	0.91
BX83GL	BX	2108	2148	2177	83.00	84.55	85.70	0.42	0.92
BX83.5GL	BX	2121	2161	2190	83.50	85.05	86.20	0.42	0.93
BX84GL	BX	2134	2174	2203	84.00	85.55	86.70	0.42	0.94
BX85GL	BX	2159	2199	2228	85.00	86.55	87.70	0.43	0.95
BX86GL	BX	2184	2224	2253	86.00	87.55	88.70	0.43	0.96
BX87GL	BX	2210	2250	2279	87.00	88.55	89.70	0.44	0.97
BX88GL	BX	2235	2275	2304	88.00	89.55	90.70	0.44	0.98
BX89GL	BX	2261	2301	2330	89.00	90.55	91.70	0.45	0.99
BX90GL	BX	2286	2326	2355	90.00	91.55	92.70	0.45	1.00
BX91GL	BX	2311	2351	2380	91.00	92.55	93.70	0.46	1.01
BX91.5GL	BX	2324	2364	2393	91.50	93.05	94.20	0.46	1.02
BX92GL	BX	2337	2377	2406	92.00	93.55	94.70	0.46	1.02
BX93GL	BX	2362	2402	2431	93.00	94.55	95.70	0.47	1.03
BX94GL	BX	2388	2428	2457	94.00	95.55	96.70	0.47	1.04
BX95GL	BX	2413	2453	2482	95.00	96.55	97.70	0.48	1.05
BX96GL	BX	2438	2478	2507	96.00	97.55	98.70	0.48	1.06
BX97GL	BX	2464	2504	2533	97.00	98.55	99.70	0.49	1.08
BX98GL	BX	2489	2529	2558	98.00	99.55	100.70	0.49	1.09
BX99GL	BX	2515	2555	2584	99.00	100.55	101.70	0.50	1.10
BX100GL	BX	2540	2580	2609	100.00	101.55	102.70	0.50	1.11
BX101GL	BX	2565	2605	2634	101.00	102.55	103.70	0.51	1.12
BX102GL	BX	2591	2631	2660	102.00	103.55	104.70	0.51	1.13
BX102.5GL	BX	2604	2644	2673	102.50	104.05	105.20	0.52	1.13
BX103GL	BX	2616	2656	2685	103.00	104.55	105.70	0.52	1.14
BX104GL	BX	2642	2682	2711	104.00	105.55	106.70	0.52	1.15
BX105GL	BX	2667	2707	2736	105.00	106.55	107.70	0.53	1.16
BX106GL	BX	2692	2732	2761	106.00	107.55	108.70	0.53	1.17
BX107GL	BX	2718	2758	2787	107.00	108.55	109.70	0.54	1.18
BX108GL	BX	2743	2783	2812	108.00	109.55	110.70	0.54	1.19
BX108.5GL	BX	2756	2796	2825	108.50	110.05	111.20	0.54	1.20
BX110GL	BX	2794	2834	2863	110.00	111.55	112.70	0.55	1.22
BX111GL	BX	2819	2859	2888	111.00	112.55	113.70	0.56	1.23
BX112GL	BX	2845	2885	2914	112.00	113.55	114.70	0.56	1.24
BX113GL	BX	2870	2910	2939	113.00	114.55	115.70	0.57	1.25
BX114GL	BX	2896	2936	2965	114.00	115.55	116.70	0.57	1.26
BX115GL	BX	2921	2961	2990	115.00	116.55	117.70	0.58	1.27
BX116GL	BX	2946	2986	3015	116.00	117.55	118.70	0.58	1.28
BX118GL	BX	2997	3037	3066	118.00	119.55	120.70	0.59	1.30
BX119GL	BX	3023	3063	3092	119.00	120.55	121.70	0.60	1.31
BX120GL	BX	3048	3088	3117	120.00	121.55	122.70	0.60	1.32
BX123GL	BX	3124	3164	3193	123.00	124.55	125.70	0.62	1.36
BX124GL	BX	3150	3190	3219	124.00	125.55	126.70	0.62	1.37
BX126GL	BX	3200	3240	3269	126.00	127.55	128.70	0.63	1.39
BX128GL	BX	3251	3291	3320	128.00	129.55	130.70	0.64	1.41
BX130GL	BX	3302	3342	3371	130.00	131.55	132.70	0.65	1.43
BX132GL	BX	3353	3393	3422	132.00	133.55	134.70	0.66	1.45
BX133GL	BX	3378	3418	3447	133.00	134.55	135.70	0.66	1.46
BX136GL	BX	3454	3494	3523	136.00	137.55	138.70	0.68	1.50
BX140GL	BX	3556	3596	3625	140.00	141.55	142.70	0.70	1.54
BX144GL	BX	3658	3698	3727	144.00	145.55	146.70	0.72	1.58
BX148GL	BX	3759	3799	3828	148.00	149.55	150.70	0.74	1.63
BX150GL	BX	3810	3850	3879	150.00	151.55	152.70	0.75	1.65
BX152GL	BX	3861	3901	3930	152.00	153.55	154.70	0.76	1.67
BX154GL	BX	3912	3952	3981	154.00	155.55	156.70	0.77	1.69
BX158GL	BX	4013	4053	4082	158.00	159.55	160.70	0.79	1.73
BX162GL	BX	4115	4155	4184	162.00	163.55	164.70	0.81	1.78

GOLD LABEL X Classical - Size List



V-Belt Raw Edge **GOLD LABEL.**



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
ZX	10	6	0.051
AX	13	8	0.115
BX	17	11	0.193
CX	22	14	0.32


Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
ZX	25/64	15/64	0.003
AX	1/2	5/16	0.006
BX	21/32	13/32	0.011
CX	7/8	17/32	0.018

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
BX173GL	BX	4394	4434	4463	173.00	174.55	175.70	0.86	1.89
BX180GL	BX	4572	4612	4641	180.00	181.55	182.70	0.89	1.97
BX191GL	BX	4851	4891	4920	191.00	192.55	193.70	0.95	2.09
BX195GL	BX	4953	4993	5022	195.00	196.55	197.70	0.97	2.13
CX42GL	CX	1067	1126	1155	42.00	44.30	45.45	0.37	0.81
CX43GL	CX	1092	1151	1180	43.00	45.30	46.45	0.38	0.83
CX46.5GL	CX	1181	1240	1269	46.50	48.80	49.95	0.41	0.89
CX47GL	CX	1194	1253	1282	47.00	49.30	50.45	0.41	0.90
CX49GL	CX	1245	1304	1333	49.00	51.30	52.45	0.43	0.94
CX50GL	CX	1270	1329	1358	50.00	52.30	53.45	0.43	0.96
CX51GL	CX	1295	1354	1383	51.00	53.30	54.45	0.44	0.98
CX52GL	CX	1321	1380	1409	52.00	54.30	55.45	0.45	0.99
CX53GL	CX	1346	1405	1434	53.00	55.30	56.45	0.46	1.01
CX54GL	CX	1372	1431	1460	54.00	56.30	57.45	0.47	1.03
CX55GL	CX	1397	1456	1485	55.00	57.30	58.45	0.48	1.05
CX56GL	CX	1422	1481	1510	56.00	58.30	59.45	0.48	1.06
CX57GL	CX	1448	1507	1536	57.00	59.30	60.45	0.49	1.08
CX58GL	CX	1473	1532	1561	58.00	60.30	61.45	0.50	1.10
CX59GL	CX	1499	1558	1587	59.00	61.30	62.45	0.51	1.12
CX60GL	CX	1524	1583	1612	60.00	62.30	63.45	0.52	1.14
CX61GL	CX	1549	1608	1637	61.00	63.30	64.45	0.52	1.15
CX62GL	CX	1575	1634	1663	62.00	64.30	65.45	0.53	1.17
CX63GL	CX	1600	1659	1688	63.00	65.30	66.45	0.54	1.19
CX64GL	CX	1626	1685	1714	64.00	66.30	67.45	0.55	1.21
CX65GL	CX	1651	1710	1739	65.00	67.30	68.45	0.56	1.23
CX66GL	CX	1676	1735	1764	66.00	68.30	69.45	0.56	1.24
CX67GL	CX	1702	1761	1790	67.00	69.30	70.45	0.57	1.26
CX68GL	CX	1727	1786	1815	68.00	70.30	71.45	0.58	1.28
CX69GL	CX	1753	1812	1841	69.00	71.30	72.45	0.59	1.30
CX70GL	CX	1778	1837	1866	70.00	72.30	73.45	0.60	1.32
CX71GL	CX	1803	1862	1891	71.00	73.30	74.45	0.61	1.33
CX72GL	CX	1829	1888	1917	72.00	74.30	75.45	0.61	1.35
CX73GL	CX	1854	1913	1942	73.00	75.30	76.45	0.62	1.37
CX74GL	CX	1880	1939	1968	74.00	76.30	77.45	0.63	1.39
CX74.5GL	CX	1892	1951	1980	74.50	76.80	77.95	0.63	1.40
CX75GL	CX	1905	1964	1993	75.00	77.30	78.45	0.64	1.41
CX76GL	CX	1930	1989	2018	76.00	78.30	79.45	0.65	1.42
CX76.25GL	CX	1937	1996	2025	76.25	78.55	79.70	0.65	1.43
CX77GL	CX	1956	2015	2044	77.00	79.30	80.45	0.65	1.44
CX78GL	CX	1981	2040	2069	78.00	80.30	81.45	0.66	1.46
CX79GL	CX	2007	2066	2095	79.00	81.30	82.45	0.67	1.48
CX80GL	CX	2032	2091	2120	80.00	82.30	83.45	0.68	1.49
CX81GL	CX	2057	2116	2145	81.00	83.30	84.45	0.69	1.51
CX82GL	CX	2083	2142	2171	82.00	84.30	85.45	0.69	1.53
CX83GL	CX	2108	2167	2196	83.00	85.30	86.45	0.70	1.55
CX84GL	CX	2134	2193	2222	84.00	86.30	87.45	0.71	1.57
CX85GL	CX	2159	2218	2247	85.00	87.30	88.45	0.72	1.58
CX86GL	CX	2184	2243	2272	86.00	88.30	89.45	0.73	1.60
CX87GL	CX	2210	2269	2298	87.00	89.30	90.45	0.74	1.62
CX88GL	CX	2235	2294	2323	88.00	90.30	91.45	0.74	1.64
CX89GL	CX	2261	2320	2349	89.00	91.30	92.45	0.75	1.66
CX90GL	CX	2286	2345	2374	90.00	92.30	93.45	0.76	1.67
CX91GL	CX	2311	2370	2399	91.00	93.30	94.45	0.77	1.69
CX92GL	CX	2337	2396	2425	92.00	94.30	95.45	0.78	1.71
CX93GL	CX	2362	2421	2450	93.00	95.30	96.45	0.78	1.73
CX94GL	CX	2388	2447	2476	94.00	96.30	97.45	0.79	1.75
CX95GL	CX	2413	2472	2501	95.00	97.30	98.45	0.80	1.76

GOLD LABEL X Classical - Size List



V-Belt Raw Edge **GOLD LABEL.**




Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
ZX	10	6	0.051
AX	13	8	0.115
BX	17	11	0.193
CX	22	14	0.32

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
ZX	25/64	15/64	0.003
AX	1/2	5/16	0.006
BX	21/32	13/32	0.011
CX	7/8	17/32	0.018


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
CX96GL	CX	2438	2497	2526	96.00	98.30	99.45	0.81	1.78
CX97GL	CX	2464	2523	2552	97.00	99.30	100.45	0.82	1.80
CX98GL	CX	2489	2548	2577	98.00	100.30	101.45	0.82	1.82
CX98.5GL	CX	2502	2561	2590	98.50	100.80	101.95	0.83	1.83
CX99GL	CX	2515	2574	2603	99.00	101.30	102.45	0.83	1.84
CX100GL	CX	2540	2599	2628	100.00	102.30	103.45	0.84	1.85
CX101GL	CX	2565	2624	2653	101.00	103.30	104.45	0.85	1.87
CX102GL	CX	2591	2650	2679	102.00	104.30	105.45	0.86	1.89
CX103GL	CX	2616	2675	2704	103.00	105.30	106.45	0.87	1.91
CX104GL	CX	2642	2701	2730	104.00	106.30	107.45	0.87	1.92
CX105GL	CX	2667	2726	2755	105.00	107.30	108.45	0.88	1.94
CX107GL	CX	2718	2777	2806	107.00	109.30	110.45	0.90	1.98
CX108GL	CX	2743	2802	2831	108.00	110.30	111.45	0.91	2.00
CX109GL	CX	2769	2828	2857	109.00	111.30	112.45	0.91	2.01
CX110GL	CX	2794	2853	2882	110.00	112.30	113.45	0.92	2.03
CX111GL	CX	2819	2878	2907	111.00	113.30	114.45	0.93	2.05
CX112GL	CX	2845	2904	2933	112.00	114.30	115.45	0.94	2.07
CX113GL	CX	2870	2929	2958	113.00	115.30	116.45	0.95	2.09
CX114GL	CX	2896	2955	2984	114.00	116.30	117.45	0.96	2.10
CX115GL	CX	2921	2980	3009	115.00	117.30	118.45	0.96	2.12
CX116GL	CX	2946	3005	3034	116.00	118.30	119.45	0.97	2.14
CX117GL	CX	2972	3031	3060	117.00	119.30	120.45	0.98	2.16
CX118GL	CX	2997	3056	3085	118.00	120.30	121.45	0.99	2.17
CX119GL	CX	3023	3082	3111	119.00	121.30	122.45	1.00	2.19
CX120GL	CX	3048	3107	3136	120.00	122.30	123.45	1.00	2.21
CX123GL	CX	3124	3183	3212	123.00	125.30	126.45	1.03	2.26
CX124GL	CX	3150	3209	3238	124.00	126.30	127.45	1.04	2.28
CX128GL	CX	3251	3310	3339	128.00	130.30	131.45	1.07	2.35
CX133GL	CX	3378	3437	3466	133.00	135.30	136.45	1.11	2.44
CX136GL	CX	3454	3513	3542	136.00	138.30	139.45	1.13	2.50
CX144GL	CX	3658	3717	3746	144.00	146.30	147.45	1.20	2.64
CX148GL	CX	3759	3818	3847	148.00	150.30	151.45	1.23	2.71
CX150GL	CX	3810	3869	3898	150.00	152.30	153.45	1.25	2.75
CX158GL	CX	4013	4072	4101	158.00	160.30	161.45	1.31	2.89
CX162GL	CX	4115	4174	4203	162.00	164.30	165.45	1.35	2.96
CX173GL	CX	4394	4453	4482	173.00	175.30	176.45	1.43	3.16
CX180GL	CX	4572	4631	4660	180.00	182.30	183.45	1.49	3.29
CX190GL	CX	4826	4885	4914	190.00	192.30	193.45	1.57	3.46
CX195GL	CX	4953	5012	5041	195.00	197.30	198.45	1.61	3.55

GOLD LABEL X Narrow - Product Description



V-Belt Raw Edge

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
3VX	9	8	0.076
5VX	15	13	0.223

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
3VX	3/8	5/16	0.004
5VX	5/8	17/32	0.012

V-Belt Raw Edge

Part Number Description: **3VX300GL**

3VX: Profile (9.5mm X 8mm)

300: Internal Length (inches)

GL: Gold Label

Features and Benefits:

Top Fabric:

- Abrasion, Wear Resistant

Tension Cords: High Modulus Polyester

- Superior Dimensional stability
- High Resistance to overloads and shock loads

Special Cogs Profile Engineered for:

- Additional Resistance to Bending Stress
- Extra-Flexibility for smaller pulleys
- Cooling effect

Compression Rubber: EPDM Rubber Blend

- Excellent Abrasion resistance
- High Coefficient of friction (higher H.P. capacity compared to wrapped Belts)
- Limited Oil Resistance, Excellent Heat Resistance, Temperature Range: -30 to 130 °C / -22 to 266 °F

Static Conductivity ISO 1813

MM: Made for Match

RMA Wedge Profile according to IP20/IP21

Designed for OEM

Markets and Applications:

Suitable for all applications where space, weight and power capacity are critical


Pulley Standards: IP22

GOLD LABEL X Narrow - Size List



V-Belt Raw Edge

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
3VX	9	8	0.076
5VX	15	13	0.223

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
3VX	3/8	5/16	0.004
5VX	5/8	17/32	0.012


DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
3VX220GL	3VX	559	22.00	0.04	0.09
3VX230GL	3VX	584	23.00	0.04	0.10
3VX250GL	3VX	635	25.00	0.05	0.11
3VX255GL	3VX	648	25.50	0.05	0.11
3VX260GL	3VX	660	26.00	0.05	0.11
3VX265GL	3VX	673	26.50	0.05	0.11
3VX270GL	3VX	686	27.00	0.05	0.12
3VX275GL	3VX	699	27.50	0.05	0.12
3VX280GL	3VX	711	28.00	0.05	0.12
3VX290GL	3VX	737	29.00	0.06	0.12
3VX295GL	3VX	749	29.50	0.06	0.13
3VX300GL	3VX	762	30.00	0.06	0.13
3VX305GL	3VX	775	30.50	0.06	0.13
3VX310GL	3VX	787	31.00	0.06	0.13
3VX315GL	3VX	800	31.50	0.06	0.13
3VX320GL	3VX	813	32.00	0.06	0.14
3VX325GL	3VX	826	32.50	0.06	0.14
3VX330GL	3VX	838	33.00	0.06	0.14
3VX335GL	3VX	851	33.50	0.06	0.14
3VX340GL	3VX	864	34.00	0.07	0.14
3VX345GL	3VX	876	34.50	0.07	0.15
3VX350GL	3VX	889	35.00	0.07	0.15
3VX355GL	3VX	902	35.50	0.07	0.15
3VX360GL	3VX	914	36.00	0.07	0.15
3VX365GL	3VX	927	36.50	0.07	0.16
3VX370GL	3VX	940	37.00	0.07	0.16
3VX375GL	3VX	953	37.50	0.07	0.16
3VX380GL	3VX	965	38.00	0.07	0.16
3VX385GL	3VX	978	38.50	0.07	0.16
3VX390GL	3VX	991	39.00	0.08	0.17
3VX395GL	3VX	1003	39.50	0.08	0.17
3VX400GL	3VX	1016	40.00	0.08	0.17
3VX405GL	3VX	1029	40.50	0.08	0.17
3VX410GL	3VX	1041	41.00	0.08	0.17
3VX415GL	3VX	1054	41.50	0.08	0.18
3VX420GL	3VX	1067	42.00	0.08	0.18
3VX425GL	3VX	1080	42.50	0.08	0.18
3VX430GL	3VX	1092	43.00	0.08	0.18
3VX440GL	3VX	1118	44.00	0.09	0.19
3VX445GL	3VX	1130	44.50	0.09	0.19
3VX450GL	3VX	1143	45.00	0.09	0.19
3VX455GL	3VX	1156	45.50	0.09	0.19

GOLD LABEL X Narrow - Size List



V-Belt Raw Edge

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
3VX	9	8	0.076
5VX	15	13	0.223

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
3VX	3/8	5/16	0.004
5VX	5/8	17/32	0.012


DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
3VX460GL	3VX	1168	46.00	0.09	0.20
3VX465GL	3VX	1181	46.50	0.09	0.20
3VX470GL	3VX	1194	47.00	0.09	0.20
3VX475GL	3VX	1207	47.50	0.09	0.20
3VX480GL	3VX	1219	48.00	0.09	0.20
3VX490GL	3VX	1245	49.00	0.09	0.21
3VX495GL	3VX	1257	49.50	0.10	0.21
3VX500GL	3VX	1270	50.00	0.10	0.21
3VX505GL	3VX	1283	50.50	0.10	0.22
3VX510GL	3VX	1295	51.00	0.10	0.22
3VX515GL	3VX	1308	51.50	0.10	0.22
3VX520GL	3VX	1321	52.00	0.10	0.22
3VX525GL	3VX	1334	52.50	0.10	0.22
3VX530GL	3VX	1346	53.00	0.10	0.23
3VX535GL	3VX	1359	53.50	0.10	0.23
3VX540GL	3VX	1372	54.00	0.10	0.23
3VX545GL	3VX	1384	54.50	0.11	0.23
3VX550GL	3VX	1397	55.00	0.11	0.23
3VX555GL	3VX	1410	55.50	0.11	0.24
3VX560GL	3VX	1422	56.00	0.11	0.24
3VX565GL	3VX	1435	56.50	0.11	0.24
3VX570GL	3VX	1448	57.00	0.11	0.24
3VX575GL	3VX	1461	57.50	0.11	0.25
3VX580GL	3VX	1473	58.00	0.11	0.25
3VX585GL	3VX	1486	58.50	0.11	0.25
3VX590GL	3VX	1499	59.00	0.11	0.25
3VX595GL	3VX	1511	59.50	0.12	0.25
3VX600GL	3VX	1524	60.00	0.12	0.26
3VX610GL	3VX	1549	61.00	0.12	0.26
3VX615GL	3VX	1562	61.50	0.12	0.26
3VX620GL	3VX	1575	62.00	0.12	0.26
3VX625GL	3VX	1588	62.50	0.12	0.27
3VX630GL	3VX	1600	63.00	0.12	0.27
3VX640GL	3VX	1626	64.00	0.12	0.27
3VX645GL	3VX	1638	64.50	0.12	0.27
3VX650GL	3VX	1651	65.00	0.13	0.28
3VX670GL	3VX	1702	67.00	0.13	0.29
3VX680GL	3VX	1727	68.00	0.13	0.29
3VX685GL	3VX	1740	68.50	0.13	0.29
3VX690GL	3VX	1753	69.00	0.13	0.29
3VX695GL	3VX	1765	69.50	0.13	0.30
3VX700GL	3VX	1778	70.00	0.14	0.30

GOLD LABEL X Narrow - Size List



V-Belt Raw Edge

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
3VX	9	8	0.076
5VX	15	13	0.223

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
3VX	3/8	5/16	0.004
5VX	5/8	17/32	0.012


DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
3VX705GL	3VX	1791	70.50	0.14	0.30
3VX710GL	3VX	1803	71.00	0.14	0.30
3VX715GL	3VX	1816	71.50	0.14	0.30
3VX720GL	3VX	1829	72.00	0.14	0.31
3VX725GL	3VX	1842	72.50	0.14	0.31
3VX735GL	3VX	1867	73.50	0.14	0.31
3VX745GL	3VX	1892	74.50	0.14	0.32
3VX750GL	3VX	1905	75.00	0.15	0.32
3VX765GL	3VX	1943	76.50	0.15	0.33
3VX780GL	3VX	1981	78.00	0.15	0.33
3VX800GL	3VX	2032	80.00	0.15	0.34
3VX850GL	3VX	2159	85.00	0.16	0.36
3VX900GL	3VX	2286	90.00	0.17	0.38
3VX950GL	3VX	2413	95.00	0.18	0.40
3VX1000GL	3VX	2540	100.00	0.19	0.43
3VX1060GL	3VX	2692	106.00	0.21	0.45
3VX1120GL	3VX	2845	112.00	0.22	0.48
3VX1180GL	3VX	2997	118.00	0.23	0.50
3VX1250GL	3VX	3175	125.00	0.24	0.53
3VX1320GL	3VX	3353	132.00	0.26	0.56
3VX1400GL	3VX	3556	140.00	0.27	0.60
3VX1500GL	3VX	3810	150.00	0.29	0.64
5VX220GL	5VX	559	22.00	0.12	0.27
5VX225GL	5VX	572	22.50	0.13	0.28
5VX230GL	5VX	584	23.00	0.13	0.29
5VX240GL	5VX	610	24.00	0.14	0.30
5VX245GL	5VX	622	24.50	0.14	0.31
5VX250GL	5VX	635	25.00	0.14	0.31
5VX255GL	5VX	648	25.50	0.14	0.32
5VX260GL	5VX	660	26.00	0.15	0.32
5VX270GL	5VX	686	27.00	0.15	0.34
5VX275GL	5VX	699	27.50	0.16	0.34
5VX285GL	5VX	724	28.50	0.16	0.36
5VX290GL	5VX	737	29.00	0.16	0.36
5VX295GL	5VX	749	29.50	0.17	0.37
5VX305GL	5VX	775	30.50	0.17	0.38
5VX310GL	5VX	787	31.00	0.18	0.39
5VX315GL	5VX	800	31.50	0.18	0.39
5VX320GL	5VX	813	32.00	0.18	0.40
5VX330GL	5VX	838	33.00	0.19	0.41
5VX335GL	5VX	851	33.50	0.19	0.42
5VX340GL	5VX	864	34.00	0.19	0.42

GOLD LABEL X Narrow - Size List



V-Belt Raw Edge

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
3VX	9	8	0.076
5VX	15	13	0.223

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
3VX	3/8	5/16	0.004
5VX	5/8	17/32	0.012


DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
5VX345GL	5VX	876	34.50	0.20	0.43
5VX350GL	5VX	889	35.00	0.20	0.44
5VX355GL	5VX	902	35.50	0.20	0.44
5VX365GL	5VX	927	36.50	0.21	0.45
5VX370GL	5VX	940	37.00	0.21	0.46
5VX375GL	5VX	953	37.50	0.21	0.47
5VX380GL	5VX	965	38.00	0.22	0.47
5VX385GL	5VX	978	38.50	0.22	0.48
5VX390GL	5VX	991	39.00	0.22	0.49
5VX395GL	5VX	1003	39.50	0.22	0.49
5VX400GL	5VX	1016	40.00	0.23	0.50
5VX405GL	5VX	1029	40.50	0.23	0.51
5VX410GL	5VX	1041	41.00	0.23	0.51
5VX415GL	5VX	1054	41.50	0.23	0.52
5VX420GL	5VX	1067	42.00	0.24	0.52
5VX425GL	5VX	1080	42.50	0.24	0.53
5VX430GL	5VX	1092	43.00	0.24	0.54
5VX440GL	5VX	1118	44.00	0.25	0.55
5VX445GL	5VX	1130	44.50	0.25	0.55
5VX450GL	5VX	1143	45.00	0.25	0.56
5VX455GL	5VX	1156	45.50	0.26	0.57
5VX460GL	5VX	1168	46.00	0.26	0.57
5VX465GL	5VX	1181	46.50	0.26	0.58
5VX470GL	5VX	1194	47.00	0.27	0.59
5VX475GL	5VX	1207	47.50	0.27	0.59
5VX480GL	5VX	1219	48.00	0.27	0.60
5VX485GL	5VX	1232	48.50	0.27	0.60
5VX490GL	5VX	1245	49.00	0.28	0.61
5VX495GL	5VX	1257	49.50	0.28	0.62
5VX500GL	5VX	1270	50.00	0.28	0.62
5VX505GL	5VX	1283	50.50	0.29	0.63
5VX510GL	5VX	1295	51.00	0.29	0.64
5VX515GL	5VX	1308	51.50	0.29	0.64
5VX525GL	5VX	1334	52.50	0.30	0.65
5VX530GL	5VX	1346	53.00	0.30	0.66
5VX535GL	5VX	1359	53.50	0.30	0.67
5VX540GL	5VX	1372	54.00	0.31	0.67
5VX545GL	5VX	1384	54.50	0.31	0.68
5VX550GL	5VX	1397	55.00	0.31	0.69
5VX555GL	5VX	1410	55.50	0.31	0.69
5VX560GL	5VX	1422	56.00	0.32	0.70
5VX565GL	5VX	1435	56.50	0.32	0.70

GOLD LABEL X Narrow - Size List



V-Belt Raw Edge

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
3VX	9	8	0.076
5VX	15	13	0.223

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
3VX	3/8	5/16	0.004
5VX	5/8	17/32	0.012


DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
5VX570GL	5VX	1448	57.00	0.32	0.71
5VX575GL	5VX	1461	57.50	0.33	0.72
5VX580GL	5VX	1473	58.00	0.33	0.72
5VX585GL	5VX	1486	58.50	0.33	0.73
5VX590GL	5VX	1499	59.00	0.33	0.74
5VX595GL	5VX	1511	59.50	0.34	0.74
5VX600GL	5VX	1524	60.00	0.34	0.75
5VX605GL	5VX	1537	60.50	0.34	0.75
5VX610GL	5VX	1549	61.00	0.35	0.76
5VX615GL	5VX	1562	61.50	0.35	0.77
5VX620GL	5VX	1575	62.00	0.35	0.77
5VX630GL	5VX	1600	63.00	0.36	0.79
5VX640GL	5VX	1626	64.00	0.36	0.80
5VX650GL	5VX	1651	65.00	0.37	0.81
5VX660GL	5VX	1676	66.00	0.37	0.82
5VX665GL	5VX	1689	66.50	0.38	0.83
5VX670GL	5VX	1702	67.00	0.38	0.84
5VX680GL	5VX	1727	68.00	0.38	0.85
5VX685GL	5VX	1740	68.50	0.39	0.85
5VX690GL	5VX	1753	69.00	0.39	0.86
5VX695GL	5VX	1765	69.50	0.39	0.87
5VX700GL	5VX	1778	70.00	0.40	0.87
5VX710GL	5VX	1803	71.00	0.40	0.88
5VX715GL	5VX	1816	71.50	0.40	0.89
5VX720GL	5VX	1829	72.00	0.41	0.90
5VX730GL	5VX	1854	73.00	0.41	0.91
5VX740GL	5VX	1880	74.00	0.42	0.92
5VX750GL	5VX	1905	75.00	0.42	0.94
5VX760GL	5VX	1930	76.00	0.43	0.95
5VX780GL	5VX	1981	78.00	0.44	0.97
5VX790GL	5VX	2007	79.00	0.45	0.99
5VX800GL	5VX	2032	80.00	0.45	1.00
5VX810GL	5VX	2057	81.00	0.46	1.01
5VX830GL	5VX	2108	83.00	0.47	1.03
5VX840GL	5VX	2134	84.00	0.48	1.05
5VX850GL	5VX	2159	85.00	0.48	1.06
5VX860GL	5VX	2184	86.00	0.49	1.07
5VX880GL	5VX	2235	88.00	0.50	1.10
5VX890GL	5VX	2261	89.00	0.50	1.11
5VX900GL	5VX	2286	90.00	0.51	1.12
5VX930GL	5VX	2362	93.00	0.53	1.16
5VX940GL	5VX	2388	94.00	0.53	1.17

GOLD LABEL X Narrow - Size List



V-Belt Raw Edge

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
3VX	9	8	0.076
5VX	15	13	0.223

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
3VX	3/8	5/16	0.004
5VX	5/8	17/32	0.012


DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
5VX950GL	5VX	2413	95.00	0.54	1.18
5VX960GL	5VX	2438	96.00	0.54	1.20
5VX990GL	5VX	2515	99.00	0.56	1.23
5VX1000GL	5VX	2540	100.00	0.57	1.25
5VX1030GL	5VX	2616	103.00	0.58	1.28
5VX1050GL	5VX	2667	105.00	0.59	1.31
5VX1060GL	5VX	2692	106.00	0.60	1.32
5VX1080GL	5VX	2743	108.00	0.61	1.35
5VX1120GL	5VX	2845	112.00	0.63	1.40
5VX1150GL	5VX	2921	115.00	0.65	1.43
5VX1160GL	5VX	2946	116.00	0.66	1.45
5VX1180GL	5VX	2997	118.00	0.67	1.47
5VX1230GL	5VX	3124	123.00	0.70	1.53
5VX1250GL	5VX	3175	125.00	0.71	1.56
5VX1320GL	5VX	3353	132.00	0.75	1.65
5VX1400GL	5VX	3556	140.00	0.79	1.75
5VX1500GL	5VX	3810	150.00	0.85	1.87
5VX1600GL	5VX	4064	160.00	0.91	1.99
5VX1700GL	5VX	4318	170.00	0.96	2.12
5VX1800GL	5VX	4572	180.00	1.02	2.24
5VX1900GL	5VX	4826	190.00	1.08	2.37
5VX2000GL	5VX	5080	200.00	1.13	2.49

GOLD LABEL X Wedge - Product Description



V-Belt Raw Edge

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
XPZ	10	8	0.076
XPA	13	10	0.134
XPB	17	14	0.223
XPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
XPZ	25/64	5/16	0.004
XPA	33/64	25/64	0.007
XPB	43/64	35/64	0.012
XPC	55/64	45/64	0.02

V-Belt Raw Edge

Part Number Description: **XPA1200GL**

XPA: Profile (13mm X 10mm)

1200: Datum Length (mm)

GL: Gold Label

Features and Benefits:

Top Fabric:

- Abrasion, Wear Resistant

Tension Cords: High Modulus Polyester

- Superior Dimensional stability
- High Resistance to overloads and shock loads

Special Cogs Profile Engineered for:

- Additional Resistance to Bending Stress, Extra-Flexibility for smaller pulleys, Cooling effect

Compression Rubber: EPDM Rubber Blend

- Excellent Abrasion resistance
- High Coefficient of friction (higher Power capacity compared to wrapped Belts)
- Limited Oil Resistance, Excellent Heat Resistance, Temperature Range::-30 to 130 °C / -22 to 266 °F
- Static Conductivity ISO 1813

MM: Made for Match

Metric Wedge Profile according to ISO 7753, Enhanced durability with more compact drive

Markets and Applications:

Excellent for textile mills, machine tool and food processing.

Recommended for industrial applications, designed with Metric cross-sections belts, where space, weight and power capacity are critical


For all applications, particularly where small or sub-minimal sheave diameters are required.

Pulley Standards: DIN2211 – ISO 4183

GOLD LABEL X Wedge - Size List



V-Belt Raw Edge **GOLD LABEL.**



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
XPZ	10	8	0.076
XPA	13	10	0.134
XPB	17	14	0.223
XPC	22	18	0.354


Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
XPZ	25/64	5/16	0.004
XPA	33/64	25/64	0.007
XPB	43/64	35/64	0.012
XPC	55/64	45/64	0.02

DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
XPA550GL	XPA	550	568	21.65	22.40	0.08	0.17
XPA575GL	XPA	575	593	22.65	23.35	0.08	0.17
XPA630GL	XPA	630	648	24.80	25.55	0.09	0.19
XPA667GL	XPA	667	685	26.25	27.00	0.09	0.20
XPA670GL	XPA	670	688	26.40	27.10	0.09	0.20
XPA690GL	XPA	690	708	27.15	27.90	0.09	0.21
XPA710GL	XPA	710	728	27.95	28.70	0.10	0.21
XPA730GL	XPA	730	748	28.75	29.45	0.10	0.22
XPA732GL	XPA	732	750	28.80	29.55	0.10	0.22
XPA742GL	XPA	742	760	29.20	29.95	0.10	0.22
XPA747GL	XPA	747	765	29.40	30.15	0.10	0.23
XPA750GL	XPA	750	768	29.55	30.25	0.10	0.23
XPA757GL	XPA	757	775	29.80	30.55	0.10	0.23
XPA760GL	XPA	760	778	29.90	30.65	0.10	0.23
XPA762GL	XPA	762	780	30.00	30.75	0.10	0.23
XPA766GL	XPA	766	784	30.15	30.90	0.10	0.23
XPA772GL	XPA	772	790	30.40	31.10	0.11	0.23
XPA775GL	XPA	775	793	30.50	31.25	0.11	0.23
XPA782GL	XPA	782	800	30.80	31.50	0.11	0.24
XPA800GL	XPA	800	818	31.50	32.20	0.11	0.24
XPA807GL	XPA	807	825	31.75	32.50	0.11	0.24
XPA825GL	XPA	825	843	32.50	33.20	0.11	0.25
XPA832GL	XPA	832	850	32.75	33.50	0.11	0.25
XPA840GL	XPA	840	858	33.05	33.80	0.11	0.25
XPA850GL	XPA	850	868	33.45	34.20	0.12	0.26
XPA857GL	XPA	857	875	33.75	34.45	0.12	0.26
XPA861GL	XPA	861	879	33.90	34.65	0.12	0.26
XPA875GL	XPA	875	893	34.45	35.20	0.12	0.26
XPA882GL	XPA	882	900	34.70	35.45	0.12	0.27
XPA900GL	XPA	900	918	35.45	36.15	0.12	0.27
XPA907GL	XPA	907	925	35.70	36.45	0.12	0.27
XPA910GL	XPA	910	928	35.85	36.55	0.12	0.27
XPA912GL	XPA	912	930	35.90	36.65	0.12	0.27
XPA918GL	XPA	918	936	36.15	36.85	0.13	0.28
XPA922GL	XPA	922	940	36.30	37.05	0.13	0.28
XPA925GL	XPA	925	943	36.40	37.15	0.13	0.28
XPA930GL	XPA	930	948	36.60	37.35	0.13	0.28
XPA932GL	XPA	932	950	36.70	37.40	0.13	0.28
XPA940GL	XPA	940	958	37.00	37.75	0.13	0.28
XPA950GL	XPA	950	968	37.40	38.15	0.13	0.29
XPA957GL	XPA	957	975	37.70	38.40	0.13	0.29
XPA960GL	XPA	960	978	37.80	38.50	0.13	0.29
XPA963GL	XPA	963	981	37.90	38.65	0.13	0.29
XPA967GL	XPA	967	985	38.05	38.80	0.13	0.29
XPA969GL	XPA	969	987	38.15	38.90	0.13	0.29
XPA975GL	XPA	975	993	38.40	39.10	0.13	0.29
XPA982GL	XPA	982	1000	38.65	39.40	0.13	0.29

GOLD LABEL X Wedge - Size List



V-Belt Raw Edge **GOLD LABEL.**



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
XPZ	10	8	0.076
XPA	13	10	0.134
XPB	17	14	0.223
XPC	22	18	0.354


Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
XPZ	25/64	5/16	0.004
XPA	33/64	25/64	0.007
XPB	43/64	35/64	0.012
XPC	55/64	45/64	0.02

DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
XPA1000GL	XPA	1000	1018	39.35	40.10	0.14	0.30
XPA1007GL	XPA	1007	1025	39.65	40.35	0.14	0.30
XPA1017GL	XPA	1017	1035	40.05	40.75	0.14	0.31
XPA1030GL	XPA	1030	1048	40.55	41.30	0.14	0.31
XPA1032GL	XPA	1032	1050	40.65	41.35	0.14	0.31
XPA1055GL	XPA	1055	1073	41.55	42.25	0.14	0.32
XPA1060GL	XPA	1060	1078	41.75	42.45	0.14	0.32
XPA1070GL	XPA	1070	1088	42.10	42.85	0.15	0.32
XPA1082GL	XPA	1082	1100	42.60	43.35	0.15	0.32
XPA1090GL	XPA	1090	1108	42.90	43.65	0.15	0.33
XPA1107GL	XPA	1107	1125	43.60	44.30	0.15	0.33
XPA1120GL	XPA	1120	1138	44.10	44.80	0.15	0.34
XPA1132GL	XPA	1132	1150	44.55	45.30	0.15	0.34
XPA1140GL	XPA	1140	1158	44.90	45.60	0.16	0.34
XPA1150GL	XPA	1150	1168	45.30	46.00	0.16	0.34
XPA1155GL	XPA	1155	1173	45.45	46.20	0.16	0.35
XPA1157GL	XPA	1157	1175	45.55	46.30	0.16	0.35
XPA1175GL	XPA	1175	1193	46.25	47.00	0.16	0.35
XPA1180GL	XPA	1180	1198	46.45	47.20	0.16	0.35
XPA1190GL	XPA	1190	1208	46.85	47.60	0.16	0.36
XPA1200GL	XPA	1200	1218	47.25	47.95	0.16	0.36
XPA1207GL	XPA	1207	1225	47.50	48.25	0.16	0.36
XPA1215GL	XPA	1215	1233	47.85	48.55	0.17	0.36
XPA1220GL	XPA	1220	1238	48.05	48.75	0.17	0.37
XPA1232GL	XPA	1232	1250	48.50	49.25	0.17	0.37
XPA1250GL	XPA	1250	1268	49.20	49.95	0.17	0.37
XPA1257GL	XPA	1257	1275	49.50	50.20	0.17	0.38
XPA1272GL	XPA	1272	1290	50.10	50.80	0.17	0.38
XPA1280GL	XPA	1280	1298	50.40	51.10	0.17	0.38
XPA1282GL	XPA	1282	1300	50.45	51.20	0.17	0.38
XPA1285GL	XPA	1285	1303	50.60	51.30	0.17	0.38
XPA1300GL	XPA	1300	1318	51.20	51.90	0.18	0.39
XPA1307GL	XPA	1307	1325	51.45	52.20	0.18	0.39
XPA1320GL	XPA	1320	1338	51.95	52.70	0.18	0.39
XPA1332GL	XPA	1332	1350	52.45	53.15	0.18	0.40
XPA1340GL	XPA	1340	1358	52.75	53.50	0.18	0.40
XPA1357GL	XPA	1357	1375	53.40	54.15	0.18	0.41
XPA1360GL	XPA	1360	1378	53.55	54.25	0.18	0.41
XPA1367GL	XPA	1367	1385	53.80	54.55	0.19	0.41
XPA1375GL	XPA	1375	1393	54.15	54.85	0.19	0.41
XPA1382GL	XPA	1382	1400	54.40	55.15	0.19	0.41
XPA1400GL	XPA	1400	1418	55.10	55.85	0.19	0.42
XPA1407GL	XPA	1407	1425	55.40	56.10	0.19	0.42
XPA1415GL	XPA	1415	1433	55.70	56.45	0.19	0.42
XPA1420GL	XPA	1420	1438	55.90	56.65	0.19	0.42
XPA1425GL	XPA	1425	1443	56.10	56.85	0.19	0.43
XPA1430GL	XPA	1430	1448	56.30	57.05	0.19	0.43

GOLD LABEL X Wedge - Size List



V-Belt Raw Edge **GOLD LABEL.**



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
XPZ	10	8	0.076
XPA	13	10	0.134
XPB	17	14	0.223
XPC	22	18	0.354


Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
XPZ	25/64	5/16	0.004
XPA	33/64	25/64	0.007
XPB	43/64	35/64	0.012
XPC	55/64	45/64	0.02

DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
XPA1432GL	XPA	1432	1450	56.40	57.10	0.19	0.43
XPA1450GL	XPA	1450	1468	57.10	57.80	0.20	0.43
XPA1457GL	XPA	1457	1475	57.35	58.10	0.20	0.43
XPA1465GL	XPA	1465	1483	57.70	58.40	0.20	0.44
XPA1475GL	XPA	1475	1493	58.05	58.80	0.20	0.44
XPA1482GL	XPA	1482	1500	58.35	59.10	0.20	0.44
XPA1490GL	XPA	1490	1508	58.65	59.40	0.20	0.44
XPA1500GL	XPA	1500	1518	59.05	59.80	0.20	0.45
XPA1507GL	XPA	1507	1525	59.35	60.05	0.20	0.45
XPA1520GL	XPA	1520	1538	59.85	60.55	0.21	0.45
XPA1525GL	XPA	1525	1543	60.05	60.75	0.21	0.45
XPA1532GL	XPA	1532	1550	60.30	61.05	0.21	0.46
XPA1550GL	XPA	1550	1568	61.00	61.75	0.21	0.46
XPA1557GL	XPA	1557	1575	61.30	62.05	0.21	0.46
XPA1582GL	XPA	1582	1600	62.30	63.00	0.21	0.47
XPA1600GL	XPA	1600	1618	63.00	63.70	0.22	0.48
XPA1607GL	XPA	1607	1625	63.25	64.00	0.22	0.48
XPA1610GL	XPA	1610	1628	63.40	64.10	0.22	0.48
XPA1618GL	XPA	1618	1636	63.70	64.45	0.22	0.48
XPA1630GL	XPA	1630	1648	64.15	64.90	0.22	0.49
XPA1632GL	XPA	1632	1650	64.25	65.00	0.22	0.49
XPA1650GL	XPA	1650	1668	64.95	65.70	0.22	0.49
XPA1652GL	XPA	1652	1670	65.05	65.75	0.22	0.49
XPA1657GL	XPA	1657	1675	65.25	65.95	0.22	0.49
XPA1662GL	XPA	1662	1680	65.45	66.15	0.22	0.50
XPA1675GL	XPA	1675	1693	65.95	66.65	0.23	0.50
XPA1680GL	XPA	1680	1698	66.15	66.85	0.23	0.50
XPA1682GL	XPA	1682	1700	66.20	66.95	0.23	0.50
XPA1700GL	XPA	1700	1718	66.95	67.65	0.23	0.51
XPA1707GL	XPA	1707	1725	67.20	67.95	0.23	0.51
XPA1725GL	XPA	1725	1743	67.90	68.65	0.23	0.51
XPA1732GL	XPA	1732	1750	68.20	68.90	0.23	0.52
XPA1750GL	XPA	1750	1768	68.90	69.65	0.24	0.52
XPA1757GL	XPA	1757	1775	69.15	69.90	0.24	0.52
XPA1782GL	XPA	1782	1800	70.15	70.90	0.24	0.53
XPA1800GL	XPA	1800	1818	70.85	71.60	0.24	0.54
XPA1807GL	XPA	1807	1825	71.15	71.85	0.24	0.54
XPA1820GL	XPA	1820	1838	71.65	72.40	0.25	0.54
XPA1825GL	XPA	1825	1843	71.85	72.60	0.25	0.54
XPA1832GL	XPA	1832	1850	72.15	72.85	0.25	0.55
XPA1850GL	XPA	1850	1868	72.85	73.55	0.25	0.55
XPA1857GL	XPA	1857	1875	73.10	73.85	0.25	0.55
XPA1875GL	XPA	1875	1893	73.80	74.55	0.25	0.56
XPA1882GL	XPA	1882	1900	74.10	74.80	0.25	0.56
XPA1885GL	XPA	1885	1903	74.20	74.95	0.25	0.56
XPA1900GL	XPA	1900	1918	74.80	75.55	0.26	0.57
XPA1907GL	XPA	1907	1925	75.10	75.80	0.26	0.57

GOLD LABEL X Wedge - Size List



V-Belt Raw Edge **GOLD LABEL.**



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
XPZ	10	8	0.076
XPA	13	10	0.134
XPB	17	14	0.223
XPC	22	18	0.354


Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
XPZ	25/64	5/16	0.004
XPA	33/64	25/64	0.007
XPB	43/64	35/64	0.012
XPC	55/64	45/64	0.02

DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
XPA1925GL	XPA	1925	1943	75.80	76.50	0.26	0.57
XPA1932GL	XPA	1932	1950	76.05	76.80	0.26	0.57
XPA1950GL	XPA	1950	1968	76.75	77.50	0.26	0.58
XPA1957GL	XPA	1957	1975	77.05	77.80	0.26	0.58
XPA1982GL	XPA	1982	2000	78.05	78.75	0.27	0.59
XPA1987GL	XPA	1987	2005	78.25	78.95	0.27	0.59
XPA2000GL	XPA	2000	2018	78.75	79.45	0.27	0.59
XPA2032GL	XPA	2032	2050	80.00	80.75	0.27	0.60
XPA2050GL	XPA	2050	2068	80.70	81.45	0.28	0.61
XPA2057GL	XPA	2057	2075	81.00	81.70	0.28	0.61
XPA2060GL	XPA	2060	2078	81.10	81.85	0.28	0.61
XPA2082GL	XPA	2082	2100	81.95	82.70	0.28	0.62
XPA2100GL	XPA	2100	2118	82.70	83.40	0.28	0.62
XPA2120GL	XPA	2120	2138	83.45	84.20	0.29	0.63
XPA2130GL	XPA	2130	2148	83.85	84.60	0.29	0.63
XPA2132GL	XPA	2132	2150	83.95	84.65	0.29	0.63
XPA2150GL	XPA	2150	2168	84.65	85.35	0.29	0.64
XPA2160GL	XPA	2160	2178	85.05	85.75	0.29	0.64
XPA2180GL	XPA	2180	2198	85.85	86.55	0.29	0.65
XPA2182GL	XPA	2182	2200	85.90	86.65	0.29	0.65
XPA2200GL	XPA	2200	2218	86.60	87.35	0.30	0.65
XPA2207GL	XPA	2207	2225	86.90	87.60	0.30	0.66
XPA2227GL	XPA	2227	2245	87.70	88.40	0.30	0.66
XPA2232GL	XPA	2232	2250	87.85	88.60	0.30	0.66
XPA2240GL	XPA	2240	2258	88.20	88.90	0.30	0.67
XPA2282GL	XPA	2282	2300	89.85	90.55	0.31	0.68
XPA2300GL	XPA	2300	2318	90.55	91.30	0.31	0.68
XPA2307GL	XPA	2307	2325	90.85	91.55	0.31	0.69
XPA2330GL	XPA	2330	2348	91.75	92.45	0.31	0.69
XPA2332GL	XPA	2332	2350	91.80	92.55	0.31	0.69
XPA2360GL	XPA	2360	2378	92.90	93.65	0.32	0.70
XPA2380GL	XPA	2380	2398	93.70	94.45	0.32	0.71
XPA2382GL	XPA	2382	2400	93.80	94.50	0.32	0.71
XPA2430GL	XPA	2430	2448	95.65	96.40	0.33	0.72
XPA2432GL	XPA	2432	2450	95.75	96.50	0.33	0.72
XPA2450GL	XPA	2450	2468	96.45	97.20	0.33	0.73
XPA2482GL	XPA	2482	2500	97.70	98.45	0.33	0.74
XPA2500GL	XPA	2500	2518	98.40	99.15	0.34	0.74
XPA2532GL	XPA	2532	2550	99.70	100.40	0.34	0.75
XPA2582GL	XPA	2582	2600	101.65	102.40	0.35	0.77
XPA2600GL	XPA	2600	2618	102.35	103.10	0.35	0.77
XPA2607GL	XPA	2607	2625	102.65	103.35	0.35	0.77
XPA2632GL	XPA	2632	2650	103.60	104.35	0.35	0.78
XPA2650GL	XPA	2650	2668	104.35	105.05	0.36	0.79
XPA2682GL	XPA	2682	2700	105.60	106.30	0.36	0.80
XPA2732GL	XPA	2732	2750	107.55	108.30	0.37	0.81
XPA2782GL	XPA	2782	2800	109.55	110.25	0.37	0.83

GOLD LABEL X Wedge - Size List



V-Belt Raw Edge **GOLD LABEL.**



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
XPZ	10	8	0.076
XPA	13	10	0.134
XPB	17	14	0.223
XPC	22	18	0.354


Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
XPZ	25/64	5/16	0.004
XPA	33/64	25/64	0.007
XPB	43/64	35/64	0.012
XPC	55/64	45/64	0.02

DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
XPA2800GL	XPA	2800	2818	110.25	110.95	0.38	0.83
XPA2832GL	XPA	2832	2850	111.50	112.20	0.38	0.84
XPA2847GL	XPA	2847	2865	112.10	112.80	0.38	0.84
XPA2882GL	XPA	2882	2900	113.45	114.20	0.39	0.86
XPA2900GL	XPA	2900	2918	114.15	114.90	0.39	0.86
XPA2932GL	XPA	2932	2950	115.45	116.15	0.39	0.87
XPA2982GL	XPA	2982	3000	117.40	118.15	0.40	0.88
XPA3000GL	XPA	3000	3018	118.10	118.85	0.40	0.89
XPA3020GL	XPA	3020	3038	118.90	119.65	0.41	0.90
XPA3030GL	XPA	3030	3048	119.30	120.00	0.41	0.90
XPA3150GL	XPA	3150	3168	124.00	124.75	0.42	0.93
XPA3350GL	XPA	3350	3368	131.90	132.60	0.45	0.99
XPA3550GL	XPA	3550	3568	139.75	140.50	0.48	1.05
XPA3750GL	XPA	3750	3768	147.65	148.35	0.50	1.11
XPA4000GL	XPA	4000	4018	157.50	158.20	0.54	1.18
XPA4250GL	XPA	4250	4268	167.35	168.05	0.57	1.26
XPA4500GL	XPA	4500	4518	177.15	177.90	0.60	1.33
XPB1000GL	XPB	1000	1022	39.40	40.25	0.23	0.50
XPB1060GL	XPB	1060	1082	41.75	42.60	0.24	0.53
XPB1160GL	XPB	1160	1182	45.70	46.55	0.26	0.58
XPB1200GL	XPB	1200	1222	47.25	48.15	0.27	0.60
XPB1230GL	XPB	1230	1252	48.45	49.30	0.28	0.61
XPB1250GL	XPB	1250	1272	49.25	50.10	0.28	0.62
XPB1260GL	XPB	1260	1282	49.65	50.50	0.29	0.63
XPB1270GL	XPB	1270	1292	50.00	50.90	0.29	0.63
XPB1280GL	XPB	1280	1302	50.40	51.30	0.29	0.64
XPB1300GL	XPB	1300	1322	51.20	52.05	0.29	0.65
XPB1320GL	XPB	1320	1342	52.00	52.85	0.30	0.66
XPB1340GL	XPB	1340	1362	52.80	53.65	0.30	0.67
XPB1360GL	XPB	1360	1382	53.55	54.45	0.31	0.68
XPB1370GL	XPB	1370	1392	53.95	54.80	0.31	0.68
XPB1375GL	XPB	1375	1397	54.15	55.00	0.31	0.69
XPB1380GL	XPB	1380	1402	54.35	55.20	0.31	0.69
XPB1400GL	XPB	1400	1422	55.15	56.00	0.32	0.70
XPB1410GL	XPB	1410	1432	55.55	56.40	0.32	0.70
XPB1425GL	XPB	1425	1447	56.10	57.00	0.32	0.71
XPB1435GL	XPB	1435	1457	56.50	57.40	0.32	0.72
XPB1450GL	XPB	1450	1472	57.10	57.95	0.33	0.72
XPB1465GL	XPB	1465	1487	57.70	58.55	0.33	0.73
XPB1480GL	XPB	1480	1502	58.30	59.15	0.33	0.74
XPB1485GL	XPB	1485	1507	58.50	59.35	0.34	0.74
XPB1500GL	XPB	1500	1522	59.10	59.95	0.34	0.75
XPB1510GL	XPB	1510	1532	59.45	60.35	0.34	0.75
XPB1525GL	XPB	1525	1547	60.05	60.95	0.34	0.76
XPB1540GL	XPB	1540	1562	60.65	61.50	0.35	0.77
XPB1550GL	XPB	1550	1572	61.05	61.90	0.35	0.77
XPB1555GL	XPB	1555	1577	61.25	62.10	0.35	0.77

GOLD LABEL X Wedge - Size List



V-Belt Raw Edge **GOLD LABEL.**




Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
XPZ	10	8	0.076
XPA	13	10	0.134
XPB	17	14	0.223
XPC	22	18	0.354


Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
XPZ	25/64	5/16	0.004
XPA	33/64	25/64	0.007
XPB	43/64	35/64	0.012
XPC	55/64	45/64	0.02

DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
XPB1560GL	XPB	1560	1582	61.45	62.30	0.35	0.78
XPB1590GL	XPB	1590	1612	62.60	63.50	0.36	0.79
XPB1600GL	XPB	1600	1622	63.00	63.90	0.36	0.80
XPB1627GL	XPB	1627	1649	64.10	64.95	0.37	0.81
XPB1630GL	XPB	1630	1652	64.20	65.05	0.37	0.81
XPB1650GL	XPB	1650	1672	65.00	65.85	0.37	0.82
XPB1690GL	XPB	1690	1712	66.55	67.40	0.38	0.84
XPB1700GL	XPB	1700	1722	66.95	67.80	0.38	0.85
XPB1720GL	XPB	1720	1742	67.75	68.60	0.39	0.86
XPB1750GL	XPB	1750	1772	68.90	69.80	0.39	0.87
XPB1778GL	XPB	1778	1800	70.00	70.90	0.40	0.88
XPB1800GL	XPB	1800	1822	70.90	71.75	0.41	0.89
XPB1850GL	XPB	1850	1872	72.85	73.70	0.42	0.92
XPB1860GL	XPB	1860	1882	73.25	74.10	0.42	0.92
XPB1900GL	XPB	1900	1922	74.80	75.70	0.43	0.94
XPB1950GL	XPB	1950	1972	76.80	77.65	0.44	0.97
XPB2000GL	XPB	2000	2022	78.75	79.65	0.45	0.99
XPB2020GL	XPB	2020	2042	79.55	80.40	0.46	1.00
XPB2032GL	XPB	2032	2054	80.00	80.90	0.46	1.01
XPB2060GL	XPB	2060	2082	81.10	82.00	0.46	1.02
XPB2098GL	XPB	2098	2120	82.60	83.50	0.47	1.04
XPB2120GL	XPB	2120	2142	83.50	84.35	0.48	1.05
XPB2150GL	XPB	2150	2172	84.65	85.55	0.48	1.07
XPB2160GL	XPB	2160	2182	85.05	85.95	0.49	1.07
XPB2180GL	XPB	2180	2202	85.85	86.70	0.49	1.08
XPB2240GL	XPB	2240	2262	88.20	89.10	0.50	1.11
XPB2260GL	XPB	2260	2282	89.00	89.85	0.51	1.12
XPB2280GL	XPB	2280	2302	89.80	90.65	0.51	1.13
XPB2300GL	XPB	2300	2322	90.55	91.45	0.52	1.14
XPB2360GL	XPB	2360	2382	92.95	93.80	0.53	1.17
XPB2391GL	XPB	2391	2413	94.15	95.00	0.54	1.18
XPB2400GL	XPB	2400	2422	94.50	95.35	0.54	1.19
XPB2410GL	XPB	2410	2432	94.90	95.75	0.54	1.19
XPB2430GL	XPB	2430	2452	95.70	96.55	0.55	1.20
XPB2440GL	XPB	2440	2462	96.10	96.95	0.55	1.21
XPB2450GL	XPB	2450	2472	96.50	97.35	0.55	1.21
XPB2480GL	XPB	2480	2502	97.65	98.50	0.56	1.23
XPB2500GL	XPB	2500	2522	98.45	99.30	0.56	1.24
XPB2510GL	XPB	2510	2532	98.85	99.70	0.56	1.24
XPB2530GL	XPB	2530	2552	99.65	100.50	0.57	1.25
XPB2580GL	XPB	2580	2602	101.60	102.45	0.58	1.28
XPB2600GL	XPB	2600	2622	102.40	103.25	0.58	1.29
XPB2610GL	XPB	2610	2632	102.80	103.65	0.59	1.29
XPB2650GL	XPB	2650	2672	104.35	105.20	0.60	1.31
XPB2680GL	XPB	2680	2702	105.55	106.40	0.60	1.33
XPB2700GL	XPB	2700	2722	106.30	107.20	0.61	1.34
XPB2720GL	XPB	2720	2742	107.10	107.95	0.61	1.35

GOLD LABEL X Wedge - Size List



V-Belt Raw Edge **GOLD LABEL.**



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
XPZ	10	8	0.076
XPA	13	10	0.134
XPB	17	14	0.223
XPC	22	18	0.354


Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
XPZ	25/64	5/16	0.004
XPA	33/64	25/64	0.007
XPB	43/64	35/64	0.012
XPC	55/64	45/64	0.02

DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
XPB2740GL	XPB	2740	2762	107.90	108.75	0.62	1.36
XPB2750GL	XPB	2750	2772	108.30	109.15	0.62	1.36
XPB2800GL	XPB	2800	2822	110.25	111.10	0.63	1.39
XPB2840GL	XPB	2840	2862	111.85	112.70	0.64	1.40
XPB2900GL	XPB	2900	2922	114.20	115.05	0.65	1.43
XPB2920GL	XPB	2920	2942	115.00	115.85	0.66	1.44
XPB2990GL	XPB	2990	3012	117.75	118.60	0.67	1.48
XPB3000GL	XPB	3000	3022	118.15	119.00	0.67	1.48
XPB3150GL	XPB	3150	3172	124.05	124.90	0.71	1.56
XPB3170GL	XPB	3170	3192	124.80	125.70	0.71	1.57
XPB3250GL	XPB	3250	3272	127.95	128.85	0.73	1.61
XPB3350GL	XPB	3350	3372	131.90	132.80	0.75	1.66
XPB3550GL	XPB	3550	3572	139.80	140.65	0.80	1.75
XPB3750GL	XPB	3750	3772	147.65	148.50	0.84	1.85
XPB3800GL	XPB	3800	3822	149.65	150.50	0.85	1.88
XPB3870GL	XPB	3870	3892	152.40	153.25	0.87	1.91
XPB4000GL	XPB	4000	4022	157.50	158.35	0.90	1.97
XPB4060GL	XPB	4060	4082	159.85	160.75	0.91	2.00
XPB4250GL	XPB	4250	4272	167.35	168.20	0.95	2.10
XPB4310GL	XPB	4310	4332	169.70	170.55	0.97	2.13
XPB4500GL	XPB	4500	4522	177.20	178.05	1.01	2.22
XPB4560GL	XPB	4560	4582	179.55	180.40	1.02	2.25
XPB4750GL	XPB	4750	4772	187.05	187.90	1.06	2.34
XPB4820GL	XPB	4820	4842	189.80	190.65	1.08	2.38
XPB5000GL	XPB	5000	5022	196.85	197.75	1.12	2.46
XPC1260GL	XPC	1260	1290	49.65	50.80	0.46	1.01
XPC1700GL	XPC	1700	1730	66.95	68.15	0.61	1.35
XPC1800GL	XPC	1800	1830	70.90	72.05	0.65	1.43
XPC1900GL	XPC	1900	1930	74.80	76.00	0.68	1.51
XPC2000GL	XPC	2000	2030	78.75	79.95	0.72	1.58
XPC2120GL	XPC	2120	2150	83.50	84.65	0.76	1.68
XPC2170GL	XPC	2170	2200	85.45	86.65	0.78	1.72
XPC2240GL	XPC	2240	2270	88.20	89.40	0.80	1.77
XPC2360GL	XPC	2360	2390	92.95	94.10	0.85	1.87
XPC2500GL	XPC	2500	2530	98.45	99.65	0.90	1.97
XPC2600GL	XPC	2600	2630	102.40	103.55	0.93	2.05
XPC2650GL	XPC	2650	2680	104.35	105.55	0.95	2.09
XPC2800GL	XPC	2800	2830	110.25	111.45	1.00	2.21
XPC2900GL	XPC	2900	2930	114.20	115.35	1.04	2.29
XPC2995GL	XPC	2995	3025	117.95	119.10	1.07	2.36
XPC3000GL	XPC	3000	3030	118.15	119.30	1.07	2.36
XPC3150GL	XPC	3150	3180	124.05	125.20	1.13	2.48
XPC3350GL	XPC	3350	3380	131.90	133.10	1.20	2.64
XPC3550GL	XPC	3550	3580	139.80	140.95	1.27	2.79
XPC3750GL	XPC	3750	3780	147.65	148.85	1.34	2.95
XPC4000GL	XPC	4000	4030	157.50	158.70	1.43	3.15
XPC4250GL	XPC	4250	4280	167.35	168.50	1.52	3.34

GOLD LABEL X Wedge - Size List



V-Belt Raw Edge **GOLD LABEL.**



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
XPZ	10	8	0.076
XPA	13	10	0.134
XPB	17	14	0.223
XPC	22	18	0.354


Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
XPZ	25/64	5/16	0.004
XPA	33/64	25/64	0.007
XPB	43/64	35/64	0.012
XPC	55/64	45/64	0.02

DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
XPC4500GL	XPC	4500	4530	177.20	178.35	1.61	3.54
XPC4750GL	XPC	4750	4780	187.05	188.20	1.69	3.73
XPC5000GL	XPC	5000	5030	196.85	198.05	1.78	3.93
XPZ512GL	XPZ	512	525	20.15	20.70	0.04	0.09
XPZ520GL	XPZ	520	533	20.45	21.00	0.04	0.09
XPZ550GL	XPZ	550	563	21.65	22.20	0.04	0.09
XPZ560GL	XPZ	560	573	22.05	22.60	0.04	0.10
XPZ562GL	XPZ	562	575	22.15	22.64	0.04	0.10
XPZ580GL	XPZ	580	593	22.85	23.35	0.05	0.10
XPZ587GL	XPZ	587	600	23.10	23.65	0.05	0.10
XPZ600GL	XPZ	600	613	23.60	24.15	0.05	0.10
XPZ604GL	XPZ	604	617	23.80	24.30	0.05	0.10
XPZ612GL	XPZ	612	625	24.10	24.65	0.05	0.11
XPZ615GL	XPZ	615	628	24.20	24.75	0.05	0.11
XPZ630GL	XPZ	630	643	24.80	25.35	0.05	0.11
XPZ637GL	XPZ	637	650	25.10	25.60	0.05	0.11
XPZ640GL	XPZ	640	653	25.20	25.75	0.05	0.11
XPZ646GL	XPZ	646	659	25.45	25.94	0.05	0.11
XPZ660GL	XPZ	660	673	26.00	26.50	0.05	0.11
XPZ662GL	XPZ	662	675	26.05	26.60	0.05	0.11
XPZ670GL	XPZ	670	683	26.40	26.90	0.05	0.11
XPZ672GL	XPZ	672	685	26.45	27.00	0.05	0.12
XPZ675GL	XPZ	675	688	26.60	27.10	0.05	0.12
XPZ682GL	XPZ	682	695	26.85	27.40	0.05	0.12
XPZ687GL	XPZ	687	700	27.05	27.60	0.05	0.12
XPZ690GL	XPZ	690	703	27.15	27.70	0.05	0.12
XPZ700GL	XPZ	700	713	27.55	28.10	0.05	0.12
XPZ710GL	XPZ	710	723	27.95	28.50	0.06	0.12
XPZ722GL	XPZ	722	735	28.40	28.94	0.06	0.12
XPZ725GL	XPZ	725	738	28.55	29.10	0.06	0.12
XPZ730GL	XPZ	730	743	28.75	29.25	0.06	0.12
XPZ737GL	XPZ	737	750	29.00	29.55	0.06	0.13
XPZ750GL	XPZ	750	763	29.55	30.04	0.06	0.13
XPZ758GL	XPZ	758	771	29.85	30.35	0.06	0.13
XPZ760GL	XPZ	760	773	29.90	30.45	0.06	0.13
XPZ762GL	XPZ	762	775	30.00	30.55	0.06	0.13
XPZ772GL	XPZ	772	785	30.40	30.95	0.06	0.13
XPZ775GL	XPZ	775	788	30.50	31.05	0.06	0.13
XPZ787GL	XPZ	787	800	31.00	31.50	0.06	0.13
XPZ800GL	XPZ	800	813	31.50	32.05	0.06	0.14
XPZ812GL	XPZ	812	825	32.00	32.50	0.06	0.14
XPZ821GL	XPZ	821	834	32.30	32.85	0.06	0.14
XPZ825GL	XPZ	825	838	32.50	33.00	0.06	0.14
XPZ837GL	XPZ	837	850	32.95	33.50	0.06	0.14
XPZ845GL	XPZ	845	858	33.25	33.80	0.07	0.14
XPZ850GL	XPZ	850	863	33.45	34.00	0.07	0.15
XPZ862GL	XPZ	862	875	33.95	34.45	0.07	0.15

GOLD LABEL X Wedge - Size List



V-Belt Raw Edge **GOLD LABEL.**



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
XPZ	10	8	0.076
XPA	13	10	0.134
XPB	17	14	0.223
XPC	22	18	0.354


Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
XPZ	25/64	5/16	0.004
XPA	33/64	25/64	0.007
XPB	43/64	35/64	0.012
XPC	55/64	45/64	0.02

DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
XPZ875GL	XPZ	875	888	34.45	35.00	0.07	0.15
XPZ887GL	XPZ	887	900	34.90	35.45	0.07	0.15
XPZ900GL	XPZ	900	913	35.45	35.94	0.07	0.15
XPZ912GL	XPZ	912	925	35.90	36.45	0.07	0.16
XPZ925GL	XPZ	925	938	36.40	36.95	0.07	0.16
XPZ937GL	XPZ	937	950	36.90	37.40	0.07	0.16
XPZ940GL	XPZ	940	953	37.00	37.55	0.07	0.16
XPZ950GL	XPZ	950	963	37.40	37.95	0.07	0.16
XPZ957GL	XPZ	957	970	37.70	38.20	0.07	0.16
XPZ962GL	XPZ	962	975	37.85	38.40	0.07	0.16
XPZ975GL	XPZ	975	988	38.40	38.90	0.08	0.17
XPZ980GL	XPZ	980	993	38.60	39.10	0.08	0.17
XPZ985GL	XPZ	985	998	38.80	39.30	0.08	0.17
XPZ987GL	XPZ	987	1000	38.85	39.40	0.08	0.17
XPZ1000GL	XPZ	1000	1013	39.35	39.90	0.08	0.17
XPZ1010GL	XPZ	1010	1023	39.75	40.30	0.08	0.17
XPZ1012GL	XPZ	1012	1025	39.85	40.35	0.08	0.17
XPZ1024GL	XPZ	1024	1037	40.30	40.85	0.08	0.17
XPZ1030GL	XPZ	1030	1043	40.55	41.10	0.08	0.18
XPZ1037GL	XPZ	1037	1050	40.85	41.34	0.08	0.18
XPZ1047GL	XPZ	1047	1060	41.20	41.75	0.08	0.18
XPZ1060GL	XPZ	1060	1073	41.75	42.24	0.08	0.18
XPZ1062GL	XPZ	1062	1075	41.80	42.35	0.08	0.18
XPZ1077GL	XPZ	1077	1090	42.40	42.95	0.08	0.18
XPZ1080GL	XPZ	1080	1093	42.50	43.05	0.08	0.18
XPZ1087GL	XPZ	1087	1100	42.80	43.35	0.08	0.19
XPZ1090GL	XPZ	1090	1103	42.90	43.45	0.08	0.19
XPZ1100GL	XPZ	1100	1113	43.30	43.85	0.09	0.19
XPZ1112GL	XPZ	1112	1125	43.80	44.30	0.09	0.19
XPZ1120GL	XPZ	1120	1133	44.10	44.65	0.09	0.19
XPZ1137GL	XPZ	1137	1150	44.75	45.30	0.09	0.19
XPZ1140GL	XPZ	1140	1153	44.90	45.40	0.09	0.19
XPZ1150GL	XPZ	1150	1163	45.30	45.80	0.09	0.20
XPZ1162GL	XPZ	1162	1175	45.75	46.30	0.09	0.20
XPZ1166GL	XPZ	1166	1179	45.90	46.45	0.09	0.20
XPZ1170GL	XPZ	1170	1183	46.05	46.60	0.09	0.20
XPZ1180GL	XPZ	1180	1193	46.45	47.00	0.09	0.20
XPZ1187GL	XPZ	1187	1200	46.75	47.24	0.09	0.20
XPZ1195GL	XPZ	1195	1208	47.05	47.60	0.09	0.20
XPZ1200GL	XPZ	1200	1213	47.25	47.80	0.09	0.20
XPZ1202GL	XPZ	1202	1215	47.30	47.85	0.09	0.20
XPZ1210GL	XPZ	1210	1223	47.65	48.15	0.09	0.21
XPZ1212GL	XPZ	1212	1225	47.70	48.25	0.09	0.21
XPZ1220GL	XPZ	1220	1233	48.05	48.54	0.09	0.21
XPZ1227GL	XPZ	1227	1240	48.30	48.85	0.09	0.21
XPZ1237GL	XPZ	1237	1250	48.70	49.25	0.10	0.21
XPZ1240GL	XPZ	1240	1253	48.80	49.35	0.10	0.21

GOLD LABEL X Wedge - Size List



V-Belt Raw Edge **GOLD LABEL.**



Metric			
Section	W - Width (mm)	H - Height (mm)	Weigth (Kg/m)
XPZ	10	8	0.076
XPA	13	10	0.134
XPB	17	14	0.223
XPC	22	18	0.354


Imperial			
Section	W - Width (in)	H - Height (in)	Weigth (lb/inches)
XPZ	25/64	5/16	0.004
XPA	33/64	25/64	0.007
XPB	43/64	35/64	0.012
XPC	55/64	45/64	0.02

DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weigth (Kg)	Weigth (lbs)
XPZ1250GL	XPZ	1250	1263	49.20	49.75	0.10	0.21
XPZ1262GL	XPZ	1262	1275	49.70	50.20	0.10	0.21
XPZ1270GL	XPZ	1270	1283	50.00	50.55	0.10	0.22
XPZ1280GL	XPZ	1280	1293	50.40	50.95	0.10	0.22
XPZ1282GL	XPZ	1282	1295	50.45	51.00	0.10	0.22
XPZ1285GL	XPZ	1285	1298	50.60	51.10	0.10	0.22
XPZ1287GL	XPZ	1287	1300	50.65	51.20	0.10	0.22
XPZ1312GL	XPZ	1312	1325	51.65	52.20	0.10	0.22
XPZ1320GL	XPZ	1320	1333	51.95	52.50	0.10	0.22
XPZ1337GL	XPZ	1337	1350	52.65	53.15	0.10	0.23
XPZ1340GL	XPZ	1340	1353	52.76	53.30	0.10	0.23
XPZ1350GL	XPZ	1350	1363	53.15	53.70	0.10	0.23
XPZ1362GL	XPZ	1362	1375	53.60	54.15	0.11	0.23
XPZ1370GL	XPZ	1370	1383	53.95	54.45	0.11	0.23
XPZ1380GL	XPZ	1380	1393	54.35	54.84	0.11	0.23
XPZ1387GL	XPZ	1387	1400	54.60	55.15	0.11	0.24
XPZ1400GL	XPZ	1400	1413	55.10	55.65	0.11	0.24
XPZ1412GL	XPZ	1412	1425	55.60	56.10	0.11	0.24
XPZ1415GL	XPZ	1415	1428	55.70	56.25	0.11	0.24
XPZ1420GL	XPZ	1420	1433	55.90	56.45	0.11	0.24
XPZ1430GL	XPZ	1430	1443	56.30	56.85	0.11	0.24
XPZ1437GL	XPZ	1437	1450	56.60	57.10	0.11	0.24
XPZ1450GL	XPZ	1450	1463	57.10	57.60	0.11	0.25
XPZ1462GL	XPZ	1462	1475	57.55	58.10	0.11	0.25
XPZ1470GL	XPZ	1470	1483	57.85	58.40	0.11	0.25
XPZ1475GL	XPZ	1475	1488	58.05	58.60	0.11	0.25
XPZ1487GL	XPZ	1487	1500	58.55	59.10	0.11	0.25
XPZ1490GL	XPZ	1490	1503	58.65	59.20	0.11	0.25
XPZ1500GL	XPZ	1500	1513	59.05	59.60	0.12	0.25
XPZ1512GL	XPZ	1512	1525	59.55	60.04	0.12	0.26
XPZ1520GL	XPZ	1520	1533	59.85	60.35	0.12	0.26
XPZ1527GL	XPZ	1527	1540	60.10	60.65	0.12	0.26
XPZ1537GL	XPZ	1537	1550	60.50	61.05	0.12	0.26
XPZ1545GL	XPZ	1545	1558	60.85	61.34	0.12	0.26
XPZ1550GL	XPZ	1550	1563	61.00	61.54	0.12	0.26
XPZ1560GL	XPZ	1560	1573	61.40	61.95	0.12	0.26
XPZ1562GL	XPZ	1562	1575	61.50	62.05	0.12	0.26
XPZ1587GL	XPZ	1587	1600	62.50	63.00	0.12	0.27
XPZ1600GL	XPZ	1600	1613	63.00	63.50	0.12	0.27
XPZ1612GL	XPZ	1612	1625	63.45	64.00	0.12	0.27
XPZ1630GL	XPZ	1630	1643	64.15	64.70	0.13	0.28
XPZ1637GL	XPZ	1637	1650	64.45	65.00	0.13	0.28
XPZ1640GL	XPZ	1640	1653	64.55	65.10	0.13	0.28
XPZ1650GL	XPZ	1650	1663	64.95	65.50	0.13	0.28
XPZ1652GL	XPZ	1652	1665	65.05	65.55	0.13	0.28
XPZ1662GL	XPZ	1662	1675	65.45	65.94	0.13	0.28
XPZ1687GL	XPZ	1687	1700	66.40	66.95	0.13	0.29

GOLD LABEL X Wedge - Size List



V-Belt Raw Edge **GOLD LABEL.**



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
XPZ	10	8	0.076
XPA	13	10	0.134
XPB	17	14	0.223
XPC	22	18	0.354


Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
XPZ	25/64	5/16	0.004
XPA	33/64	25/64	0.007
XPB	43/64	35/64	0.012
XPC	55/64	45/64	0.02

DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
XPZ1700GL	XPZ	1700	1713	66.90	67.44	0.13	0.29
XPZ1707GL	XPZ	1707	1720	67.20	67.75	0.13	0.29
XPZ1710GL	XPZ	1710	1723	67.30	67.85	0.13	0.29
XPZ1712GL	XPZ	1712	1725	67.40	67.95	0.13	0.29
XPZ1737GL	XPZ	1737	1750	68.40	68.90	0.13	0.29
XPZ1750GL	XPZ	1750	1763	68.90	69.45	0.13	0.30
XPZ1760GL	XPZ	1760	1773	69.30	69.80	0.14	0.30
XPZ1762GL	XPZ	1762	1775	69.35	69.90	0.14	0.30
XPZ1782GL	XPZ	1782	1795	70.15	70.70	0.14	0.30
XPZ1787GL	XPZ	1787	1800	70.35	70.90	0.14	0.30
XPZ1800GL	XPZ	1800	1813	70.85	71.40	0.14	0.31
XPZ1812GL	XPZ	1812	1825	71.35	71.85	0.14	0.31
XPZ1837GL	XPZ	1837	1850	72.30	72.85	0.14	0.31
XPZ1845GL	XPZ	1845	1858	72.65	73.15	0.14	0.31
XPZ1850GL	XPZ	1850	1863	72.85	73.35	0.14	0.31
XPZ1862GL	XPZ	1862	1875	73.30	73.85	0.14	0.32
XPZ1875GL	XPZ	1875	1888	73.80	74.35	0.14	0.32
XPZ1887GL	XPZ	1887	1900	74.30	74.80	0.15	0.32
XPZ1900GL	XPZ	1900	1913	74.80	75.35	0.15	0.32
XPZ1937GL	XPZ	1937	1950	76.25	76.80	0.15	0.33
XPZ1950GL	XPZ	1950	1963	76.75	77.30	0.15	0.33
XPZ1962GL	XPZ	1962	1975	77.25	77.80	0.15	0.33
XPZ1987GL	XPZ	1987	2000	78.20	78.74	0.15	0.34
XPZ2000GL	XPZ	2000	2013	78.75	79.25	0.15	0.34
XPZ2012GL	XPZ	2012	2025	79.20	79.75	0.15	0.34
XPZ2030GL	XPZ	2030	2043	79.90	80.45	0.16	0.34
XPZ2037GL	XPZ	2037	2050	80.20	80.75	0.16	0.34
XPZ2060GL	XPZ	2060	2073	81.10	81.65	0.16	0.35
XPZ2062GL	XPZ	2062	2075	81.20	81.70	0.16	0.35
XPZ2087GL	XPZ	2087	2100	82.15	82.70	0.16	0.35
XPZ2120GL	XPZ	2120	2133	83.45	84.00	0.16	0.36
XPZ2137GL	XPZ	2137	2150	84.15	84.65	0.16	0.36
XPZ2160GL	XPZ	2160	2173	85.05	85.55	0.17	0.37
XPZ2187GL	XPZ	2187	2200	86.10	86.65	0.17	0.37
XPZ2220GL	XPZ	2220	2233	87.40	87.95	0.17	0.38
XPZ2240GL	XPZ	2240	2253	88.20	88.70	0.17	0.38
XPZ2280GL	XPZ	2280	2293	89.75	90.30	0.18	0.39
XPZ2287GL	XPZ	2287	2300	90.05	90.55	0.18	0.39
XPZ2300GL	XPZ	2300	2313	90.55	91.10	0.18	0.39
XPZ2360GL	XPZ	2360	2373	92.90	93.45	0.18	0.40
XPZ2410GL	XPZ	2410	2423	94.90	95.40	0.19	0.41
XPZ2430GL	XPZ	2430	2443	95.65	96.20	0.19	0.41
XPZ2437GL	XPZ	2437	2450	95.95	96.50	0.19	0.41
XPZ2487GL	XPZ	2487	2500	97.90	98.45	0.19	0.42
XPZ2500GL	XPZ	2500	2513	98.40	98.94	0.19	0.42
XPZ2530GL	XPZ	2530	2543	99.60	100.15	0.19	0.43
XPZ2540GL	XPZ	2540	2553	100.00	100.55	0.19	0.43

GOLD LABEL X Wedge - Size List



V-Belt Raw Edge **GOLD LABEL.**



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
XPZ	10	8	0.076
XPA	13	10	0.134
XPB	17	14	0.223
XPC	22	18	0.354

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
XPZ	25/64	5/16	0.004
XPA	33/64	25/64	0.007
XPB	43/64	35/64	0.012
XPC	55/64	45/64	0.02


DAYCO Part Nr	Section	Ld Datum length (mm)	Lo Outside length (mm)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
XPZ2580GL	XPZ	2580	2593	101.55	102.10	0.20	0.44
XPZ2650GL	XPZ	2650	2663	104.35	104.84	0.20	0.45
XPZ2670GL	XPZ	2670	2683	105.10	105.65	0.20	0.45
XPZ2690GL	XPZ	2690	2703	105.90	106.45	0.21	0.45
XPZ2750GL	XPZ	2750	2763	108.25	108.80	0.21	0.46
XPZ2800GL	XPZ	2800	2813	110.25	110.75	0.21	0.47
XPZ2840GL	XPZ	2840	2853	111.80	112.35	0.22	0.48
XPZ2900GL	XPZ	2900	2913	114.15	114.70	0.22	0.49
XPZ2915GL	XPZ	2915	2928	114.75	115.30	0.22	0.49
XPZ2987GL	XPZ	2987	3000	117.60	118.15	0.23	0.50
XPZ2990GL	XPZ	2990	3003	117.70	118.25	0.23	0.51
XPZ3000GL	XPZ	3000	3013	118.10	118.65	0.23	0.51
XPZ3150GL	XPZ	3150	3163	124.00	124.55	0.24	0.53
XPZ3170GL	XPZ	3170	3183	124.80	125.35	0.24	0.54
XPZ3350GL	XPZ	3350	3363	131.90	132.40	0.26	0.57
XPZ3450GL	XPZ	3450	3463	135.85	136.34	0.26	0.58
XPZ3550GL	XPZ	3550	3563	139.75	140.30	0.27	0.60
XPZ3810GL	XPZ	3810	3823	150.00	150.55	0.29	0.64

GOLD LABEL FHP Utility - Product Description



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
A	13	8	0.115
B	17	11	0.193
C	22	14	0.32
D	32	19	0.669
E	38	25	0.945

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
A	1/2	5/16	0.006
B	21/32	13/32	0.011
C	7/8	17/32	0.018
D	1-1/4	3/4	0.037
E	1-1/2	1	0.053

V-Belt

Part Number Description: **3L410GL**

3L: Profile (9.5mm X 5.5mm)

410: Outside Length (Inches)

GL: Gold Label

Features and Benefits:

Fabric Cover: PET/Cotton, CR Impregnated

- Abrasion, Wear and Oil Resistant
- Static Conductivity: ISO 1813

Tension Cords: Polyester (PET)

- Good Dimensional stability
- Resistance to overloads and shock loads

Compression Rubber: SBR/NR Rubber blend

- Resistant to reverse bending with back-idlers
- Oil, Heat, Ozone resistance
- Temperature Range: -35 To +70 C. / -31 To 160 F.

Matching Length Tolerances

Best Value Cost//Performance

Markets and Applications:

These belts are used solely on light drives with less than 1Kw/ 1,34 HP

Capable to handle situations of misalignment and reverse bending idler where ordinary belts fail


Slicing Machines, Industrial Fans and Blowers, Washing Machines and Dryers, Domestic and industrial Refrigerators, Vacuum Pumps and Centrifuges

GOLD LABEL FHP Utility - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weigth (Kg/m)
3L	9.5	5.5	0.051
4L	12.7	8	0.115
5L	16	9	0.193

Imperial			
Section	W - Width (in)	H - Height (in)	Weigth (lb/inches)
3L	3/8	7/32	0.003
4L	1/2	5/16	0.006
5L	5/8	23/64	0.011


DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weigth (Kg)	Weigth (lbs)
3L150GL	3L	381	15.00	0.02	0.04
3L160GL	3L	406	16.00	0.02	0.05
3L170GL	3L	432	17.00	0.02	0.05
3L180GL	3L	457	18.00	0.02	0.05
3L190GL	3L	483	19.00	0.02	0.05
3L200GL	3L	508	20.00	0.03	0.06
3L210GL	3L	533	21.00	0.03	0.06
3L220GL	3L	559	22.00	0.03	0.06
3L230GL	3L	584	23.00	0.03	0.07
3L240GL	3L	610	24.00	0.03	0.07
3L250GL	3L	635	25.00	0.03	0.07
3L260GL	3L	660	26.00	0.03	0.07
3L270GL	3L	686	27.00	0.03	0.08
3L280GL	3L	711	28.00	0.04	0.08
3L290GL	3L	737	29.00	0.04	0.08
3L300GL	3L	762	30.00	0.04	0.09
3L310GL	3L	787	31.00	0.04	0.09
3L320GL	3L	813	32.00	0.04	0.09
3L330GL	3L	838	33.00	0.04	0.09
3L340GL	3L	864	34.00	0.04	0.10
3L350GL	3L	889	35.00	0.05	0.10
3L360GL	3L	914	36.00	0.05	0.10
3L370GL	3L	940	37.00	0.05	0.11
3L380GL	3L	965	38.00	0.05	0.11
3L390GL	3L	991	39.00	0.05	0.11
3L400GL	3L	1016	40.00	0.05	0.11
3L410GL	3L	1041	41.00	0.05	0.12
3L415GL	3L	1054	41.50	0.05	0.12
3L420GL	3L	1067	42.00	0.05	0.12
3L430GL	3L	1092	43.00	0.06	0.12
3L440GL	3L	1118	44.00	0.06	0.13
3L450GL	3L	1143	45.00	0.06	0.13
3L460GL	3L	1168	46.00	0.06	0.13
3L470GL	3L	1194	47.00	0.06	0.13
3L480GL	3L	1219	48.00	0.06	0.14
3L490GL	3L	1245	49.00	0.06	0.14
3L500GL	3L	1270	50.00	0.06	0.14
3L510GL	3L	1295	51.00	0.07	0.14
3L520GL	3L	1321	52.00	0.07	0.15
3L530GL	3L	1346	53.00	0.07	0.15
3L540GL	3L	1372	54.00	0.07	0.15

GOLD LABEL FHP Utility - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weigth (Kg/m)
3L	9.5	5.5	0.051
4L	12.7	8	0.115
5L	16	9	0.193

Imperial			
Section	W - Width (in)	H - Height (in)	Weigth (lb/inches)
3L	3/8	7/32	0.003
4L	1/2	5/16	0.006
5L	5/8	23/64	0.011


DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weigth (Kg)	Weigth (lbs)
3L550GL	3L	1397	55.00	0.07	0.16
3L560GL	3L	1422	56.00	0.07	0.16
3L570GL	3L	1448	57.00	0.07	0.16
3L580GL	3L	1473	58.00	0.07	0.16
3L590GL	3L	1499	59.00	0.08	0.17
3L600GL	3L	1524	60.00	0.08	0.17
3L610GL	3L	1549	61.00	0.08	0.17
3L620GL	3L	1575	62.00	0.08	0.18
3L630GL	3L	1600	63.00	0.08	0.18
3L640GL	3L	1626	64.00	0.08	0.18
3L670GL	3L	1702	67.00	0.09	0.19
3L675GL	3L	1715	67.50	0.09	0.19
3L690GL	3L	1753	69.00	0.09	0.20
3L700GL	3L	1778	70.00	0.09	0.20
3L710GL	3L	1803	71.00	0.09	0.20
3L720GL	3L	1829	72.00	0.09	0.20
3L740GL	3L	1880	74.00	0.10	0.21
3L750GL	3L	1905	75.00	0.10	0.21
3L770GL	3L	1956	77.00	0.10	0.22
4L160GL	4L	406	16.00	0.05	0.10
4L170GL	4L	432	17.00	0.05	0.11
4L180GL	4L	457	18.00	0.05	0.12
4L188GL	4L	478	18.80	0.06	0.12
4L190GL	4L	483	19.00	0.06	0.12
4L200GL	4L	508	20.00	0.06	0.13
4L210GL	4L	533	21.00	0.06	0.14
4L215GL	4L	546	21.50	0.06	0.14
4L220GL	4L	559	22.00	0.06	0.14
4L230GL	4L	584	23.00	0.07	0.15
4L240GL	4L	610	24.00	0.07	0.15
4L250GL	4L	635	25.00	0.07	0.16
4L255GL	4L	648	25.50	0.07	0.16
4L260GL	4L	660	26.00	0.08	0.17
4L270GL	4L	686	27.00	0.08	0.17
4L275GL	4L	699	27.50	0.08	0.18
4L280GL	4L	711	28.00	0.08	0.18
4L285GL	4L	724	28.50	0.08	0.18
4L290GL	4L	737	29.00	0.08	0.19
4L295GL	4L	749	29.50	0.09	0.19
4L300GL	4L	762	30.00	0.09	0.19
4L310GL	4L	787	31.00	0.09	0.20

GOLD LABEL FHP Utility - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weigth (Kg/m)
3L	9.5	5.5	0.051
4L	12.7	8	0.115
5L	16	9	0.193

Imperial			
Section	W - Width (in)	H - Height (in)	Weigth (lb/inches)
3L	3/8	7/32	0.003
4L	1/2	5/16	0.006
5L	5/8	23/64	0.011


DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weigth (Kg)	Weigth (lbs)
4L318GL	4L	808	31.80	0.09	0.20
4L320GL	4L	813	32.00	0.09	0.21
4L328GL	4L	833	32.80	0.10	0.21
4L330GL	4L	838	33.00	0.10	0.21
4L333GL	4L	846	33.30	0.10	0.21
4L338GL	4L	859	33.80	0.10	0.22
4L340GL	4L	864	34.00	0.10	0.22
4L346GL	4L	879	34.60	0.10	0.22
4L350GL	4L	889	35.00	0.10	0.23
4L360GL	4L	914	36.00	0.11	0.23
4L370GL	4L	940	37.00	0.11	0.24
4L380GL	4L	965	38.00	0.11	0.24
4L390GL	4L	991	39.00	0.11	0.25
4L400GL	4L	1016	40.00	0.12	0.26
4L410GL	4L	1041	41.00	0.12	0.26
4L420GL	4L	1067	42.00	0.12	0.27
4L430GL	4L	1092	43.00	0.13	0.28
4L440GL	4L	1118	44.00	0.13	0.28
4L450GL	4L	1143	45.00	0.13	0.29
4L460GL	4L	1168	46.00	0.13	0.30
4L470GL	4L	1194	47.00	0.14	0.30
4L480GL	4L	1219	48.00	0.14	0.31
4L490GL	4L	1245	49.00	0.14	0.32
4L500GL	4L	1270	50.00	0.15	0.32
4L510GL	4L	1295	51.00	0.15	0.33
4L520GL	4L	1321	52.00	0.15	0.34
4L530GL	4L	1346	53.00	0.16	0.34
4L540GL	4L	1372	54.00	0.16	0.35
4L550GL	4L	1397	55.00	0.16	0.35
4L560GL	4L	1422	56.00	0.16	0.36
4L570GL	4L	1448	57.00	0.17	0.37
4L580GL	4L	1473	58.00	0.17	0.37
4L590GL	4L	1499	59.00	0.17	0.38
4L600GL	4L	1524	60.00	0.18	0.39
4L610GL	4L	1549	61.00	0.18	0.39
4L620GL	4L	1575	62.00	0.18	0.40
4L630GL	4L	1600	63.00	0.18	0.41
4L640GL	4L	1626	64.00	0.19	0.41
4L650GL	4L	1651	65.00	0.19	0.42
4L660GL	4L	1676	66.00	0.19	0.43
4L670GL	4L	1702	67.00	0.20	0.43

GOLD LABEL FHP Utility - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weigth (Kg/m)
3L	9.5	5.5	0.051
4L	12.7	8	0.115
5L	16	9	0.193

Imperial			
Section	W - Width (in)	H - Height (in)	Weigth (lb/inches)
3L	3/8	7/32	0.003
4L	1/2	5/16	0.006
5L	5/8	23/64	0.011


DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weigth (Kg)	Weigth (lbs)
4L680GL	4L	1727	68.00	0.20	0.44
4L690GL	4L	1753	69.00	0.20	0.44
4L700GL	4L	1778	70.00	0.20	0.45
4L710GL	4L	1803	71.00	0.21	0.46
4L720GL	4L	1829	72.00	0.21	0.46
4L730GL	4L	1854	73.00	0.21	0.47
4L740GL	4L	1880	74.00	0.22	0.48
4L750GL	4L	1905	75.00	0.22	0.48
4L760GL	4L	1930	76.00	0.22	0.49
4L770GL	4L	1956	77.00	0.23	0.50
4L780GL	4L	1981	78.00	0.23	0.50
4L790GL	4L	2007	79.00	0.23	0.51
4L800GL	4L	2032	80.00	0.23	0.52
4L810GL	4L	2057	81.00	0.24	0.52
4L820GL	4L	2083	82.00	0.24	0.53
4L830GL	4L	2108	83.00	0.24	0.53
4L840GL	4L	2134	84.00	0.25	0.54
4L850GL	4L	2159	85.00	0.25	0.55
4L860GL	4L	2184	86.00	0.25	0.55
4L870GL	4L	2210	87.00	0.25	0.56
4L880GL	4L	2235	88.00	0.26	0.57
4L890GL	4L	2261	89.00	0.26	0.57
4L900GL	4L	2286	90.00	0.26	0.58
4L910GL	4L	2311	91.00	0.27	0.59
4L920GL	4L	2337	92.00	0.27	0.59
4L930GL	4L	2362	93.00	0.27	0.60
4L940GL	4L	2388	94.00	0.27	0.61
4L950GL	4L	2413	95.00	0.28	0.61
4L960GL	4L	2438	96.00	0.28	0.62
4L970GL	4L	2464	97.00	0.28	0.62
4L980GL	4L	2489	98.00	0.29	0.63
4L990GL	4L	2515	99.00	0.29	0.64
4L1000GL	4L	2540	100.00	0.29	0.64
5L230GL	5L	584	23.00	0.11	0.25
5L240GL	5L	610	24.00	0.12	0.26
5L250GL	5L	635	25.00	0.12	0.27
5L260GL	5L	660	26.00	0.13	0.28
5L265GL	5L	673	26.50	0.13	0.29
5L270GL	5L	686	27.00	0.13	0.29
5L280GL	5L	711	28.00	0.14	0.30
5L290GL	5L	737	29.00	0.14	0.31

GOLD LABEL FHP Utility - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
3L	9.5	5.5	0.051
4L	12.7	8	0.115
5L	16	9	0.193

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
3L	3/8	7/32	0.003
4L	1/2	5/16	0.006
5L	5/8	23/64	0.011


DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
5L300GL	5L	762	30.00	0.15	0.32
5L310GL	5L	787	31.00	0.15	0.33
5L320GL	5L	813	32.00	0.16	0.35
5L330GL	5L	838	33.00	0.16	0.36
5L340GL	5L	864	34.00	0.17	0.37
5L350GL	5L	889	35.00	0.17	0.38
5L355GL	5L	902	35.50	0.17	0.38
5L360GL	5L	914	36.00	0.18	0.39
5L370GL	5L	940	37.00	0.18	0.40
5L380GL	5L	965	38.00	0.19	0.41
5L390GL	5L	991	39.00	0.19	0.42
5L400GL	5L	1016	40.00	0.20	0.43
5L410GL	5L	1041	41.00	0.20	0.44
5L420GL	5L	1067	42.00	0.21	0.45
5L430GL	5L	1092	43.00	0.21	0.46
5L440GL	5L	1118	44.00	0.22	0.47
5L450GL	5L	1143	45.00	0.22	0.49
5L460GL	5L	1168	46.00	0.23	0.50
5L470GL	5L	1194	47.00	0.23	0.51
5L480GL	5L	1219	48.00	0.23	0.52
5L490GL	5L	1245	49.00	0.24	0.53
5L500GL	5L	1270	50.00	0.24	0.54
5L510GL	5L	1295	51.00	0.25	0.55
5L520GL	5L	1321	52.00	0.25	0.56
5L530GL	5L	1346	53.00	0.26	0.57
5L540GL	5L	1372	54.00	0.26	0.58
5L550GL	5L	1397	55.00	0.27	0.59
5L560GL	5L	1422	56.00	0.27	0.60
5L570GL	5L	1448	57.00	0.28	0.61
5L580GL	5L	1473	58.00	0.28	0.63
5L590GL	5L	1499	59.00	0.29	0.64
5L600GL	5L	1524	60.00	0.29	0.65
5L610GL	5L	1549	61.00	0.30	0.66
5L620GL	5L	1575	62.00	0.30	0.67
5L630GL	5L	1600	63.00	0.31	0.68
5L640GL	5L	1626	64.00	0.31	0.69
5L650GL	5L	1651	65.00	0.32	0.70
5L660GL	5L	1676	66.00	0.32	0.71
5L670GL	5L	1702	67.00	0.33	0.72
5L680GL	5L	1727	68.00	0.33	0.73
5L690GL	5L	1753	69.00	0.34	0.74

GOLD LABEL FHP Utility - Size List



V-Belt

GOLD LABEL.




Metric			
Section	W - Width (mm)	H - Height (mm)	Weigth (Kg/m)
3L	9.5	5.5	0.051
4L	12.7	8	0.115
5L	16	9	0.193

Imperial			
Section	W - Width (in)	H - Height (in)	Weigth (lb/inches)
3L	3/8	7/32	0.003
4L	1/2	5/16	0.006
5L	5/8	23/64	0.011


DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weigth (Kg)	Weigth (lbs)
5L700GL	5L	1778	70.00	0.34	0.75
5L710GL	5L	1803	71.00	0.35	0.77
5L720GL	5L	1829	72.00	0.35	0.78
5L730GL	5L	1854	73.00	0.36	0.79
5L740GL	5L	1880	74.00	0.36	0.80
5L750GL	5L	1905	75.00	0.37	0.81
5L760GL	5L	1930	76.00	0.37	0.82
5L770GL	5L	1956	77.00	0.38	0.83
5L780GL	5L	1981	78.00	0.38	0.84
5L790GL	5L	2007	79.00	0.39	0.85
5L800GL	5L	2032	80.00	0.39	0.86
5L810GL	5L	2057	81.00	0.40	0.87
5L820GL	5L	2083	82.00	0.40	0.88
5L830GL	5L	2108	83.00	0.41	0.89
5L840GL	5L	2134	84.00	0.41	0.91
5L850GL	5L	2159	85.00	0.42	0.92
5L860GL	5L	2184	86.00	0.42	0.93
5L870GL	5L	2210	87.00	0.43	0.94
5L880GL	5L	2235	88.00	0.43	0.95
5L890GL	5L	2261	89.00	0.44	0.96
5L900GL	5L	2286	90.00	0.44	0.97
5L910GL	5L	2311	91.00	0.45	0.98
5L920GL	5L	2337	92.00	0.45	0.99
5L930GL	5L	2362	93.00	0.46	1.00
5L940GL	5L	2388	94.00	0.46	1.01
5L950GL	5L	2413	95.00	0.47	1.02
5L960GL	5L	2438	96.00	0.47	1.04
5L970GL	5L	2464	97.00	0.47	1.05
5L980GL	5L	2489	98.00	0.48	1.06
5L990GL	5L	2515	99.00	0.48	1.07
5L1000GL	5L	2540	100.00	0.49	1.08

GOLD LABEL Double Angle - Product Description



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
AA	13	10	0.151
BB	17	13	0.246
CC	22	17	0.425

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
AA	33/64	25/64	0.008
BB	43/64	33/64	0.014
CC	55/64	43/64	0.024

V-Belt Hexagonal

Part Number Description: **BB76GL**

BB: Profile (16.7mm X 13.5mm)

76: Datum Length (Inches)

GL: Gold Label

Features and Benefits:

Fabric Cover: PET/Cotton, CR Impregnated

- Abrasion, Wear and Oil Resistant
- Static Conductivity: ISO 1813

Tension Cords: High Modulus Polyester

- Centrally located for superior flexibility
- Superior Dimensional stability
- Resistance to overloads and shock loads

Compression Rubber: SBR/NR Rubber blend

- Resistant to reverse bending with back-idlers
- Oil, Heat, Ozone resistance
- Temperature Range: -35 To +70 C. / -31 To 160 F.

Matching Length Tolerances

Designed for Back-Side Pulleys Applications

Markets and Applications:


Perfect solution for serpentine drives

These belts are used on drives with one or more reverse bend where power is transmitted from the belt on both side and in reverse conditions as well

Fits on application such as Lawn & Garden, Agriculture Harvesters, Chicken Pluckers, Mixers, Agitators, Conveyors, Crushers


Pulley Standards: DIN2217 – ISO 4183

GOLD LABEL Double Angle - Size List



V-Belt

GOLD LABEL.




Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
AA	13	10	0.151
BB	17	13	0.246
CC	22	17	0.425

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
AA	33/64	25/64	0.008
BB	43/64	33/64	0.014
CC	55/64	43/64	0.024


DAYCO Part Nr	Section	Reference Length (mm)	Reference Length (in)	Weight (Kg)	Weight (lbs)
AA49GL	AA	1298	51.10	0.20	0.43
AA51GL	AA	1348	53.10	0.20	0.45
AA52GL	AA	1374	54.10	0.21	0.46
AA55GL	AA	1450	57.10	0.22	0.48
AA56GL	AA	1475	58.10	0.22	0.49
AA58GL	AA	1526	60.10	0.23	0.51
AA60GL	AA	1577	62.10	0.24	0.53
AA61GL	AA	1602	63.10	0.24	0.53
AA62GL	AA	1628	64.10	0.25	0.54
AA68GL	AA	1780	70.10	0.27	0.59
AA69GL	AA	1806	71.10	0.27	0.60
AA70GL	AA	1831	72.10	0.28	0.61
AA71GL	AA	1856	73.10	0.28	0.62
AA75GL	AA	1958	77.10	0.30	0.65
AA76GL	AA	1983	78.10	0.30	0.66
AA77GL	AA	2009	79.10	0.30	0.67
AA78GL	AA	2034	80.10	0.31	0.68
AA80GL	AA	2085	82.10	0.32	0.69
AA81GL	AA	2110	83.10	0.32	0.70
AA85GL	AA	2212	87.10	0.33	0.74
AA88GL	AA	2288	90.10	0.35	0.76
AA90GL	AA	2339	92.10	0.35	0.78
AA91GL	AA	2364	93.10	0.36	0.79
AA92GL	AA	2390	94.10	0.36	0.80
AA95GL	AA	2466	97.10	0.37	0.82
AA96GL	AA	2491	98.10	0.38	0.83
AA105GL	AA	2720	107.10	0.41	0.91
AA108GL	AA	2796	110.10	0.42	0.93
AA111GL	AA	2872	113.10	0.43	0.96
AA112GL	AA	2898	114.10	0.44	0.97
AA116GL	AA	2999	118.10	0.45	1.00
AA120GL	AA	3101	122.10	0.47	1.03
AA123GL	AA	3177	125.10	0.48	1.06
AA126GL	AA	3253	128.10	0.49	1.08
AA128GL	AA	3304	130.10	0.50	1.10
AA146GL	AA	3761	148.10	0.57	1.25
AA148GL	AA	3812	150.10	0.58	1.27
AA152GL	AA	3914	154.10	0.59	1.30
AA154GL	AA	3965	156.10	0.60	1.32
AA155GL	AA	3990	157.10	0.60	1.33
AA159GL	AA	4092	161.10	0.62	1.36
AA163GL	AA	4193	165.10	0.63	1.40

GOLD LABEL Double Angle - Size List



V-Belt

GOLD LABEL.




Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
AA	13	10	0.151
BB	17	13	0.246
CC	22	17	0.425

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
AA	33/64	25/64	0.008
BB	43/64	33/64	0.014
CC	55/64	43/64	0.024


DAYCO Part Nr	Section	Reference Length (mm)	Reference Length (in)	Weight (Kg)	Weight (lbs)
AA166GL	AA	4269	168.10	0.65	1.42
AA167GL	AA	4295	169.10	0.65	1.43
BB45GL	BB	1217	47.90	0.30	0.66
BB46GL	BB	1242	48.90	0.31	0.67
BB50GL	BB	1344	52.90	0.33	0.73
BB51GL	BB	1369	53.90	0.34	0.74
BB52GL	BB	1395	54.90	0.34	0.76
BB54GL	BB	1446	56.90	0.36	0.78
BB55GL	BB	1471	57.90	0.36	0.80
BB60GL	BB	1598	62.90	0.39	0.87
BB62GL	BB	1649	64.90	0.41	0.90
BB63GL	BB	1674	65.90	0.41	0.91
BB64GL	BB	1700	66.90	0.42	0.92
BB68GL	BB	1801	70.90	0.44	0.98
BB71GL	BB	1877	73.90	0.46	1.02
BB72GL	BB	1903	74.90	0.47	1.03
BB73GL	BB	1928	75.90	0.48	1.05
BB74GL	BB	1954	76.90	0.48	1.06
BB75GL	BB	1979	77.90	0.49	1.07
BB76GL	BB	2004	78.90	0.49	1.09
BB78GL	BB	2055	80.90	0.51	1.12
BB81GL	BB	2131	83.90	0.53	1.16
BB83GL	BB	2182	85.90	0.54	1.18
BB84GL	BB	2208	86.90	0.54	1.20
BB85GL	BB	2233	87.90	0.55	1.21
BB88GL	BB	2309	90.90	0.57	1.25
BB90GL	BB	2360	92.90	0.58	1.28
BB92GL	BB	2411	94.90	0.59	1.31
BB93GL	BB	2436	95.90	0.60	1.32
BB94GL	BB	2462	96.90	0.61	1.34
BB95GL	BB	2487	97.90	0.61	1.35
BB96GL	BB	2512	98.90	0.62	1.36
BB97GL	BB	2538	99.90	0.63	1.38
BB98GL	BB	2563	100.90	0.63	1.39
BB100GL	BB	2614	102.90	0.64	1.42
BB102GL	BB	2665	104.90	0.66	1.45
BB103GL	BB	2690	105.90	0.66	1.46
BB105GL	BB	2741	107.90	0.68	1.49
BB107GL	BB	2792	109.90	0.69	1.52
BB108GL	BB	2817	110.90	0.69	1.53
BB109GL	BB	2843	111.90	0.70	1.54
BB110GL	BB	2868	112.90	0.71	1.56

GOLD LABEL Double Angle - Size List



V-Belt

GOLD LABEL.




Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
AA	13	10	0.151
BB	17	13	0.246
CC	22	17	0.425

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
AA	33/64	25/64	0.008
BB	43/64	33/64	0.014
CC	55/64	43/64	0.024


DAYCO Part Nr	Section	Reference Length (mm)	Reference Length (in)	Weight (Kg)	Weight (lbs)
BB111GL	BB	2893	113.90	0.71	1.57
BB112GL	BB	2919	114.90	0.72	1.58
BB114GL	BB	2970	116.90	0.73	1.61
BB116GL	BB	3020	118.90	0.74	1.64
BB117GL	BB	3046	119.90	0.75	1.65
BB118GL	BB	3071	120.90	0.76	1.67
BB120GL	BB	3122	122.90	0.77	1.69
BB121GL	BB	3147	123.90	0.78	1.71
BB122GL	BB	3173	124.90	0.78	1.72
BB123GL	BB	3198	125.90	0.79	1.74
BB124GL	BB	3224	126.90	0.79	1.75
BB127GL	BB	3300	129.90	0.81	1.79
BB128GL	BB	3325	130.90	0.82	1.80
BB130GL	BB	3376	132.90	0.83	1.83
BB133GL	BB	3452	135.90	0.85	1.87
BB135GL	BB	3503	137.90	0.86	1.90
BB136GL	BB	3528	138.90	0.87	1.92
BB140GL	BB	3630	142.90	0.89	1.97
BB144GL	BB	3732	146.90	0.92	2.03
BB148GL	BB	3833	150.90	0.94	2.08
BB149GL	BB	3859	151.90	0.95	2.09
BB150GL	BB	3884	152.90	0.96	2.11
BB154GL	BB	3986	156.90	0.98	2.16
BB155GL	BB	4011	157.90	0.99	2.18
BB158GL	BB	4087	160.90	1.01	2.22
BB160GL	BB	4138	162.90	1.02	2.25
BB161GL	BB	4163	163.90	1.03	2.26
BB162GL	BB	4189	164.90	1.03	2.27
BB165GL	BB	4265	167.90	1.05	2.32
BB168GL	BB	4341	170.90	1.07	2.36
BB169GL	BB	4367	171.90	1.08	2.37
BB170GL	BB	4392	172.90	1.08	2.38
BB172GL	BB	4443	174.90	1.10	2.41
BB173GL	BB	4468	175.90	1.10	2.43
BB174GL	BB	4494	176.90	1.11	2.44
BB180GL	BB	4646	182.90	1.15	2.52
BB182GL	BB	4697	184.90	1.16	2.55
BB184GL	BB	4748	186.90	1.17	2.58
BB185GL	BB	4773	187.90	1.18	2.59
BB187GL	BB	4824	189.90	1.19	2.62
BB190GL	BB	4900	192.90	1.21	2.66
BB194GL	BB	5002	196.90	1.23	2.72

GOLD LABEL Double Angle - Size List



V-Belt

GOLD LABEL.




Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
AA	13	10	0.151
BB	17	13	0.246
CC	22	17	0.425

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
AA	33/64	25/64	0.008
BB	43/64	33/64	0.014
CC	55/64	43/64	0.024


DAYCO Part Nr	Section	Reference Length (mm)	Reference Length (in)	Weight (Kg)	Weight (lbs)
BB195GL	BB	5027	197.90	1.24	2.73
BB210GL	BB	5408	212.90	1.33	2.94
BB212GL	BB	5459	214.90	1.35	2.96
BB225GL	BB	5789	227.90	1.43	3.14
BB228GL	BB	5865	230.90	1.45	3.18
BB230GL	BB	5916	232.90	1.46	3.21
BB240GL	BB	6170	242.90	1.52	3.35
BB255GL	BB	6551	257.90	1.61	3.56
BB270GL	BB	6932	272.90	1.71	3.76
BB277GL	BB	7110	279.90	1.75	3.86
BB278GL	BB	7135	280.90	1.76	3.87
BB300GL	BB	7694	302.90	1.90	4.18
CC87GL	CC	2317	91.20	0.99	2.17
CC88GL	CC	2342	92.20	1.00	2.19
CC90GL	CC	2393	94.20	1.02	2.24
CC92GL	CC	2444	96.20	1.04	2.29
CC94GL	CC	2495	98.20	1.06	2.34
CC96GL	CC	2545	100.20	1.08	2.38
CC100GL	CC	2647	104.20	1.13	2.48
CC105GL	CC	2774	109.20	1.18	2.60
CC112GL	CC	2952	116.20	1.26	2.76
CC116GL	CC	3053	120.20	1.30	2.86
CC119GL	CC	3130	123.20	1.33	2.93
CC120GL	CC	3155	124.20	1.34	2.95
CC122GL	CC	3206	126.20	1.36	3.00
CC125GL	CC	3282	129.20	1.40	3.07
CC126GL	CC	3307	130.20	1.41	3.10
CC128GL	CC	3358	132.20	1.43	3.14
CC129GL	CC	3384	133.20	1.44	3.17
CC131GL	CC	3434	135.20	1.46	3.22
CC132GL	CC	3460	136.20	1.47	3.24
CC136GL	CC	3561	140.20	1.51	3.34
CC137GL	CC	3587	141.20	1.53	3.36
CC140GL	CC	3663	144.20	1.56	3.43
CC144GL	CC	3765	148.20	1.60	3.53
CC147GL	CC	3841	151.20	1.63	3.60
CC148GL	CC	3866	152.20	1.64	3.62
CC151GL	CC	3942	155.20	1.68	3.69
CC153GL	CC	3993	157.20	1.70	3.74
CC155GL	CC	4044	159.20	1.72	3.79
CC158GL	CC	4120	162.20	1.75	3.86
CC160GL	CC	4171	164.20	1.77	3.91

GOLD LABEL Double Angle - Size List



V-Belt

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/m)
AA	13	10	0.151
BB	17	13	0.246
CC	22	17	0.425

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/inches)
AA	33/64	25/64	0.008
BB	43/64	33/64	0.014
CC	55/64	43/64	0.024

DAYCO Part Nr	Section	Reference Length (mm)	Reference Length (in)	Weight (Kg)	Weight (lbs)
CC161GL	CC	4196	165.20	1.78	3.93
CC162GL	CC	4222	166.20	1.80	3.95
CC165GL	CC	4298	169.20	1.83	4.03
CC166GL	CC	4323	170.20	1.84	4.05
CC173GL	CC	4501	177.20	1.91	4.22
CC175GL	CC	4552	179.20	1.94	4.26
CC177GL	CC	4603	181.20	1.96	4.31
CC180GL	CC	4679	184.20	1.99	4.38
CC182GL	CC	4730	186.20	2.01	4.43
CC193GL	CC	5009	197.20	2.13	4.69
CC195GL	CC	5060	199.20	2.15	4.74
CC197GL	CC	5111	201.20	2.17	4.79
CC204GL	CC	5289	208.20	2.25	4.95
CC210GL	CC	5441	214.20	2.31	5.10
CC225GL	CC	5822	229.20	2.48	5.45
CC234GL	CC	6051	238.20	2.57	5.67
CC240GL	CC	6203	244.20	2.64	5.81
CC270GL	CC	6965	274.20	2.96	6.52
CC300GL	CC	7727	304.20	3.29	7.24
CC313GL	CC	8057	317.20	3.43	7.55
CC325GL	CC	8362	329.20	3.56	7.83
CC330GL	CC	8489	334.20	3.61	7.95
CC360GL	CC	9251	364.20	3.93	8.66

GOLD LABEL Banded Classical - Product Description



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

V-Belt Banded

Part Number Description: **3/B200GL**

3/: Numer of Ribs

B: Profile

200: Internal Length (mm)

GL: Gold Label

Features and Benefits:

Tie Band Fabric: PET/Cotton, CR Impregnated

- Abrasion, wear and Oil Resistance
- Prevents Vibrations and belt Turn-over

Fabric Cover: PET/Cotton, CR Impregnated

- Abrasion, wear and Oil Resistance
- Static Conductivity: ISO 1813

Tension Cords: High Modulus Polyester

- Superior Dimensional stability (low stretch and tension decay)
- High resistance to overloads and shock loads

Compression Rubber: SBR/NR Rubber blend

- Resistant to bending stress
- Superior Oil and Heat resistance
- Temperature Range: -35 To +70 C. / -31 To 160 F.

MM: Made for Match

Designed for OEMs

Markets and Applications:

Ideal solution for shock or pulsating loads

Designed for heavy duty drives

Recommended solution for multiple belts drives where single belts vibrate or turn over

Pulley Standards: ISO 5291

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
2/A42GL	A	1067	1100	1117	42.00	43.30	44.00	0.33	0.74
3/A42GL	A	1067	1100	1117	42.00	43.30	44.00	0.50	1.10
4/A42GL	A	1067	1100	1117	42.00	43.30	44.00	0.67	1.47
5/A42GL	A	1067	1100	1117	42.00	43.30	44.00	0.84	1.84
20/A42GL	A	1067	1100	1117	42.00	43.30	44.00	3.34	7.36
2/A43GL	A	1092	1125	1142	43.00	44.30	45.00	0.34	0.75
3/A43GL	A	1092	1125	1142	43.00	44.30	45.00	0.51	1.13
4/A43GL	A	1092	1125	1142	43.00	44.30	45.00	0.68	1.51
5/A43GL	A	1092	1125	1142	43.00	44.30	45.00	0.85	1.88
20/A43GL	A	1092	1125	1142	43.00	44.30	45.00	3.42	7.53
2/A44GL	A	1118	1151	1168	44.00	45.30	46.00	0.35	0.77
3/A44GL	A	1118	1151	1168	44.00	45.30	46.00	0.52	1.15
4/A44GL	A	1118	1151	1168	44.00	45.30	46.00	0.70	1.54
5/A44GL	A	1118	1151	1168	44.00	45.30	46.00	0.87	1.92
20/A44GL	A	1118	1151	1168	44.00	45.30	46.00	3.49	7.70
2/A46GL	A	1168	1201	1218	46.00	47.30	48.00	0.36	0.80
3/A46GL	A	1168	1201	1218	46.00	47.30	48.00	0.55	1.20
4/A46GL	A	1168	1201	1218	46.00	47.30	48.00	0.73	1.61
5/A46GL	A	1168	1201	1218	46.00	47.30	48.00	0.91	2.01
20/A46GL	A	1168	1201	1218	46.00	47.30	48.00	3.64	8.03
2/A47GL	A	1194	1227	1244	47.00	48.30	49.00	0.37	0.82
3/A47GL	A	1194	1227	1244	47.00	48.30	49.00	0.56	1.23
4/A47GL	A	1194	1227	1244	47.00	48.30	49.00	0.74	1.64
5/A47GL	A	1194	1227	1244	47.00	48.30	49.00	0.93	2.05
20/A47GL	A	1194	1227	1244	47.00	48.30	49.00	3.72	8.20
2/A48GL	A	1219	1252	1269	48.00	49.30	50.00	0.38	0.84
3/A48GL	A	1219	1252	1269	48.00	49.30	50.00	0.57	1.25
4/A48GL	A	1219	1252	1269	48.00	49.30	50.00	0.76	1.67
5/A48GL	A	1219	1252	1269	48.00	49.30	50.00	0.95	2.09
20/A48GL	A	1219	1252	1269	48.00	49.30	50.00	3.80	8.36
2/A49GL	A	1245	1278	1295	49.00	50.30	51.00	0.39	0.85
3/A49GL	A	1245	1278	1295	49.00	50.30	51.00	0.58	1.28
4/A49GL	A	1245	1278	1295	49.00	50.30	51.00	0.77	1.71
5/A49GL	A	1245	1278	1295	49.00	50.30	51.00	0.97	2.13
20/A49GL	A	1245	1278	1295	49.00	50.30	51.00	3.87	8.53
2/A51GL	A	1295	1328	1345	51.00	52.30	53.00	0.40	0.89
3/A51GL	A	1295	1328	1345	51.00	52.30	53.00	0.60	1.33
4/A51GL	A	1295	1328	1345	51.00	52.30	53.00	0.80	1.77
5/A51GL	A	1295	1328	1345	51.00	52.30	53.00	1.01	2.22
20/A51GL	A	1295	1328	1345	51.00	52.30	53.00	4.02	8.86
2/A53GL	A	1346	1379	1396	53.00	54.30	55.00	0.42	0.92
3/A53GL	A	1346	1379	1396	53.00	54.30	55.00	0.63	1.38
4/A53GL	A	1346	1379	1396	53.00	54.30	55.00	0.84	1.84
5/A53GL	A	1346	1379	1396	53.00	54.30	55.00	1.04	2.30
20/A53GL	A	1346	1379	1396	53.00	54.30	55.00	4.18	9.20
2/A54GL	A	1372	1405	1422	54.00	55.30	56.00	0.43	0.94
3/A54GL	A	1372	1405	1422	54.00	55.30	56.00	0.64	1.41
4/A54GL	A	1372	1405	1422	54.00	55.30	56.00	0.85	1.87
5/A54GL	A	1372	1405	1422	54.00	55.30	56.00	1.06	2.34
20/A54GL	A	1372	1405	1422	54.00	55.30	56.00	4.25	9.37
2/A55GL	A	1397	1430	1447	55.00	56.30	57.00	0.43	0.95
3/A55GL	A	1397	1430	1447	55.00	56.30	57.00	0.65	1.43
4/A55GL	A	1397	1430	1447	55.00	56.30	57.00	0.87	1.91
5/A55GL	A	1397	1430	1447	55.00	56.30	57.00	1.08	2.38
20/A55GL	A	1397	1430	1447	55.00	56.30	57.00	4.33	9.54
2/A56GL	A	1422	1455	1472	56.00	57.30	58.00	0.44	0.97
3/A56GL	A	1422	1455	1472	56.00	57.30	58.00	0.66	1.46

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
4/A56GL	A	1422	1455	1472	56.00	57.30	58.00	0.88	1.94
5/A56GL	A	1422	1455	1472	56.00	57.30	58.00	1.10	2.43
20/A56GL	A	1422	1455	1472	56.00	57.30	58.00	4.40	9.70
2/A57GL	A	1448	1481	1498	57.00	58.30	59.00	0.45	0.99
3/A57GL	A	1448	1481	1498	57.00	58.30	59.00	0.67	1.48
4/A57GL	A	1448	1481	1498	57.00	58.30	59.00	0.90	1.97
5/A57GL	A	1448	1481	1498	57.00	58.30	59.00	1.12	2.47
20/A57GL	A	1448	1481	1498	57.00	58.30	59.00	4.48	9.87
2/A58GL	A	1473	1506	1523	58.00	59.30	60.00	0.46	1.00
3/A58GL	A	1473	1506	1523	58.00	59.30	60.00	0.68	1.51
4/A58GL	A	1473	1506	1523	58.00	59.30	60.00	0.91	2.01
5/A58GL	A	1473	1506	1523	58.00	59.30	60.00	1.14	2.51
20/A58GL	A	1473	1506	1523	58.00	59.30	60.00	4.56	10.04
2/A60GL	A	1524	1557	1574	60.00	61.30	62.00	0.47	1.04
3/A60GL	A	1524	1557	1574	60.00	61.30	62.00	0.71	1.56
4/A60GL	A	1524	1557	1574	60.00	61.30	62.00	0.94	2.07
5/A60GL	A	1524	1557	1574	60.00	61.30	62.00	1.18	2.59
20/A60GL	A	1524	1557	1574	60.00	61.30	62.00	4.71	10.37
2/A62GL	A	1575	1608	1625	62.00	63.30	64.00	0.49	1.07
3/A62GL	A	1575	1608	1625	62.00	63.30	64.00	0.73	1.61
4/A62GL	A	1575	1608	1625	62.00	63.30	64.00	0.97	2.14
5/A62GL	A	1575	1608	1625	62.00	63.30	64.00	1.22	2.68
20/A62GL	A	1575	1608	1625	62.00	63.30	64.00	4.86	10.71
2/A64GL	A	1626	1659	1676	64.00	65.30	66.00	0.50	1.10
3/A64GL	A	1626	1659	1676	64.00	65.30	66.00	0.75	1.66
4/A64GL	A	1626	1659	1676	64.00	65.30	66.00	1.00	2.21
5/A64GL	A	1626	1659	1676	64.00	65.30	66.00	1.25	2.76
20/A64GL	A	1626	1659	1676	64.00	65.30	66.00	5.01	11.05
2/A65GL	A	1651	1684	1701	65.00	66.30	67.00	0.51	1.12
3/A65GL	A	1651	1684	1701	65.00	66.30	67.00	0.76	1.68
4/A65GL	A	1651	1684	1701	65.00	66.30	67.00	1.02	2.24
5/A65GL	A	1651	1684	1701	65.00	66.30	67.00	1.27	2.80
20/A65GL	A	1651	1684	1701	65.00	66.30	67.00	5.09	11.21
2/A66GL	A	1676	1709	1726	66.00	67.30	68.00	0.516	1.14
3/A66GL	A	1676	1709	1726	66.00	67.30	68.00	0.775	1.71
4/A66GL	A	1676	1709	1726	66.00	67.30	68.00	1.03	2.28
5/A66GL	A	1676	1709	1726	66.00	67.30	68.00	1.29	2.84
20/A66GL	A	1676	1709	1726	66.00	67.30	68.00	5.16	11.38
2/A68GL	A	1727	1760	1777	68.00	69.30	70.00	0.53	1.17
3/A68GL	A	1727	1760	1777	68.00	69.30	70.00	0.80	1.76
4/A68GL	A	1727	1760	1777	68.00	69.30	70.00	1.06	2.34
5/A68GL	A	1727	1760	1777	68.00	69.30	70.00	1.33	2.93
20/A68GL	A	1727	1760	1777	68.00	69.30	70.00	5.32	11.71
2/A70GL	A	1778	1811	1828	70.00	71.30	72.00	0.55	1.20
3/A70GL	A	1778	1811	1828	70.00	71.30	72.00	0.82	1.81
4/A70GL	A	1778	1811	1828	70.00	71.30	72.00	1.09	2.41
5/A70GL	A	1778	1811	1828	70.00	71.30	72.00	1.37	3.01
20/A70GL	A	1778	1811	1828	70.00	71.30	72.00	5.47	12.05
2/A71GL	A	1803	1836	1853	71.00	72.30	73.00	0.55	1.22
3/A71GL	A	1803	1836	1853	71.00	72.30	73.00	0.83	1.83
4/A71GL	A	1803	1836	1853	71.00	72.30	73.00	1.11	2.44
5/A71GL	A	1803	1836	1853	71.00	72.30	73.00	1.39	3.05
20/A71GL	A	1803	1836	1853	71.00	72.30	73.00	5.54	12.21
2/A74GL	A	1880	1913	1930	74.00	75.30	76.00	0.58	1.27
3/A74GL	A	1880	1913	1930	74.00	75.30	76.00	0.87	1.91
4/A74GL	A	1880	1913	1930	74.00	75.30	76.00	1.15	2.54
5/A74GL	A	1880	1913	1930	74.00	75.30	76.00	1.44	3.18

GOLD LABEL Banded Classical - Size List



V-Belt Banded **GOLD LABEL.**



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
20/A74GL	A	1880	1913	1930	74.00	75.30	76.00	5.77	12.72
2/A75GL	A	1905	1938	1955	75.00	76.30	77.00	0.58	1.29
3/A75GL	A	1905	1938	1955	75.00	76.30	77.00	0.88	1.93
4/A75GL	A	1905	1938	1955	75.00	76.30	77.00	1.17	2.58
5/A75GL	A	1905	1938	1955	75.00	76.30	77.00	1.46	3.22
20/A75GL	A	1905	1938	1955	75.00	76.30	77.00	5.85	12.88
2/A77GL	A	1956	1989	2006	77.00	78.30	79.00	0.60	1.32
3/A77GL	A	1956	1989	2006	77.00	78.30	79.00	0.90	1.98
4/A77GL	A	1956	1989	2006	77.00	78.30	79.00	1.20	2.64
5/A77GL	A	1956	1989	2006	77.00	78.30	79.00	1.50	3.31
20/A77GL	A	1956	1989	2006	77.00	78.30	79.00	6.00	13.22
2/A78GL	A	1981	2014	2031	78.00	79.30	80.00	0.61	1.34
3/A78GL	A	1981	2014	2031	78.00	79.30	80.00	0.91	2.01
4/A78GL	A	1981	2014	2031	78.00	79.30	80.00	1.22	2.68
5/A78GL	A	1981	2014	2031	78.00	79.30	80.00	1.52	3.35
20/A78GL	A	1981	2014	2031	78.00	79.30	80.00	6.08	13.39
2/A80GL	A	2032	2065	2082	80.00	81.30	82.00	0.62	1.37
3/A80GL	A	2032	2065	2082	80.00	81.30	82.00	0.93	2.06
4/A80GL	A	2032	2065	2082	80.00	81.30	82.00	1.25	2.74
5/A80GL	A	2032	2065	2082	80.00	81.30	82.00	1.56	3.43
20/A80GL	A	2032	2065	2082	80.00	81.30	82.00	6.23	13.72
2/A81GL	A	2057	2090	2107	81.00	82.30	83.00	0.63	1.39
3/A81GL	A	2057	2090	2107	81.00	82.30	83.00	0.95	2.08
4/A81GL	A	2057	2090	2107	81.00	82.30	83.00	1.26	2.78
5/A81GL	A	2057	2090	2107	81.00	82.30	83.00	1.58	3.47
20/A81GL	A	2057	2090	2107	81.00	82.30	83.00	6.30	13.89
2/A83GL	A	2108	2141	2158	83.00	84.30	85.00	0.65	1.42
3/A83GL	A	2108	2141	2158	83.00	84.30	85.00	0.97	2.13
4/A83GL	A	2108	2141	2158	83.00	84.30	85.00	1.29	2.84
5/A83GL	A	2108	2141	2158	83.00	84.30	85.00	1.61	3.56
20/A83GL	A	2108	2141	2158	83.00	84.30	85.00	6.46	14.22
2/A85GL	A	2159	2192	2209	85.00	86.30	87.00	0.66	1.46
3/A85GL	A	2159	2192	2209	85.00	86.30	87.00	0.99	2.18
4/A85GL	A	2159	2192	2209	85.00	86.30	87.00	1.32	2.91
5/A85GL	A	2159	2192	2209	85.00	86.30	87.00	1.65	3.64
20/A85GL	A	2159	2192	2209	85.00	86.30	87.00	6.61	14.56
2/A90GL	A	2286	2319	2336	90.00	91.30	92.00	0.70	1.54
3/A90GL	A	2286	2319	2336	90.00	91.30	92.00	1.05	2.31
4/A90GL	A	2286	2319	2336	90.00	91.30	92.00	1.40	3.08
5/A90GL	A	2286	2319	2336	90.00	91.30	92.00	1.75	3.85
20/A90GL	A	2286	2319	2336	90.00	91.30	92.00	6.99	15.40
2/A91GL	A	2311	2344	2361	91.00	92.30	93.00	0.71	1.56
3/A91GL	A	2311	2344	2361	91.00	92.30	93.00	1.06	2.33
4/A91GL	A	2311	2344	2361	91.00	92.30	93.00	1.41	3.11
5/A91GL	A	2311	2344	2361	91.00	92.30	93.00	1.77	3.89
20/A91GL	A	2311	2344	2361	91.00	92.30	93.00	7.06	15.56
2/A92GL	A	2337	2370	2387	92.00	93.30	94.00	0.71	1.57
3/A92GL	A	2337	2370	2387	92.00	93.30	94.00	1.07	2.36
4/A92GL	A	2337	2370	2387	92.00	93.30	94.00	1.43	3.15
5/A92GL	A	2337	2370	2387	92.00	93.30	94.00	1.79	3.93
20/A92GL	A	2337	2370	2387	92.00	93.30	94.00	7.14	15.73
2/A96GL	A	2438	2471	2488	96.00	97.30	98.00	0.74	1.64
3/A96GL	A	2438	2471	2488	96.00	97.30	98.00	1.12	2.46
4/A96GL	A	2438	2471	2488	96.00	97.30	98.00	1.49	3.28
5/A96GL	A	2438	2471	2488	96.00	97.30	98.00	1.86	4.10
20/A96GL	A	2438	2471	2488	96.00	97.30	98.00	7.44	16.40
2/A100GL	A	2540	2573	2590	100.00	101.30	102.00	0.77	1.71

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
3/A100GL	A	2540	2573	2590	100.00	101.30	102.00	1.16	2.56
4/A100GL	A	2540	2573	2590	100.00	101.30	102.00	1.55	3.41
5/A100GL	A	2540	2573	2590	100.00	101.30	102.00	1.94	4.27
20/A100GL	A	2540	2573	2590	100.00	101.30	102.00	7.75	17.07
2/A105GL	A	2667	2700	2717	105.00	106.30	107.00	0.81	1.79
3/A105GL	A	2667	2700	2717	105.00	106.30	107.00	1.22	2.69
4/A105GL	A	2667	2700	2717	105.00	106.30	107.00	1.63	3.58
5/A105GL	A	2667	2700	2717	105.00	106.30	107.00	2.03	4.48
20/A105GL	A	2667	2700	2717	105.00	106.30	107.00	8.13	17.91
2/A110GL	A	2794	2827	2844	110.00	111.30	112.00	0.85	1.87
3/A110GL	A	2794	2827	2844	110.00	111.30	112.00	1.28	2.81
4/A110GL	A	2794	2827	2844	110.00	111.30	112.00	1.70	3.75
5/A110GL	A	2794	2827	2844	110.00	111.30	112.00	2.13	4.69
20/A110GL	A	2794	2827	2844	110.00	111.30	112.00	8.51	18.74
2/A112GL	A	2845	2878	2895	112.00	113.30	114.00	0.87	1.91
3/A112GL	A	2845	2878	2895	112.00	113.30	114.00	1.30	2.86
4/A112GL	A	2845	2878	2895	112.00	113.30	114.00	1.73	3.82
5/A112GL	A	2845	2878	2895	112.00	113.30	114.00	2.17	4.77
20/A112GL	A	2845	2878	2895	112.00	113.30	114.00	8.66	19.08
2/A120GL	A	3048	3081	3098	120.00	121.30	122.00	0.93	2.04
3/A120GL	A	3048	3081	3098	120.00	121.30	122.00	1.39	3.06
4/A120GL	A	3048	3081	3098	120.00	121.30	122.00	1.85	4.08
5/A120GL	A	3048	3081	3098	120.00	121.30	122.00	2.32	5.10
20/A120GL	A	3048	3081	3098	120.00	121.30	122.00	9.27	20.42
2/A128GL	A	3251	3284	3301	128.00	129.30	130.00	0.99	2.18
3/A128GL	A	3251	3284	3301	128.00	129.30	130.00	1.48	3.26
4/A128GL	A	3251	3284	3301	128.00	129.30	130.00	1.98	4.35
5/A128GL	A	3251	3284	3301	128.00	129.30	130.00	2.47	5.44
20/A128GL	A	3251	3284	3301	128.00	129.30	130.00	9.88	21.76
2/A136GL	A	3454	3487	3504	136.00	137.30	138.00	1.05	2.31
3/A136GL	A	3454	3487	3504	136.00	137.30	138.00	1.57	3.46
4/A136GL	A	3454	3487	3504	136.00	137.30	138.00	2.10	4.62
5/A136GL	A	3454	3487	3504	136.00	137.30	138.00	2.62	5.77
20/A136GL	A	3454	3487	3504	136.00	137.30	138.00	10.48	23.09
2/A144GL	A	3658	3691	3708	144.00	145.30	146.00	1.11	2.44
3/A144GL	A	3658	3691	3708	144.00	145.30	146.00	1.66	3.67
4/A144GL	A	3658	3691	3708	144.00	145.30	146.00	2.22	4.89
5/A144GL	A	3658	3691	3708	144.00	145.30	146.00	2.77	6.11
20/A144GL	A	3658	3691	3708	144.00	145.30	146.00	11.09	24.44
2/A158GL	A	4013	4046	4063	158.00	159.30	160.00	1.22	2.68
3/A158GL	A	4013	4046	4063	158.00	159.30	160.00	1.82	4.02
4/A158GL	A	4013	4046	4063	158.00	159.30	160.00	2.43	5.36
5/A158GL	A	4013	4046	4063	158.00	159.30	160.00	3.04	6.69
20/A158GL	A	4013	4046	4063	158.00	159.30	160.00	12.16	26.78
2/A162GL	A	4115	4148	4165	162.00	163.30	164.00	1.25	2.74
3/A162GL	A	4115	4148	4165	162.00	163.30	164.00	1.87	4.12
4/A162GL	A	4115	4148	4165	162.00	163.30	164.00	2.49	5.49
5/A162GL	A	4115	4148	4165	162.00	163.30	164.00	3.12	6.86
20/A162GL	A	4115	4148	4165	162.00	163.30	164.00	12.46	27.45
2/A173GL	A	4394	4427	4444	173.00	174.30	175.00	1.33	2.93
3/A173GL	A	4394	4427	4444	173.00	174.30	175.00	1.99	4.39
4/A173GL	A	4394	4427	4444	173.00	174.30	175.00	2.66	5.86
5/A173GL	A	4394	4427	4444	173.00	174.30	175.00	3.32	7.32
20/A173GL	A	4394	4427	4444	173.00	174.30	175.00	13.30	29.29
2/A180GL	A	4572	4605	4622	180.00	181.30	182.00	1.38	3.05
3/A180GL	A	4572	4605	4622	180.00	181.30	182.00	2.07	4.57
4/A180GL	A	4572	4605	4622	180.00	181.30	182.00	2.77	6.09

GOLD LABEL Banded Classical - Size List



V-Belt Banded **GOLD LABEL.**



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
5/A180GL	A	4572	4605	4622	180.00	181.30	182.00	3.46	7.62
20/A180GL	A	4572	4605	4622	180.00	181.30	182.00	13.83	30.46
2/B47GL	B	1194	1234	1263	47.00	48.60	49.75	0.66	1.45
3/B47GL	B	1194	1234	1263	47.00	48.60	49.75	0.98	2.17
4/B47GL	B	1194	1234	1263	47.00	48.60	49.75	1.31	2.89
5/B47GL	B	1194	1234	1263	47.00	48.60	49.75	1.64	3.61
16/B47GL	B	1194	1234	1263	47.00	48.60	49.75	5.25	11.57
2/B48GL	B	1219	1259	1288	48.00	49.60	50.75	0.67	1.47
3/B48GL	B	1219	1259	1288	48.00	49.60	50.75	1.00	2.21
4/B48GL	B	1219	1259	1288	48.00	49.60	50.75	1.34	2.95
5/B48GL	B	1219	1259	1288	48.00	49.60	50.75	1.67	3.69
16/B48GL	B	1219	1259	1288	48.00	49.60	50.75	5.35	11.79
2/B50GL	B	1270	1310	1339	50.00	51.60	52.75	0.70	1.53
3/B50GL	B	1270	1310	1339	50.00	51.60	52.75	1.04	2.30
4/B50GL	B	1270	1310	1339	50.00	51.60	52.75	1.39	3.07
5/B50GL	B	1270	1310	1339	50.00	51.60	52.75	1.74	3.83
16/B50GL	B	1270	1310	1339	50.00	51.60	52.75	5.57	12.26
2/B51GL	B	1295	1335	1364	51.00	52.60	53.75	0.71	1.56
3/B51GL	B	1295	1335	1364	51.00	52.60	53.75	1.06	2.34
4/B51GL	B	1295	1335	1364	51.00	52.60	53.75	1.42	3.12
5/B51GL	B	1295	1335	1364	51.00	52.60	53.75	1.77	3.90
16/B51GL	B	1295	1335	1364	51.00	52.60	53.75	5.67	12.49
2/B52GL	B	1321	1361	1390	52.00	53.60	54.75	0.72	1.59
3/B52GL	B	1321	1361	1390	52.00	53.60	54.75	1.08	2.39
4/B52GL	B	1321	1361	1390	52.00	53.60	54.75	1.44	3.18
5/B52GL	B	1321	1361	1390	52.00	53.60	54.75	1.81	3.98
16/B52GL	B	1321	1361	1390	52.00	53.60	54.75	5.78	12.73
2/B53GL	B	1346	1386	1415	53.00	54.60	55.75	0.74	1.62
3/B53GL	B	1346	1386	1415	53.00	54.60	55.75	1.10	2.43
4/B53GL	B	1346	1386	1415	53.00	54.60	55.75	1.47	3.24
5/B53GL	B	1346	1386	1415	53.00	54.60	55.75	1.84	4.05
16/B53GL	B	1346	1386	1415	53.00	54.60	55.75	5.88	12.96
2/B54GL	B	1372	1412	1441	54.00	55.60	56.75	0.75	1.65
3/B54GL	B	1372	1412	1441	54.00	55.60	56.75	1.12	2.47
4/B54GL	B	1372	1412	1441	54.00	55.60	56.75	1.50	3.30
5/B54GL	B	1372	1412	1441	54.00	55.60	56.75	1.87	4.12
16/B54GL	B	1372	1412	1441	54.00	55.60	56.75	5.99	13.20
2/B55GL	B	1397	1437	1466	55.00	56.60	57.75	0.76	1.68
3/B55GL	B	1397	1437	1466	55.00	56.60	57.75	1.14	2.52
4/B55GL	B	1397	1437	1466	55.00	56.60	57.75	1.52	3.36
5/B55GL	B	1397	1437	1466	55.00	56.60	57.75	1.90	4.20
16/B55GL	B	1397	1437	1466	55.00	56.60	57.75	6.09	13.42
2/B56GL	B	1422	1462	1491	56.00	57.60	58.75	0.77	1.71
3/B56GL	B	1422	1462	1491	56.00	57.60	58.75	1.16	2.56
4/B56GL	B	1422	1462	1491	56.00	57.60	58.75	1.55	3.41
5/B56GL	B	1422	1462	1491	56.00	57.60	58.75	1.94	4.27
16/B56GL	B	1422	1462	1491	56.00	57.60	58.75	6.20	13.65
2/B57GL	B	1448	1488	1517	57.00	58.60	59.75	0.79	1.74
3/B57GL	B	1448	1488	1517	57.00	58.60	59.75	1.18	2.60
4/B57GL	B	1448	1488	1517	57.00	58.60	59.75	1.58	3.47
5/B57GL	B	1448	1488	1517	57.00	58.60	59.75	1.97	4.34
16/B57GL	B	1448	1488	1517	57.00	58.60	59.75	6.31	13.89
2/B58GL	B	1473	1513	1542	58.00	59.60	60.75	0.80	1.77
3/B58GL	B	1473	1513	1542	58.00	59.60	60.75	1.20	2.65
4/B58GL	B	1473	1513	1542	58.00	59.60	60.75	1.60	3.53
5/B58GL	B	1473	1513	1542	58.00	59.60	60.75	2.00	4.41
16/B58GL	B	1473	1513	1542	58.00	59.60	60.75	6.41	14.12

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
2/B59GL	B	1499	1539	1568	59.00	60.60	61.75	0.81	1.79
3/B59GL	B	1499	1539	1568	59.00	60.60	61.75	1.22	2.69
4/B59GL	B	1499	1539	1568	59.00	60.60	61.75	1.63	3.59
5/B59GL	B	1499	1539	1568	59.00	60.60	61.75	2.04	4.49
16/B59GL	B	1499	1539	1568	59.00	60.60	61.75	6.52	14.36
2/B60GL	B	1524	1564	1593	60.00	61.60	62.75	0.83	1.82
3/B60GL	B	1524	1564	1593	60.00	61.60	62.75	1.24	2.74
4/B60GL	B	1524	1564	1593	60.00	61.60	62.75	1.66	3.65
5/B60GL	B	1524	1564	1593	60.00	61.60	62.75	2.07	4.56
16/B60GL	B	1524	1564	1593	60.00	61.60	62.75	6.62	14.59
2/B61GL	B	1549	1589	1618	61.00	62.60	63.75	0.84	1.85
3/B61GL	B	1549	1589	1618	61.00	62.60	63.75	1.26	2.78
4/B61GL	B	1549	1589	1618	61.00	62.60	63.75	1.68	3.70
5/B61GL	B	1549	1589	1618	61.00	62.60	63.75	2.10	4.63
16/B61GL	B	1549	1589	1618	61.00	62.60	63.75	6.73	14.82
2/B62GL	B	1575	1615	1644	62.00	63.60	64.75	0.85	1.88
3/B62GL	B	1575	1615	1644	62.00	63.60	64.75	1.28	2.82
4/B62GL	B	1575	1615	1644	62.00	63.60	64.75	1.71	3.76
5/B62GL	B	1575	1615	1644	62.00	63.60	64.75	2.14	4.70
16/B62GL	B	1575	1615	1644	62.00	63.60	64.75	6.83	15.05
2/B63GL	B	1600	1640	1669	63.00	64.60	65.75	0.87	1.91
3/B63GL	B	1600	1640	1669	63.00	64.60	65.75	1.30	2.87
4/B63GL	B	1600	1640	1669	63.00	64.60	65.75	1.73	3.82
5/B63GL	B	1600	1640	1669	63.00	64.60	65.75	2.17	4.78
16/B63GL	B	1600	1640	1669	63.00	64.60	65.75	6.94	15.28
2/B64GL	B	1626	1666	1695	64.00	65.60	66.75	0.88	1.94
3/B64GL	B	1626	1666	1695	64.00	65.60	66.75	1.32	2.91
4/B64GL	B	1626	1666	1695	64.00	65.60	66.75	1.76	3.88
5/B64GL	B	1626	1666	1695	64.00	65.60	66.75	2.20	4.85
16/B64GL	B	1626	1666	1695	64.00	65.60	66.75	7.05	15.52
2/B65GL	B	1651	1691	1720	65.00	66.60	67.75	0.89	1.97
3/B65GL	B	1651	1691	1720	65.00	66.60	67.75	1.34	2.95
4/B65GL	B	1651	1691	1720	65.00	66.60	67.75	1.79	3.94
5/B65GL	B	1651	1691	1720	65.00	66.60	67.75	2.23	4.92
16/B65GL	B	1651	1691	1720	65.00	66.60	67.75	7.15	15.75
2/B66GL	B	1676	1716	1745	66.00	67.60	68.75	0.91	2.00
3/B66GL	B	1676	1716	1745	66.00	67.60	68.75	1.36	3.00
4/B66GL	B	1676	1716	1745	66.00	67.60	68.75	1.81	3.99
5/B66GL	B	1676	1716	1745	66.00	67.60	68.75	2.27	4.99
16/B66GL	B	1676	1716	1745	66.00	67.60	68.75	7.25	15.98
2/B67GL	B	1702	1742	1771	67.00	68.60	69.75	0.92	2.03
3/B67GL	B	1702	1742	1771	67.00	68.60	69.75	1.38	3.04
4/B67GL	B	1702	1742	1771	67.00	68.60	69.75	1.84	4.05
5/B67GL	B	1702	1742	1771	67.00	68.60	69.75	2.30	5.07
16/B67GL	B	1702	1742	1771	67.00	68.60	69.75	7.36	16.22
2/B68GL	B	1727	1767	1796	68.00	69.60	70.75	0.93	2.06
3/B68GL	B	1727	1767	1796	68.00	69.60	70.75	1.40	3.08
4/B68GL	B	1727	1767	1796	68.00	69.60	70.75	1.87	4.11
5/B68GL	B	1727	1767	1796	68.00	69.60	70.75	2.33	5.14
16/B68GL	B	1727	1767	1796	68.00	69.60	70.75	7.47	16.45
2/B70GL	B	1778	1818	1847	70.00	71.60	72.75	0.96	2.11
3/B70GL	B	1778	1818	1847	70.00	71.60	72.75	1.44	3.17
4/B70GL	B	1778	1818	1847	70.00	71.60	72.75	1.92	4.23
5/B70GL	B	1778	1818	1847	70.00	71.60	72.75	2.40	5.29
16/B70GL	B	1778	1818	1847	70.00	71.60	72.75	7.68	16.91
2/B71GL	B	1803	1843	1872	71.00	72.60	73.75	0.97	2.14
3/B71GL	B	1803	1843	1872	71.00	72.60	73.75	1.46	3.21

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
4/B71GL	B	1803	1843	1872	71.00	72.60	73.75	1.95	4.29
5/B71GL	B	1803	1843	1872	71.00	72.60	73.75	2.43	5.36
16/B71GL	B	1803	1843	1872	71.00	72.60	73.75	7.78	17.14
2/B72GL	B	1829	1869	1898	72.00	73.60	74.75	0.99	2.17
3/B72GL	B	1829	1869	1898	72.00	73.60	74.75	1.48	3.26
4/B72GL	B	1829	1869	1898	72.00	73.60	74.75	1.97	4.35
5/B72GL	B	1829	1869	1898	72.00	73.60	74.75	2.47	5.43
16/B72GL	B	1829	1869	1898	72.00	73.60	74.75	7.89	17.38
2/B73GL	B	1854	1894	1923	73.00	74.60	75.75	1.00	2.20
3/B73GL	B	1854	1894	1923	73.00	74.60	75.75	1.50	3.30
4/B73GL	B	1854	1894	1923	73.00	74.60	75.75	2.00	4.40
5/B73GL	B	1854	1894	1923	73.00	74.60	75.75	2.50	5.50
16/B73GL	B	1854	1894	1923	73.00	74.60	75.75	7.99	17.61
2/B74GL	B	1880	1920	1949	74.00	75.60	76.75	1.01	2.23
3/B74GL	B	1880	1920	1949	74.00	75.60	76.75	1.52	3.35
4/B74GL	B	1880	1920	1949	74.00	75.60	76.75	2.03	4.46
5/B74GL	B	1880	1920	1949	74.00	75.60	76.75	2.53	5.58
16/B74GL	B	1880	1920	1949	74.00	75.60	76.75	8.10	17.85
2/B75GL	B	1905	1945	1974	75.00	76.60	77.75	1.03	2.26
3/B75GL	B	1905	1945	1974	75.00	76.60	77.75	1.54	3.39
4/B75GL	B	1905	1945	1974	75.00	76.60	77.75	2.05	4.52
5/B75GL	B	1905	1945	1974	75.00	76.60	77.75	2.56	5.65
16/B75GL	B	1905	1945	1974	75.00	76.60	77.75	8.21	18.08
2/B77GL	B	1956	1996	2025	77.00	78.60	79.75	1.05	2.32
3/B77GL	B	1956	1996	2025	77.00	78.60	79.75	1.58	3.48
4/B77GL	B	1956	1996	2025	77.00	78.60	79.75	2.10	4.64
5/B77GL	B	1956	1996	2025	77.00	78.60	79.75	2.63	5.79
16/B77GL	B	1956	1996	2025	77.00	78.60	79.75	8.42	18.54
2/B78GL	B	1981	2021	2050	78.00	79.60	80.75	1.07	2.35
3/B78GL	B	1981	2021	2050	78.00	79.60	80.75	1.60	3.52
4/B78GL	B	1981	2021	2050	78.00	79.60	80.75	2.13	4.69
5/B78GL	B	1981	2021	2050	78.00	79.60	80.75	2.66	5.87
16/B78GL	B	1981	2021	2050	78.00	79.60	80.75	8.52	18.77
2/B79GL	B	2007	2047	2076	79.00	80.60	81.75	1.08	2.38
3/B79GL	B	2007	2047	2076	79.00	80.60	81.75	1.62	3.56
4/B79GL	B	2007	2047	2076	79.00	80.60	81.75	2.16	4.75
5/B79GL	B	2007	2047	2076	79.00	80.60	81.75	2.70	5.94
16/B79GL	B	2007	2047	2076	79.00	80.60	81.75	8.63	19.01
2/B80GL	B	2032	2072	2101	80.00	81.60	82.75	1.09	2.40
3/B80GL	B	2032	2072	2101	80.00	81.60	82.75	1.64	3.61
4/B80GL	B	2032	2072	2101	80.00	81.60	82.75	2.18	4.81
5/B80GL	B	2032	2072	2101	80.00	81.60	82.75	2.73	6.01
16/B80GL	B	2032	2072	2101	80.00	81.60	82.75	8.73	19.24
2/B81GL	B	2057	2097	2126	81.00	82.60	83.75	1.10	2.43
3/B81GL	B	2057	2097	2126	81.00	82.60	83.75	1.66	3.65
4/B81GL	B	2057	2097	2126	81.00	82.60	83.75	2.21	4.87
5/B81GL	B	2057	2097	2126	81.00	82.60	83.75	2.76	6.08
16/B81GL	B	2057	2097	2126	81.00	82.60	83.75	8.84	19.47
2/B82GL	B	2083	2123	2152	82.00	83.60	84.75	1.12	2.46
3/B82GL	B	2083	2123	2152	82.00	83.60	84.75	1.68	3.70
4/B82GL	B	2083	2123	2152	82.00	83.60	84.75	2.24	4.93
5/B82GL	B	2083	2123	2152	82.00	83.60	84.75	2.80	6.16
16/B82GL	B	2083	2123	2152	82.00	83.60	84.75	8.95	19.71
2/B83GL	B	2108	2148	2177	83.00	84.60	85.75	1.13	2.49
3/B83GL	B	2108	2148	2177	83.00	84.60	85.75	1.70	3.74
4/B83GL	B	2108	2148	2177	83.00	84.60	85.75	2.26	4.98
5/B83GL	B	2108	2148	2177	83.00	84.60	85.75	2.83	6.23

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
16/B83GL	B	2108	2148	2177	83.00	84.60	85.75	9.05	19.94
2/B84GL	B	2134	2174	2203	84.00	85.60	86.75	1.14	2.52
3/B84GL	B	2134	2174	2203	84.00	85.60	86.75	1.72	3.78
4/B84GL	B	2134	2174	2203	84.00	85.60	86.75	2.29	5.04
5/B84GL	B	2134	2174	2203	84.00	85.60	86.75	2.86	6.30
16/B84GL	B	2134	2174	2203	84.00	85.60	86.75	9.16	20.17
2/B85GL	B	2159	2199	2228	85.00	86.60	87.75	1.16	2.55
3/B85GL	B	2159	2199	2228	85.00	86.60	87.75	1.74	3.83
4/B85GL	B	2159	2199	2228	85.00	86.60	87.75	2.32	5.10
5/B85GL	B	2159	2199	2228	85.00	86.60	87.75	2.89	6.38
16/B85GL	B	2159	2199	2228	85.00	86.60	87.75	9.26	20.40
2/B86GL	B	2184	2224	2253	86.00	87.60	88.75	1.17	2.58
3/B86GL	B	2184	2224	2253	86.00	87.60	88.75	1.76	3.87
4/B86GL	B	2184	2224	2253	86.00	87.60	88.75	2.34	5.16
5/B86GL	B	2184	2224	2253	86.00	87.60	88.75	2.93	6.45
16/B86GL	B	2184	2224	2253	86.00	87.60	88.75	9.37	20.63
2/B87GL	B	2210	2250	2279	87.00	88.60	89.75	1.18	2.61
3/B87GL	B	2210	2250	2279	87.00	88.60	89.75	1.78	3.91
4/B87GL	B	2210	2250	2279	87.00	88.60	89.75	2.37	5.22
5/B87GL	B	2210	2250	2279	87.00	88.60	89.75	2.96	6.52
16/B87GL	B	2210	2250	2279	87.00	88.60	89.75	9.47	20.87
2/B88GL	B	2235	2275	2304	88.00	89.60	90.75	1.20	2.64
3/B88GL	B	2235	2275	2304	88.00	89.60	90.75	1.80	3.96
4/B88GL	B	2235	2275	2304	88.00	89.60	90.75	2.39	5.27
5/B88GL	B	2235	2275	2304	88.00	89.60	90.75	2.99	6.59
16/B88GL	B	2235	2275	2304	88.00	89.60	90.75	9.58	21.10
2/B90GL	B	2286	2326	2355	90.00	91.60	92.75	1.22	2.70
3/B90GL	B	2286	2326	2355	90.00	91.60	92.75	1.84	4.04
4/B90GL	B	2286	2326	2355	90.00	91.60	92.75	2.45	5.39
5/B90GL	B	2286	2326	2355	90.00	91.60	92.75	3.06	6.74
16/B90GL	B	2286	2326	2355	90.00	91.60	92.75	9.79	21.57
2/B92GL	B	2337	2377	2406	92.00	93.60	94.75	1.25	2.75
3/B92GL	B	2337	2377	2406	92.00	93.60	94.75	1.88	4.13
4/B92GL	B	2337	2377	2406	92.00	93.60	94.75	2.50	5.51
5/B92GL	B	2337	2377	2406	92.00	93.60	94.75	3.13	6.89
16/B92GL	B	2337	2377	2406	92.00	93.60	94.75	10.00	22.03
2/B93GL	B	2362	2402	2431	93.00	94.60	95.75	1.26	2.78
3/B93GL	B	2362	2402	2431	93.00	94.60	95.75	1.90	4.17
4/B93GL	B	2362	2402	2431	93.00	94.60	95.75	2.53	5.57
5/B93GL	B	2362	2402	2431	93.00	94.60	95.75	3.16	6.96
16/B93GL	B	2362	2402	2431	93.00	94.60	95.75	10.11	22.26
2/B95GL	B	2413	2453	2482	95.00	96.60	97.75	1.29	2.84
3/B95GL	B	2413	2453	2482	95.00	96.60	97.75	1.93	4.26
4/B95GL	B	2413	2453	2482	95.00	96.60	97.75	2.58	5.68
5/B95GL	B	2413	2453	2482	95.00	96.60	97.75	3.22	7.10
16/B95GL	B	2413	2453	2482	95.00	96.60	97.75	10.32	22.73
2/B96GL	B	2438	2478	2507	96.00	97.60	98.75	1.30	2.87
3/B96GL	B	2438	2478	2507	96.00	97.60	98.75	1.95	4.30
4/B96GL	B	2438	2478	2507	96.00	97.60	98.75	2.61	5.74
5/B96GL	B	2438	2478	2507	96.00	97.60	98.75	3.26	7.17
16/B96GL	B	2438	2478	2507	96.00	97.60	98.75	10.42	22.96
2/B97GL	B	2464	2504	2533	97.00	98.60	99.75	1.32	2.90
3/B97GL	B	2464	2504	2533	97.00	98.60	99.75	1.97	4.35
4/B97GL	B	2464	2504	2533	97.00	98.60	99.75	2.63	5.80
5/B97GL	B	2464	2504	2533	97.00	98.60	99.75	3.29	7.25
16/B97GL	B	2464	2504	2533	97.00	98.60	99.75	10.53	23.20
2/B99GL	B	2515	2555	2584	99.00	100.60	101.75	1.34	2.96

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
3/B99GL	B	2515	2555	2584	99.00	100.60	101.75	2.01	4.44
4/B99GL	B	2515	2555	2584	99.00	100.60	101.75	2.69	5.92
5/B99GL	B	2515	2555	2584	99.00	100.60	101.75	3.36	7.39
16/B99GL	B	2515	2555	2584	99.00	100.60	101.75	10.74	23.66
2/B100GL	B	2540	2580	2609	100.00	101.60	102.75	1.36	2.99
3/B100GL	B	2540	2580	2609	100.00	101.60	102.75	2.03	4.48
4/B100GL	B	2540	2580	2609	100.00	101.60	102.75	2.71	5.97
5/B100GL	B	2540	2580	2609	100.00	101.60	102.75	3.39	7.47
16/B100GL	B	2540	2580	2609	100.00	101.60	102.75	10.85	23.89
2/B101GL	B	2565	2605	2634	101.00	102.60	103.75	1.37	3.02
3/B101GL	B	2565	2605	2634	101.00	102.60	103.75	2.05	4.52
4/B101GL	B	2565	2605	2634	101.00	102.60	103.75	2.74	6.03
5/B101GL	B	2565	2605	2634	101.00	102.60	103.75	3.42	7.54
16/B101GL	B	2565	2605	2634	101.00	102.60	103.75	10.95	24.12
2/B103GL	B	2616	2656	2685	103.00	104.60	105.75	1.40	3.07
3/B103GL	B	2616	2656	2685	103.00	104.60	105.75	2.09	4.61
4/B103GL	B	2616	2656	2685	103.00	104.60	105.75	2.79	6.15
5/B103GL	B	2616	2656	2685	103.00	104.60	105.75	3.49	7.68
16/B103GL	B	2616	2656	2685	103.00	104.60	105.75	11.16	24.59
2/B104GL	B	2642	2682	2711	104.00	105.60	106.75	1.41	3.10
3/B104GL	B	2642	2682	2711	104.00	105.60	106.75	2.11	4.65
4/B104GL	B	2642	2682	2711	104.00	105.60	106.75	2.82	6.21
5/B104GL	B	2642	2682	2711	104.00	105.60	106.75	3.52	7.76
16/B104GL	B	2642	2682	2711	104.00	105.60	106.75	11.27	24.83
2/B105GL	B	2667	2707	2736	105.00	106.60	107.75	1.42	3.13
3/B105GL	B	2667	2707	2736	105.00	106.60	107.75	2.13	4.70
4/B105GL	B	2667	2707	2736	105.00	106.60	107.75	2.84	6.26
5/B105GL	B	2667	2707	2736	105.00	106.60	107.75	3.55	7.83
16/B105GL	B	2667	2707	2736	105.00	106.60	107.75	11.37	25.05
2/B108GL	B	2743	2783	2812	108.00	109.60	110.75	1.46	3.22
3/B108GL	B	2743	2783	2812	108.00	109.60	110.75	2.19	4.83
4/B108GL	B	2743	2783	2812	108.00	109.60	110.75	2.92	6.44
5/B108GL	B	2743	2783	2812	108.00	109.60	110.75	3.65	8.05
16/B108GL	B	2743	2783	2812	108.00	109.60	110.75	11.69	25.75
2/B109GL	B	2769	2809	2838	109.00	110.60	111.75	1.47	3.25
3/B109GL	B	2769	2809	2838	109.00	110.60	111.75	2.21	4.87
4/B109GL	B	2769	2809	2838	109.00	110.60	111.75	2.95	6.50
5/B109GL	B	2769	2809	2838	109.00	110.60	111.75	3.69	8.12
16/B109GL	B	2769	2809	2838	109.00	110.60	111.75	11.80	25.99
2/B110GL	B	2794	2834	2863	110.00	111.60	112.75	1.49	3.28
3/B110GL	B	2794	2834	2863	110.00	111.60	112.75	2.23	4.92
4/B110GL	B	2794	2834	2863	110.00	111.60	112.75	2.98	6.55
5/B110GL	B	2794	2834	2863	110.00	111.60	112.75	3.72	8.19
16/B110GL	B	2794	2834	2863	110.00	111.60	112.75	11.90	26.22
2/B112GL	B	2845	2885	2914	112.00	113.60	114.75	1.51	3.34
3/B112GL	B	2845	2885	2914	112.00	113.60	114.75	2.27	5.00
4/B112GL	B	2845	2885	2914	112.00	113.60	114.75	3.03	6.67
5/B112GL	B	2845	2885	2914	112.00	113.60	114.75	3.79	8.34
16/B112GL	B	2845	2885	2914	112.00	113.60	114.75	12.11	26.68
2/B113GL	B	2870	2910	2939	113.00	114.60	115.75	1.53	3.36
3/B113GL	B	2870	2910	2939	113.00	114.60	115.75	2.29	5.05
4/B113GL	B	2870	2910	2939	113.00	114.60	115.75	3.05	6.73
5/B113GL	B	2870	2910	2939	113.00	114.60	115.75	3.82	8.41
16/B113GL	B	2870	2910	2939	113.00	114.60	115.75	12.22	26.91
2/B114GL	B	2896	2936	2965	114.00	115.60	116.75	1.54	3.39
3/B114GL	B	2896	2936	2965	114.00	115.60	116.75	2.31	5.09
4/B114GL	B	2896	2936	2965	114.00	115.60	116.75	3.08	6.79

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
5/B114GL	B	2896	2936	2965	114.00	115.60	116.75	3.85	8.48
16/B114GL	B	2896	2936	2965	114.00	115.60	116.75	12.33	27.15
2/B115GL	B	2921	2961	2990	115.00	116.60	117.75	1.55	3.42
3/B115GL	B	2921	2961	2990	115.00	116.60	117.75	2.33	5.13
4/B115GL	B	2921	2961	2990	115.00	116.60	117.75	3.11	6.85
5/B115GL	B	2921	2961	2990	115.00	116.60	117.75	3.88	8.56
16/B115GL	B	2921	2961	2990	115.00	116.60	117.75	12.43	27.38
2/B116GL	B	2946	2986	3015	116.00	117.60	118.75	1.57	3.45
3/B116GL	B	2946	2986	3015	116.00	117.60	118.75	2.35	5.18
4/B116GL	B	2946	2986	3015	116.00	117.60	118.75	3.13	6.90
5/B116GL	B	2946	2986	3015	116.00	117.60	118.75	3.92	8.63
16/B116GL	B	2946	2986	3015	116.00	117.60	118.75	12.53	27.61
2/B118GL	B	2997	3037	3066	118.00	119.60	120.75	1.59	3.51
3/B118GL	B	2997	3037	3066	118.00	119.60	120.75	2.39	5.26
4/B118GL	B	2997	3037	3066	118.00	119.60	120.75	3.19	7.02
5/B118GL	B	2997	3037	3066	118.00	119.60	120.75	3.98	8.77
16/B118GL	B	2997	3037	3066	118.00	119.60	120.75	12.75	28.08
2/B120GL	B	3048	3088	3117	120.00	121.60	122.75	1.62	3.57
3/B120GL	B	3048	3088	3117	120.00	121.60	122.75	2.43	5.35
4/B120GL	B	3048	3088	3117	120.00	121.60	122.75	3.24	7.14
5/B120GL	B	3048	3088	3117	120.00	121.60	122.75	4.05	8.92
16/B120GL	B	3048	3088	3117	120.00	121.60	122.75	12.96	28.54
2/B124GL	B	3150	3190	3219	124.00	125.60	126.75	1.67	3.68
3/B124GL	B	3150	3190	3219	124.00	125.60	126.75	2.51	5.53
4/B124GL	B	3150	3190	3219	124.00	125.60	126.75	3.35	7.37
5/B124GL	B	3150	3190	3219	124.00	125.60	126.75	4.18	9.21
16/B124GL	B	3150	3190	3219	124.00	125.60	126.75	13.38	29.48
2/B128GL	B	3251	3291	3320	128.00	129.60	130.75	1.73	3.80
3/B128GL	B	3251	3291	3320	128.00	129.60	130.75	2.59	5.70
4/B128GL	B	3251	3291	3320	128.00	129.60	130.75	3.45	7.60
5/B128GL	B	3251	3291	3320	128.00	129.60	130.75	4.31	9.50
16/B128GL	B	3251	3291	3320	128.00	129.60	130.75	13.80	30.40
2/B130GL	B	3302	3342	3371	130.00	131.60	132.75	1.75	3.86
3/B130GL	B	3302	3342	3371	130.00	131.60	132.75	2.63	5.79
4/B130GL	B	3302	3342	3371	130.00	131.60	132.75	3.50	7.72
5/B130GL	B	3302	3342	3371	130.00	131.60	132.75	4.38	9.65
16/B130GL	B	3302	3342	3371	130.00	131.60	132.75	14.01	30.87
2/B133GL	B	3378	3418	3447	133.00	134.60	135.75	1.79	3.95
3/B133GL	B	3378	3418	3447	133.00	134.60	135.75	2.69	5.92
4/B133GL	B	3378	3418	3447	133.00	134.60	135.75	3.58	7.89
5/B133GL	B	3378	3418	3447	133.00	134.60	135.75	4.48	9.86
16/B133GL	B	3378	3418	3447	133.00	134.60	135.75	14.33	31.57
2/B136GL	B	3454	3494	3523	136.00	137.60	138.75	1.83	4.03
3/B136GL	B	3454	3494	3523	136.00	137.60	138.75	2.75	6.05
4/B136GL	B	3454	3494	3523	136.00	137.60	138.75	3.66	8.07
5/B136GL	B	3454	3494	3523	136.00	137.60	138.75	4.58	10.08
16/B136GL	B	3454	3494	3523	136.00	137.60	138.75	14.65	32.26
2/B138GL	B	3505	3545	3574	138.00	139.60	140.75	1.86	4.09
3/B138GL	B	3505	3545	3574	138.00	139.60	140.75	2.79	6.14
4/B138GL	B	3505	3545	3574	138.00	139.60	140.75	3.71	8.18
5/B138GL	B	3505	3545	3574	138.00	139.60	140.75	4.64	10.23
16/B138GL	B	3505	3545	3574	138.00	139.60	140.75	14.86	32.73
2/B139GL	B	3531	3571	3600	139.00	140.60	141.75	1.87	4.12
3/B139GL	B	3531	3571	3600	139.00	140.60	141.75	2.81	6.18
4/B139GL	B	3531	3571	3600	139.00	140.60	141.75	3.74	8.24
5/B139GL	B	3531	3571	3600	139.00	140.60	141.75	4.68	10.30
16/B139GL	B	3531	3571	3600	139.00	140.60	141.75	14.97	32.97

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
2/B141GL	B	3581	3621	3650	141.00	142.60	143.75	1.90	4.18
3/B141GL	B	3581	3621	3650	141.00	142.60	143.75	2.85	6.27
4/B141GL	B	3581	3621	3650	141.00	142.60	143.75	3.79	8.36
5/B141GL	B	3581	3621	3650	141.00	142.60	143.75	4.74	10.45
16/B141GL	B	3581	3621	3650	141.00	142.60	143.75	15.17	33.42
2/B144GL	B	3658	3698	3727	144.00	145.60	146.75	1.94	4.27
3/B144GL	B	3658	3698	3727	144.00	145.60	146.75	2.91	6.40
4/B144GL	B	3658	3698	3727	144.00	145.60	146.75	3.87	8.53
5/B144GL	B	3658	3698	3727	144.00	145.60	146.75	4.84	10.67
16/B144GL	B	3658	3698	3727	144.00	145.60	146.75	15.49	34.13
2/B148GL	B	3759	3799	3828	148.00	149.60	150.75	1.99	4.38
3/B148GL	B	3759	3799	3828	148.00	149.60	150.75	2.98	6.57
4/B148GL	B	3759	3799	3828	148.00	149.60	150.75	3.98	8.76
5/B148GL	B	3759	3799	3828	148.00	149.60	150.75	4.97	10.95
16/B148GL	B	3759	3799	3828	148.00	149.60	150.75	15.91	35.05
2/B150GL	B	3810	3850	3879	150.00	151.60	152.75	2.02	4.44
3/B150GL	B	3810	3850	3879	150.00	151.60	152.75	3.02	6.66
4/B150GL	B	3810	3850	3879	150.00	151.60	152.75	4.03	8.88
5/B150GL	B	3810	3850	3879	150.00	151.60	152.75	5.04	11.10
16/B150GL	B	3810	3850	3879	150.00	151.60	152.75	16.13	35.52
2/B152GL	B	3861	3901	3930	152.00	153.60	154.75	2.04	4.50
3/B152GL	B	3861	3901	3930	152.00	153.60	154.75	3.06	6.75
4/B152GL	B	3861	3901	3930	152.00	153.60	154.75	4.08	9.00
5/B152GL	B	3861	3901	3930	152.00	153.60	154.75	5.11	11.25
16/B152GL	B	3861	3901	3930	152.00	153.60	154.75	16.34	35.99
2/B154GL	B	3912	3952	3981	154.00	155.60	156.75	2.07	4.56
3/B154GL	B	3912	3952	3981	154.00	155.60	156.75	3.10	6.84
4/B154GL	B	3912	3952	3981	154.00	155.60	156.75	4.14	9.11
5/B154GL	B	3912	3952	3981	154.00	155.60	156.75	5.17	11.39
16/B154GL	B	3912	3952	3981	154.00	155.60	156.75	16.55	36.46
2/B158GL	B	4013	4053	4082	158.00	159.60	160.75	2.12	4.67
3/B158GL	B	4013	4053	4082	158.00	159.60	160.75	3.18	7.01
4/B158GL	B	4013	4053	4082	158.00	159.60	160.75	4.24	9.35
5/B158GL	B	4013	4053	4082	158.00	159.60	160.75	5.30	11.68
16/B158GL	B	4013	4053	4082	158.00	159.60	160.75	16.97	37.38
2/B160GL	B	4064	4104	4133	160.00	161.60	162.75	2.15	4.73
3/B160GL	B	4064	4104	4133	160.00	161.60	162.75	3.22	7.10
4/B160GL	B	4064	4104	4133	160.00	161.60	162.75	4.30	9.46
5/B160GL	B	4064	4104	4133	160.00	161.60	162.75	5.37	11.83
16/B160GL	B	4064	4104	4133	160.00	161.60	162.75	17.18	37.85
2/B162GL	B	4115	4155	4184	162.00	163.60	164.75	2.17	4.79
3/B162GL	B	4115	4155	4184	162.00	163.60	164.75	3.26	7.18
4/B162GL	B	4115	4155	4184	162.00	163.60	164.75	4.35	9.58
5/B162GL	B	4115	4155	4184	162.00	163.60	164.75	5.44	11.97
16/B162GL	B	4115	4155	4184	162.00	163.60	164.75	17.39	38.31
2/B168GL	B	4267	4307	4336	168.00	169.60	170.75	2.25	4.96
3/B168GL	B	4267	4307	4336	168.00	169.60	170.75	3.38	7.45
4/B168GL	B	4267	4307	4336	168.00	169.60	170.75	4.51	9.93
5/B168GL	B	4267	4307	4336	168.00	169.60	170.75	5.63	12.41
16/B168GL	B	4267	4307	4336	168.00	169.60	170.75	18.03	39.71
2/B173GL	B	4394	4434	4463	173.00	174.60	175.75	2.32	5.11
3/B173GL	B	4394	4434	4463	173.00	174.60	175.75	3.48	7.66
4/B173GL	B	4394	4434	4463	173.00	174.60	175.75	4.64	10.22
5/B173GL	B	4394	4434	4463	173.00	174.60	175.75	5.80	12.77
16/B173GL	B	4394	4434	4463	173.00	174.60	175.75	18.55	40.87
2/B180GL	B	4572	4612	4641	180.00	181.60	182.75	2.41	5.31
3/B180GL	B	4572	4612	4641	180.00	181.60	182.75	3.62	7.97

GOLD LABEL Banded Classical - Size List



V-Belt Banded **GOLD LABEL.**



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
4/B180GL	B	4572	4612	4641	180.00	181.60	182.75	4.82	10.62
5/B180GL	B	4572	4612	4641	180.00	181.60	182.75	6.03	13.28
16/B180GL	B	4572	4612	4641	180.00	181.60	182.75	19.29	42.50
2/B184GL	B	4674	4714	4743	184.00	185.60	186.75	2.46	5.43
3/B184GL	B	4674	4714	4743	184.00	185.60	186.75	3.70	8.14
4/B184GL	B	4674	4714	4743	184.00	185.60	186.75	4.93	10.86
5/B184GL	B	4674	4714	4743	184.00	185.60	186.75	6.16	13.57
16/B184GL	B	4674	4714	4743	184.00	185.60	186.75	19.72	43.43
2/B185GL	B	4699	4739	4768	185.00	186.60	187.75	2.48	5.46
3/B185GL	B	4699	4739	4768	185.00	186.60	187.75	3.72	8.19
4/B185GL	B	4699	4739	4768	185.00	186.60	187.75	4.96	10.92
5/B185GL	B	4699	4739	4768	185.00	186.60	187.75	6.19	13.64
16/B185GL	B	4699	4739	4768	185.00	186.60	187.75	19.82	43.66
2/B188GL	B	4775	4815	4844	188.00	189.60	190.75	2.52	5.54
3/B188GL	B	4775	4815	4844	188.00	189.60	190.75	3.78	8.32
4/B188GL	B	4775	4815	4844	188.00	189.60	190.75	5.03	11.09
5/B188GL	B	4775	4815	4844	188.00	189.60	190.75	6.29	13.86
16/B188GL	B	4775	4815	4844	188.00	189.60	190.75	20.14	44.36
2/B190GL	B	4826	4866	4895	190.00	191.60	192.75	2.54	5.60
3/B190GL	B	4826	4866	4895	190.00	191.60	192.75	3.82	8.40
4/B190GL	B	4826	4866	4895	190.00	191.60	192.75	5.09	11.21
5/B190GL	B	4826	4866	4895	190.00	191.60	192.75	6.36	14.01
16/B190GL	B	4826	4866	4895	190.00	191.60	192.75	20.35	44.83
2/B195GL	B	4953	4993	5022	195.00	196.60	197.75	2.61	5.75
3/B195GL	B	4953	4993	5022	195.00	196.60	197.75	3.91	8.62
4/B195GL	B	4953	4993	5022	195.00	196.60	197.75	5.22	11.50
5/B195GL	B	4953	4993	5022	195.00	196.60	197.75	6.52	14.37
16/B195GL	B	4953	4993	5022	195.00	196.60	197.75	20.88	45.99
2/B200GL	B	5080	5120	5149	200.00	201.60	202.75	2.68	5.89
3/B200GL	B	5080	5120	5149	200.00	201.60	202.75	4.01	8.84
4/B200GL	B	5080	5120	5149	200.00	201.60	202.75	5.35	11.79
5/B200GL	B	5080	5120	5149	200.00	201.60	202.75	6.69	14.73
16/B200GL	B	5080	5120	5149	200.00	201.60	202.75	21.41	47.15
2/B210GL	B	5334	5374	5403	210.00	211.60	212.75	2.81	6.18
3/B210GL	B	5334	5374	5403	210.00	211.60	212.75	4.21	9.28
4/B210GL	B	5334	5374	5403	210.00	211.60	212.75	5.62	12.37
5/B210GL	B	5334	5374	5403	210.00	211.60	212.75	7.02	15.46
16/B210GL	B	5334	5374	5403	210.00	211.60	212.75	22.46	49.48
2/B218GL	B	5537	5577	5606	218.00	219.60	220.75	2.91	6.42
3/B218GL	B	5537	5577	5606	218.00	219.60	220.75	4.37	9.63
4/B218GL	B	5537	5577	5606	218.00	219.60	220.75	5.83	12.83
5/B218GL	B	5537	5577	5606	218.00	219.60	220.75	7.28	16.04
16/B218GL	B	5537	5577	5606	218.00	219.60	220.75	23.31	51.34
2/B225GL	B	5715	5755	5784	225.00	226.60	227.75	3.01	6.62
3/B225GL	B	5715	5755	5784	225.00	226.60	227.75	4.51	9.93
4/B225GL	B	5715	5755	5784	225.00	226.60	227.75	6.01	13.24
5/B225GL	B	5715	5755	5784	225.00	226.60	227.75	7.51	16.55
16/B225GL	B	5715	5755	5784	225.00	226.60	227.75	24.05	52.97
2/B240GL	B	6096	6136	6165	240.00	241.60	242.75	3.20	7.06
3/B240GL	B	6096	6136	6165	240.00	241.60	242.75	4.81	10.59
4/B240GL	B	6096	6136	6165	240.00	241.60	242.75	6.41	14.11
5/B240GL	B	6096	6136	6165	240.00	241.60	242.75	8.01	17.64
16/B240GL	B	6096	6136	6165	240.00	241.60	242.75	25.63	56.46
2/B255GL	B	6477	6517	6546	255.00	256.60	257.75	3.40	7.49
3/B255GL	B	6477	6517	6546	255.00	256.60	257.75	5.10	11.24
4/B255GL	B	6477	6517	6546	255.00	256.60	257.75	6.80	14.99
5/B255GL	B	6477	6517	6546	255.00	256.60	257.75	8.50	18.73

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
16/B255GL	B	6477	6517	6546	255.00	256.60	257.75	27.21	59.94
2/B270GL	B	6858	6898	6927	270.00	271.60	272.75	3.60	7.93
3/B270GL	B	6858	6898	6927	270.00	271.60	272.75	5.40	11.89
4/B270GL	B	6858	6898	6927	270.00	271.60	272.75	7.20	15.86
5/B270GL	B	6858	6898	6927	270.00	271.60	272.75	9.00	19.82
16/B270GL	B	6858	6898	6927	270.00	271.60	272.75	28.80	63.43
2/B300GL	B	7620	7660	7689	300.00	301.60	302.75	4.00	8.80
3/B300GL	B	7620	7660	7689	300.00	301.60	302.75	5.99	13.20
4/B300GL	B	7620	7660	7689	300.00	301.60	302.75	7.99	17.60
5/B300GL	B	7620	7660	7689	300.00	301.60	302.75	9.99	22.00
16/B300GL	B	7620	7660	7689	300.00	301.60	302.75	31.97	70.41
2/B310GL	B	7874	7914	7943	310.00	311.60	312.75	4.13	9.09
3/B310GL	B	7874	7914	7943	310.00	311.60	312.75	6.19	13.64
4/B310GL	B	7874	7914	7943	310.00	311.60	312.75	8.26	18.18
5/B310GL	B	7874	7914	7943	310.00	311.60	312.75	10.32	22.73
16/B310GL	B	7874	7914	7943	310.00	311.60	312.75	33.02	72.74
2/B315GL	B	8001	8041	8070	315.00	316.60	317.75	4.19	9.24
3/B315GL	B	8001	8041	8070	315.00	316.60	317.75	6.29	13.86
4/B315GL	B	8001	8041	8070	315.00	316.60	317.75	8.39	18.48
5/B315GL	B	8001	8041	8070	315.00	316.60	317.75	10.48	23.09
16/B315GL	B	8001	8041	8070	315.00	316.60	317.75	33.55	73.90
2/C83GL	C	2108	2167	2196	83.00	85.35	86.50	1.83	4.04
3/C83GL	C	2108	2167	2196	83.00	85.35	86.50	2.75	6.06
4/C83GL	C	2108	2167	2196	83.00	85.35	86.50	3.67	8.07
5/C83GL	C	2108	2167	2196	83.00	85.35	86.50	4.58	10.09
12/C83GL	C	2108	2167	2196	83.00	85.35	86.50	11.00	24.22
2/C85GL	C	2159	2218	2247	85.00	87.35	88.50	1.88	4.13
3/C85GL	C	2159	2218	2247	85.00	87.35	88.50	2.81	6.20
4/C85GL	C	2159	2218	2247	85.00	87.35	88.50	3.75	8.26
5/C85GL	C	2159	2218	2247	85.00	87.35	88.50	4.69	10.33
12/C85GL	C	2159	2218	2247	85.00	87.35	88.50	11.25	24.79
2/C87GL	C	2210	2269	2298	87.00	89.35	90.50	1.92	4.22
3/C87GL	C	2210	2269	2298	87.00	89.35	90.50	2.88	6.34
4/C87GL	C	2210	2269	2298	87.00	89.35	90.50	3.84	8.45
5/C87GL	C	2210	2269	2298	87.00	89.35	90.50	4.80	10.56
12/C87GL	C	2210	2269	2298	87.00	89.35	90.50	11.51	25.35
2/C90GL	C	2286	2345	2374	90.00	92.35	93.50	1.98	4.36
3/C90GL	C	2286	2345	2374	90.00	92.35	93.50	2.97	6.55
4/C90GL	C	2286	2345	2374	90.00	92.35	93.50	3.96	8.73
5/C90GL	C	2286	2345	2374	90.00	92.35	93.50	4.95	10.91
12/C90GL	C	2286	2345	2374	90.00	92.35	93.50	11.89	26.19
2/C96GL	C	2438	2497	2526	96.00	98.35	99.50	2.11	4.64
3/C96GL	C	2438	2497	2526	96.00	98.35	99.50	3.16	6.97
4/C96GL	C	2438	2497	2526	96.00	98.35	99.50	4.22	9.29
5/C96GL	C	2438	2497	2526	96.00	98.35	99.50	5.27	11.61
12/C96GL	C	2438	2497	2526	96.00	98.35	99.50	12.65	27.86
2/C99GL	C	2515	2574	2603	99.00	101.35	102.50	2.17	4.79
3/C99GL	C	2515	2574	2603	99.00	101.35	102.50	3.26	7.18
4/C99GL	C	2515	2574	2603	99.00	101.35	102.50	4.35	9.57
5/C99GL	C	2515	2574	2603	99.00	101.35	102.50	5.43	11.96
12/C99GL	C	2515	2574	2603	99.00	101.35	102.50	13.04	28.71
2/C100GL	C	2540	2599	2628	100.00	102.35	103.50	2.19	4.83
3/C100GL	C	2540	2599	2628	100.00	102.35	103.50	3.29	7.25
4/C100GL	C	2540	2599	2628	100.00	102.35	103.50	4.39	9.66
5/C100GL	C	2540	2599	2628	100.00	102.35	103.50	5.48	12.08
12/C100GL	C	2540	2599	2628	100.00	102.35	103.50	13.16	28.99
2/C105GL	C	2667	2726	2755	105.00	107.35	108.50	2.30	5.06

GOLD LABEL Banded Classical - Size List



V-Belt Banded **GOLD LABEL.**



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
3/C105GL	C	2667	2726	2755	105.00	107.35	108.50	3.45	7.60
4/C105GL	C	2667	2726	2755	105.00	107.35	108.50	4.60	10.13
5/C105GL	C	2667	2726	2755	105.00	107.35	108.50	5.75	12.66
12/C105GL	C	2667	2726	2755	105.00	107.35	108.50	13.80	30.39
2/C108GL	C	2743	2802	2831	108.00	110.35	111.50	2.36	5.20
3/C108GL	C	2743	2802	2831	108.00	110.35	111.50	3.54	7.81
4/C108GL	C	2743	2802	2831	108.00	110.35	111.50	4.73	10.41
5/C108GL	C	2743	2802	2831	108.00	110.35	111.50	5.91	13.01
12/C108GL	C	2743	2802	2831	108.00	110.35	111.50	14.18	31.23
2/C109GL	C	2769	2828	2857	109.00	111.35	112.50	2.38	5.25
3/C109GL	C	2769	2828	2857	109.00	111.35	112.50	3.58	7.88
4/C109GL	C	2769	2828	2857	109.00	111.35	112.50	4.77	10.50
5/C109GL	C	2769	2828	2857	109.00	111.35	112.50	5.96	13.13
12/C109GL	C	2769	2828	2857	109.00	111.35	112.50	14.31	31.51
2/C110GL	C	2794	2853	2882	110.00	112.35	113.50	2.41	5.30
3/C110GL	C	2794	2853	2882	110.00	112.35	113.50	3.61	7.95
4/C110GL	C	2794	2853	2882	110.00	112.35	113.50	4.81	10.60
5/C110GL	C	2794	2853	2882	110.00	112.35	113.50	6.01	13.25
12/C110GL	C	2794	2853	2882	110.00	112.35	113.50	14.43	31.79
2/C112GL	C	2845	2904	2933	112.00	114.35	115.50	2.45	5.39
3/C112GL	C	2845	2904	2933	112.00	114.35	115.50	3.67	8.09
4/C112GL	C	2845	2904	2933	112.00	114.35	115.50	4.90	10.78
5/C112GL	C	2845	2904	2933	112.00	114.35	115.50	6.12	13.48
12/C112GL	C	2845	2904	2933	112.00	114.35	115.50	14.69	32.35
2/C115GL	C	2921	2980	3009	115.00	117.35	118.50	2.51	5.53
3/C115GL	C	2921	2980	3009	115.00	117.35	118.50	3.77	8.30
4/C115GL	C	2921	2980	3009	115.00	117.35	118.50	5.02	11.06
5/C115GL	C	2921	2980	3009	115.00	117.35	118.50	6.28	13.83
12/C115GL	C	2921	2980	3009	115.00	117.35	118.50	15.07	33.19
2/C120GL	C	3048	3107	3136	120.00	122.35	123.50	2.62	5.77
3/C120GL	C	3048	3107	3136	120.00	122.35	123.50	3.93	8.65
4/C120GL	C	3048	3107	3136	120.00	122.35	123.50	5.23	11.53
5/C120GL	C	3048	3107	3136	120.00	122.35	123.50	6.54	14.41
12/C120GL	C	3048	3107	3136	120.00	122.35	123.50	15.70	34.59
2/C124GL	C	3150	3209	3238	124.00	126.35	127.50	2.70	5.95
3/C124GL	C	3150	3209	3238	124.00	126.35	127.50	4.05	8.93
4/C124GL	C	3150	3209	3238	124.00	126.35	127.50	5.41	11.91
5/C124GL	C	3150	3209	3238	124.00	126.35	127.50	6.76	14.88
12/C124GL	C	3150	3209	3238	124.00	126.35	127.50	16.22	35.72
2/C126GL	C	3200	3259	3288	126.00	128.35	129.50	2.74	6.04
3/C126GL	C	3200	3259	3288	126.00	128.35	129.50	4.12	9.07
4/C126GL	C	3200	3259	3288	126.00	128.35	129.50	5.49	12.09
5/C126GL	C	3200	3259	3288	126.00	128.35	129.50	6.86	15.11
12/C126GL	C	3200	3259	3288	126.00	128.35	129.50	16.47	36.27
2/C128GL	C	3251	3310	3339	128.00	130.35	131.50	2.79	6.14
3/C128GL	C	3251	3310	3339	128.00	130.35	131.50	4.18	9.21
4/C128GL	C	3251	3310	3339	128.00	130.35	131.50	5.57	12.28
5/C128GL	C	3251	3310	3339	128.00	130.35	131.50	6.97	15.35
12/C128GL	C	3251	3310	3339	128.00	130.35	131.50	16.72	36.83
2/C136GL	C	3454	3513	3542	136.00	138.35	139.50	2.96	6.51
3/C136GL	C	3454	3513	3542	136.00	138.35	139.50	4.43	9.77
4/C136GL	C	3454	3513	3542	136.00	138.35	139.50	5.91	13.02
5/C136GL	C	3454	3513	3542	136.00	138.35	139.50	7.39	16.28
12/C136GL	C	3454	3513	3542	136.00	138.35	139.50	17.74	39.07
2/C144GL	C	3658	3717	3746	144.00	146.35	147.50	3.13	6.89
3/C144GL	C	3658	3717	3746	144.00	146.35	147.50	4.69	10.33
4/C144GL	C	3658	3717	3746	144.00	146.35	147.50	6.25	13.77

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
5/C144GL	C	3658	3717	3746	144.00	146.35	147.50	7.82	17.22
12/C144GL	C	3658	3717	3746	144.00	146.35	147.50	18.76	41.32
2/C146GL	C	3708	3767	3796	146.00	148.35	149.50	3.17	6.98
3/C146GL	C	3708	3767	3796	146.00	148.35	149.50	4.75	10.47
4/C146GL	C	3708	3767	3796	146.00	148.35	149.50	6.34	13.96
5/C146GL	C	3708	3767	3796	146.00	148.35	149.50	7.92	17.45
12/C146GL	C	3708	3767	3796	146.00	148.35	149.50	19.01	41.87
2/C151GL	C	3835	3894	3923	151.00	153.35	154.50	3.27	7.21
3/C151GL	C	3835	3894	3923	151.00	153.35	154.50	4.91	10.82
4/C151GL	C	3835	3894	3923	151.00	153.35	154.50	6.55	14.42
5/C151GL	C	3835	3894	3923	151.00	153.35	154.50	8.19	18.03
12/C151GL	C	3835	3894	3923	151.00	153.35	154.50	19.65	43.27
2/C158GL	C	4013	4072	4101	158.00	160.35	161.50	3.42	7.54
3/C158GL	C	4013	4072	4101	158.00	160.35	161.50	5.13	11.31
4/C158GL	C	4013	4072	4101	158.00	160.35	161.50	6.85	15.08
5/C158GL	C	4013	4072	4101	158.00	160.35	161.50	8.56	18.85
12/C158GL	C	4013	4072	4101	158.00	160.35	161.50	20.54	45.24
2/C162GL	C	4115	4174	4203	162.00	164.35	165.50	3.51	7.73
3/C162GL	C	4115	4174	4203	162.00	164.35	165.50	5.26	11.59
4/C162GL	C	4115	4174	4203	162.00	164.35	165.50	7.02	15.45
5/C162GL	C	4115	4174	4203	162.00	164.35	165.50	8.77	19.32
12/C162GL	C	4115	4174	4203	162.00	164.35	165.50	21.05	46.36
2/C173GL	C	4394	4453	4482	173.00	175.35	176.50	3.74	8.24
3/C173GL	C	4394	4453	4482	173.00	175.35	176.50	5.61	12.36
4/C173GL	C	4394	4453	4482	173.00	175.35	176.50	7.48	16.48
5/C173GL	C	4394	4453	4482	173.00	175.35	176.50	9.35	20.60
12/C173GL	C	4394	4453	4482	173.00	175.35	176.50	22.45	49.44
2/C180GL	C	4572	4631	4660	180.00	182.35	183.50	3.89	8.57
3/C180GL	C	4572	4631	4660	180.00	182.35	183.50	5.83	12.85
4/C180GL	C	4572	4631	4660	180.00	182.35	183.50	7.78	17.13
5/C180GL	C	4572	4631	4660	180.00	182.35	183.50	9.72	21.42
12/C180GL	C	4572	4631	4660	180.00	182.35	183.50	23.34	51.40
2/C185GL	C	4699	4758	4787	185.00	187.35	188.50	4.00	8.80
3/C185GL	C	4699	4758	4787	185.00	187.35	188.50	5.99	13.20
4/C185GL	C	4699	4758	4787	185.00	187.35	188.50	7.99	17.60
5/C185GL	C	4699	4758	4787	185.00	187.35	188.50	9.99	22.00
12/C185GL	C	4699	4758	4787	185.00	187.35	188.50	23.97	52.80
2/C189GL	C	4801	4860	4889	189.00	191.35	192.50	4.08	8.99
3/C189GL	C	4801	4860	4889	189.00	191.35	192.50	6.12	13.48
4/C189GL	C	4801	4860	4889	189.00	191.35	192.50	8.16	17.98
5/C189GL	C	4801	4860	4889	189.00	191.35	192.50	10.20	22.47
12/C189GL	C	4801	4860	4889	189.00	191.35	192.50	24.48	53.93
2/C190GL	C	4826	4885	4914	190.00	192.35	193.50	4.10	9.03
3/C190GL	C	4826	4885	4914	190.00	192.35	193.50	6.15	13.55
4/C190GL	C	4826	4885	4914	190.00	192.35	193.50	8.20	18.07
5/C190GL	C	4826	4885	4914	190.00	192.35	193.50	10.25	22.59
12/C190GL	C	4826	4885	4914	190.00	192.35	193.50	24.61	54.20
2/C195GL	C	4953	5012	5041	195.00	197.35	198.50	4.21	9.27
3/C195GL	C	4953	5012	5041	195.00	197.35	198.50	6.31	13.90
4/C195GL	C	4953	5012	5041	195.00	197.35	198.50	8.41	18.54
5/C195GL	C	4953	5012	5041	195.00	197.35	198.50	10.52	23.17
12/C195GL	C	4953	5012	5041	195.00	197.35	198.50	25.24	55.61
2/C204GL	C	5182	5241	5270	204.00	206.35	207.50	4.40	9.69
3/C204GL	C	5182	5241	5270	204.00	206.35	207.50	6.60	14.53
4/C204GL	C	5182	5241	5270	204.00	206.35	207.50	8.80	19.38
5/C204GL	C	5182	5241	5270	204.00	206.35	207.50	11.00	24.22
12/C204GL	C	5182	5241	5270	204.00	206.35	207.50	26.39	58.13

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
2/C207GL	C	5258	5317	5346	207.00	209.35	210.50	4.46	9.83
3/C207GL	C	5258	5317	5346	207.00	209.35	210.50	6.69	14.74
4/C207GL	C	5258	5317	5346	207.00	209.35	210.50	8.92	19.66
5/C207GL	C	5258	5317	5346	207.00	209.35	210.50	11.16	24.57
12/C207GL	C	5258	5317	5346	207.00	209.35	210.50	26.77	58.97
2/C210GL	C	5334	5393	5422	210.00	212.35	213.50	4.53	9.97
3/C210GL	C	5334	5393	5422	210.00	212.35	213.50	6.79	14.95
4/C210GL	C	5334	5393	5422	210.00	212.35	213.50	9.05	19.94
5/C210GL	C	5334	5393	5422	210.00	212.35	213.50	11.31	24.92
12/C210GL	C	5334	5393	5422	210.00	212.35	213.50	27.15	59.81
2/C225GL	C	5715	5774	5803	225.00	227.35	228.50	4.84	10.67
3/C225GL	C	5715	5774	5803	225.00	227.35	228.50	7.27	16.00
4/C225GL	C	5715	5774	5803	225.00	227.35	228.50	9.69	21.34
5/C225GL	C	5715	5774	5803	225.00	227.35	228.50	12.11	26.67
12/C225GL	C	5715	5774	5803	225.00	227.35	228.50	29.06	64.01
2/C240GL	C	6096	6155	6184	240.00	242.35	243.50	5.16	11.37
3/C240GL	C	6096	6155	6184	240.00	242.35	243.50	7.74	17.05
4/C240GL	C	6096	6155	6184	240.00	242.35	243.50	10.32	22.74
5/C240GL	C	6096	6155	6184	240.00	242.35	243.50	12.90	28.42
12/C240GL	C	6096	6155	6184	240.00	242.35	243.50	30.97	68.21
2/C255GL	C	6477	6536	6565	255.00	257.35	258.50	5.48	12.07
3/C255GL	C	6477	6536	6565	255.00	257.35	258.50	8.22	18.10
4/C255GL	C	6477	6536	6565	255.00	257.35	258.50	10.96	24.14
5/C255GL	C	6477	6536	6565	255.00	257.35	258.50	13.70	30.17
12/C255GL	C	6477	6536	6565	255.00	257.35	258.50	32.88	72.42
2/C270GL	C	6858	6917	6946	270.00	272.35	273.50	5.80	12.77
3/C270GL	C	6858	6917	6946	270.00	272.35	273.50	8.70	19.15
4/C270GL	C	6858	6917	6946	270.00	272.35	273.50	11.59	25.54
5/C270GL	C	6858	6917	6946	270.00	272.35	273.50	14.49	31.92
12/C270GL	C	6858	6917	6946	270.00	272.35	273.50	34.78	76.62
2/C285GL	C	7239	7298	7327	285.00	287.35	288.50	6.12	13.47
3/C285GL	C	7239	7298	7327	285.00	287.35	288.50	9.17	20.21
4/C285GL	C	7239	7298	7327	285.00	287.35	288.50	12.23	26.94
5/C285GL	C	7239	7298	7327	285.00	287.35	288.50	15.29	33.68
12/C285GL	C	7239	7298	7327	285.00	287.35	288.50	36.69	80.82
2/C300GL	C	7620	7679	7708	300.00	302.35	303.50	6.43	14.17
3/C300GL	C	7620	7679	7708	300.00	302.35	303.50	9.65	21.26
4/C300GL	C	7620	7679	7708	300.00	302.35	303.50	12.87	28.34
5/C300GL	C	7620	7679	7708	300.00	302.35	303.50	16.08	35.43
12/C300GL	C	7620	7679	7708	300.00	302.35	303.50	38.60	85.02
2/C315GL	C	8001	8060	8089	315.00	317.35	318.50	6.75	14.87
3/C315GL	C	8001	8060	8089	315.00	317.35	318.50	10.13	22.31
4/C315GL	C	8001	8060	8089	315.00	317.35	318.50	13.50	29.74
5/C315GL	C	8001	8060	8089	315.00	317.35	318.50	16.88	37.18
12/C315GL	C	8001	8060	8089	315.00	317.35	318.50	40.51	89.23
2/C330GL	C	8382	8441	8470	330.00	332.35	333.50	7.07	15.57
3/C330GL	C	8382	8441	8470	330.00	332.35	333.50	10.60	23.36
4/C330GL	C	8382	8441	8470	330.00	332.35	333.50	14.14	31.14
5/C330GL	C	8382	8441	8470	330.00	332.35	333.50	17.67	38.93
12/C330GL	C	8382	8441	8470	330.00	332.35	333.50	42.42	93.43
2/C345GL	C	8763	8822	8851	345.00	347.35	348.50	7.39	16.27
3/C345GL	C	8763	8822	8851	345.00	347.35	348.50	11.08	24.41
4/C345GL	C	8763	8822	8851	345.00	347.35	348.50	14.77	32.54
5/C345GL	C	8763	8822	8851	345.00	347.35	348.50	18.47	40.68
12/C345GL	C	8763	8822	8851	345.00	347.35	348.50	44.32	97.63
2/C360GL	C	9144	9203	9232	360.00	362.35	363.50	7.71	16.97
3/C360GL	C	9144	9203	9232	360.00	362.35	363.50	11.56	25.46

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
4/C360GL	C	9144	9203	9232	360.00	362.35	363.50	15.41	33.94
5/C360GL	C	9144	9203	9232	360.00	362.35	363.50	19.26	42.43
12/C360GL	C	9144	9203	9232	360.00	362.35	363.50	46.23	101.83
2/C390GL	C	9906	9965	9994	390.00	392.35	393.50	8.34	18.37
3/C390GL	C	9906	9965	9994	390.00	392.35	393.50	12.51	27.56
4/C390GL	C	9906	9965	9994	390.00	392.35	393.50	16.68	36.75
5/C390GL	C	9906	9965	9994	390.00	392.35	393.50	20.85	45.93
12/C390GL	C	9906	9965	9994	390.00	392.35	393.50	50.05	110.24
2/C420GL	C	10668	10727	10756	420.00	422.35	423.50	8.98	19.77
3/C420GL	C	10668	10727	10756	420.00	422.35	423.50	13.47	29.66
4/C420GL	C	10668	10727	10756	420.00	422.35	423.50	17.95	39.55
5/C420GL	C	10668	10727	10756	420.00	422.35	423.50	22.44	49.44
12/C420GL	C	10668	10727	10756	420.00	422.35	423.50	53.86	118.64
2/D158GL	D	4013	4089	4139	158.00	161.00	163.00	7.20	15.86
3/D158GL	D	4013	4089	4139	158.00	161.00	163.00	10.80	23.80
4/D158GL	D	4013	4089	4139	158.00	161.00	163.00	14.41	31.73
5/D158GL	D	4013	4089	4139	158.00	161.00	163.00	18.01	39.66
9/D158GL	D	4013	4089	4139	158.00	161.00	163.00	32.41	71.39
2/D162GL	D	4115	4191	4241	162.00	165.00	167.00	7.38	16.26
3/D162GL	D	4115	4191	4241	162.00	165.00	167.00	11.07	24.38
4/D162GL	D	4115	4191	4241	162.00	165.00	167.00	14.76	32.51
5/D162GL	D	4115	4191	4241	162.00	165.00	167.00	18.45	40.64
9/D162GL	D	4115	4191	4241	162.00	165.00	167.00	33.21	73.15
2/D173GL	D	4394	4470	4520	173.00	176.00	178.00	7.87	17.32
3/D173GL	D	4394	4470	4520	173.00	176.00	178.00	11.80	25.99
4/D173GL	D	4394	4470	4520	173.00	176.00	178.00	15.73	34.65
5/D173GL	D	4394	4470	4520	173.00	176.00	178.00	19.66	43.31
9/D173GL	D	4394	4470	4520	173.00	176.00	178.00	35.39	77.96
2/D180GL	D	4572	4648	4698	180.00	183.00	185.00	8.18	18.01
3/D180GL	D	4572	4648	4698	180.00	183.00	185.00	12.26	27.01
4/D180GL	D	4572	4648	4698	180.00	183.00	185.00	16.35	36.01
5/D180GL	D	4572	4648	4698	180.00	183.00	185.00	20.44	45.02
9/D180GL	D	4572	4648	4698	180.00	183.00	185.00	36.79	81.03
2/D195GL	D	4953	5029	5079	195.00	198.00	200.00	8.84	19.47
3/D195GL	D	4953	5029	5079	195.00	198.00	200.00	13.26	29.20
4/D195GL	D	4953	5029	5079	195.00	198.00	200.00	17.68	38.94
5/D195GL	D	4953	5029	5079	195.00	198.00	200.00	22.10	48.67
9/D195GL	D	4953	5029	5079	195.00	198.00	200.00	39.77	87.60
2/D210GL	D	5334	5410	5460	210.00	213.00	215.00	9.50	20.93
3/D210GL	D	5334	5410	5460	210.00	213.00	215.00	14.25	31.39
4/D210GL	D	5334	5410	5460	210.00	213.00	215.00	19.00	41.86
5/D210GL	D	5334	5410	5460	210.00	213.00	215.00	23.75	52.32
9/D210GL	D	5334	5410	5460	210.00	213.00	215.00	42.76	94.18
2/D225GL	D	5715	5791	5841	225.00	228.00	230.00	10.16	22.39
3/D225GL	D	5715	5791	5841	225.00	228.00	230.00	15.25	33.58
4/D225GL	D	5715	5791	5841	225.00	228.00	230.00	20.33	44.78
5/D225GL	D	5715	5791	5841	225.00	228.00	230.00	25.41	55.97
9/D225GL	D	5715	5791	5841	225.00	228.00	230.00	45.74	100.75
2/D240GL	D	6096	6172	6222	240.00	243.00	245.00	10.83	23.85
3/D240GL	D	6096	6172	6222	240.00	243.00	245.00	16.24	35.77
4/D240GL	D	6096	6172	6222	240.00	243.00	245.00	21.65	47.70
5/D240GL	D	6096	6172	6222	240.00	243.00	245.00	27.07	59.62
9/D240GL	D	6096	6172	6222	240.00	243.00	245.00	48.72	107.32
2/D250GL	D	6350	6426	6476	250.00	253.00	255.00	11.27	24.82
3/D250GL	D	6350	6426	6476	250.00	253.00	255.00	16.90	37.23
4/D250GL	D	6350	6426	6476	250.00	253.00	255.00	22.54	49.64
5/D250GL	D	6350	6426	6476	250.00	253.00	255.00	28.17	62.06

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049

DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
9/D250GL	D	6350	6426	6476	250.00	253.00	255.00	50.71	111.70
2/D255GL	D	6477	6553	6603	255.00	258.00	260.00	11.49	25.31
3/D255GL	D	6477	6553	6603	255.00	258.00	260.00	17.24	37.96
4/D255GL	D	6477	6553	6603	255.00	258.00	260.00	22.98	50.62
5/D255GL	D	6477	6553	6603	255.00	258.00	260.00	28.73	63.27
9/D255GL	D	6477	6553	6603	255.00	258.00	260.00	51.71	113.89
2/D270GL	D	6858	6934	6984	270.00	273.00	275.00	12.15	26.77
3/D270GL	D	6858	6934	6984	270.00	273.00	275.00	18.23	40.15
4/D270GL	D	6858	6934	6984	270.00	273.00	275.00	24.31	53.54
5/D270GL	D	6858	6934	6984	270.00	273.00	275.00	30.38	66.92
9/D270GL	D	6858	6934	6984	270.00	273.00	275.00	54.69	120.46
2/D285GL	D	7239	7315	7365	285.00	288.00	290.00	12.82	28.23
3/D285GL	D	7239	7315	7365	285.00	288.00	290.00	19.22	42.34
4/D285GL	D	7239	7315	7365	285.00	288.00	290.00	25.63	56.46
5/D285GL	D	7239	7315	7365	285.00	288.00	290.00	32.04	70.57
9/D285GL	D	7239	7315	7365	285.00	288.00	290.00	57.67	127.03
2/D300GL	D	7620	7696	7746	300.00	303.00	305.00	13.48	29.69
3/D300GL	D	7620	7696	7746	300.00	303.00	305.00	20.22	44.53
4/D300GL	D	7620	7696	7746	300.00	303.00	305.00	26.96	59.38
5/D300GL	D	7620	7696	7746	300.00	303.00	305.00	33.70	74.22
9/D300GL	D	7620	7696	7746	300.00	303.00	305.00	60.66	133.60
2/D315GL	D	8001	8077	8127	315.00	318.00	320.00	14.14	31.15
3/D315GL	D	8001	8077	8127	315.00	318.00	320.00	21.21	46.73
4/D315GL	D	8001	8077	8127	315.00	318.00	320.00	28.28	62.30
5/D315GL	D	8001	8077	8127	315.00	318.00	320.00	35.36	77.88
9/D315GL	D	8001	8077	8127	315.00	318.00	320.00	63.64	140.18
2/D330GL	D	8382	8458	8508	330.00	333.00	335.00	14.81	32.61
3/D330GL	D	8382	8458	8508	330.00	333.00	335.00	22.21	48.92
4/D330GL	D	8382	8458	8508	330.00	333.00	335.00	29.61	65.22
5/D330GL	D	8382	8458	8508	330.00	333.00	335.00	37.01	81.53
9/D330GL	D	8382	8458	8508	330.00	333.00	335.00	66.62	146.75
2/D345GL	D	8763	8839	8889	345.00	348.00	350.00	15.47	34.07
3/D345GL	D	8763	8839	8889	345.00	348.00	350.00	23.20	51.11
4/D345GL	D	8763	8839	8889	345.00	348.00	350.00	30.94	68.14
5/D345GL	D	8763	8839	8889	345.00	348.00	350.00	38.67	85.18
9/D345GL	D	8763	8839	8889	345.00	348.00	350.00	69.61	153.32
2/D360GL	D	9144	9220	9270	360.00	363.00	365.00	16.13	35.53
3/D360GL	D	9144	9220	9270	360.00	363.00	365.00	24.20	53.30
4/D360GL	D	9144	9220	9270	360.00	363.00	365.00	32.26	71.06
5/D360GL	D	9144	9220	9270	360.00	363.00	365.00	40.33	88.83
9/D360GL	D	9144	9220	9270	360.00	363.00	365.00	72.59	159.89
2/D390GL	D	9906	9982	10032	390.00	393.00	395.00	17.46	38.45
3/D390GL	D	9906	9982	10032	390.00	393.00	395.00	26.19	57.68
4/D390GL	D	9906	9982	10032	390.00	393.00	395.00	34.91	76.90
5/D390GL	D	9906	9982	10032	390.00	393.00	395.00	43.64	96.13
9/D390GL	D	9906	9982	10032	390.00	393.00	395.00	78.56	173.03
2/D420GL	D	10668	10744	10794	420.00	423.00	425.00	18.78	41.37
3/D420GL	D	10668	10744	10794	420.00	423.00	425.00	28.17	62.06
4/D420GL	D	10668	10744	10794	420.00	423.00	425.00	37.57	82.75
5/D420GL	D	10668	10744	10794	420.00	423.00	425.00	46.96	103.43
9/D420GL	D	10668	10744	10794	420.00	423.00	425.00	84.52	186.18
2/D450GL	D	11430	11506	11556	450.00	453.00	455.00	20.11	44.29
3/D450GL	D	11430	11506	11556	450.00	453.00	455.00	30.16	66.44
4/D450GL	D	11430	11506	11556	450.00	453.00	455.00	40.22	88.59
5/D450GL	D	11430	11506	11556	450.00	453.00	455.00	50.27	110.73
9/D450GL	D	11430	11506	11556	450.00	453.00	455.00	90.49	199.32
2/D480GL	D	12192	12268	12318	480.00	483.00	485.00	21.44	47.21

GOLD LABEL Banded Classical - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
A	13	10	0.15
B	17	13	0.26
C	22	16	0.417
D	32	21	0.87

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
A	1/2	25/64	0.008
B	21/32	1/2	0.015
C	7/8	5/8	0.023
D	1-1/4	53/64	0.049


DAYCO Part Nr	Section	Li Inside length (mm)	Ld Datum length (mm)	Lo Outside length (mm)	Li Inside length (in)	Ld Datum length (in)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
3/D480GL	D	12192	12268	12318	480.00	483.00	485.00	32.15	70.82
4/D480GL	D	12192	12268	12318	480.00	483.00	485.00	42.87	94.43
5/D480GL	D	12192	12268	12318	480.00	483.00	485.00	53.59	118.04
9/D480GL	D	12192	12268	12318	480.00	483.00	485.00	96.46	212.46
2/D540GL	D	13716	13792	13842	540.00	543.00	545.00	24.09	53.06
3/D540GL	D	13716	13792	13842	540.00	543.00	545.00	36.13	79.58
4/D540GL	D	13716	13792	13842	540.00	543.00	545.00	48.17	106.11
5/D540GL	D	13716	13792	13842	540.00	543.00	545.00	60.22	132.64
9/D540GL	D	13716	13792	13842	540.00	543.00	545.00	108.39	238.75
2/D590GL	D	14986	15062	15112	590.00	593.00	595.00	26.30	57.92
3/D590GL	D	14986	15062	15112	590.00	593.00	595.00	39.45	86.89
4/D590GL	D	14986	15062	15112	590.00	593.00	595.00	52.59	115.85
5/D590GL	D	14986	15062	15112	590.00	593.00	595.00	65.74	144.81
9/D590GL	D	14986	15062	15112	590.00	593.00	595.00	118.34	260.66

GOLD LABEL Banded Narrow - Product Description



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
3V	9	10	0.099
5V	15	15.5	0.272
8V	25	25.5	0.654

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
3V	23/64	25/64	0.006
5V	19/32	39/64	0.015
8V	1	1	0.037

V-Belt Banded

Part Number Description: **5/8V1050GL**

5/: Numer of Ribs

8V: Profile

1050: Internal Length (mm)

GL: Gold Label

Features and Benefits:

Tie Band Fabric: PET/Cotton, CR Impregnated

- Abrasion, wear and Oil Resistance
- Prevents Vibrations and belt Turn-over

Fabric Cover: PET/Cotton, CR Impregnated

- Abrasion, wear and Oil Resistance
- Static Conductivity: ISO 1813

Tension Cords: High Modulus Polyester

- Superior Dimensional stability (low stretch and tension decay)
- High resistance to overloads and shock loads

Compression Rubber: SBR/NR Rubber blend

- Resistant to bending stress
- Superior Oil and Heat resistance
- Temperature Range: -35 To +70 C. / -31 To 160 F.

Wedge Profile (RMA): Up to 3 times the Power transmission capacity compared to Classical V Profiles (A, B, C, D, E)
Designed for OEMs

Markets and Applications:

Ideal solution for shock or pulsating loads

Designed for heavy duty drives

Recommended solution for multiple belts drives where single belts vibrate or turn over


Pulley Standards: RMA IP22

GOLD LABEL Banded Narrow - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
3V	9	10	0.099
5V	15	15.5	0.272
8V	25	25.5	0.654

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
3V	23/64	25/64	0.006
5V	19/32	39/64	0.015
8V	1	1	0.037

DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
2/3V520GL	3V	1321	52.00	0.26	0.58
3/3V520GL	3V	1321	52.00	0.39	0.87
4/3V520GL	3V	1321	52.00	0.52	1.15
5/3V520GL	3V	1321	52.00	0.66	1.44
24/3V520GL	3V	1321	52.00	3.15	6.93
2/3V530GL	3V	1346	53.00	0.27	0.59
3/3V530GL	3V	1346	53.00	0.40	0.88
4/3V530GL	3V	1346	53.00	0.53	1.18
5/3V530GL	3V	1346	53.00	0.67	1.47
24/3V530GL	3V	1346	53.00	3.20	7.06
2/3V560GL	3V	1422	56.00	0.28	0.62
3/3V560GL	3V	1422	56.00	0.42	0.93
4/3V560GL	3V	1422	56.00	0.56	1.24
5/3V560GL	3V	1422	56.00	0.71	1.55
24/3V560GL	3V	1422	56.00	3.39	7.46
2/3V600GL	3V	1524	60.00	0.30	0.67
3/3V600GL	3V	1524	60.00	0.45	1.00
4/3V600GL	3V	1524	60.00	0.60	1.33
5/3V600GL	3V	1524	60.00	0.76	1.67
24/3V600GL	3V	1524	60.00	3.63	7.99
2/3V630GL	3V	1600	63.00	0.32	0.70
3/3V630GL	3V	1600	63.00	0.48	1.05
4/3V630GL	3V	1600	63.00	0.63	1.40
5/3V630GL	3V	1600	63.00	0.79	1.75
24/3V630GL	3V	1600	63.00	3.81	8.39
2/3V670GL	3V	1702	67.00	0.34	0.74
3/3V670GL	3V	1702	67.00	0.51	1.12
4/3V670GL	3V	1702	67.00	0.68	1.49
5/3V670GL	3V	1702	67.00	0.84	1.86
24/3V670GL	3V	1702	67.00	4.05	8.93
2/3V710GL	3V	1803	71.00	0.36	0.79
3/3V710GL	3V	1803	71.00	0.54	1.18
4/3V710GL	3V	1803	71.00	0.72	1.58
5/3V710GL	3V	1803	71.00	0.89	1.97
24/3V710GL	3V	1803	71.00	4.29	9.46
2/3V750GL	3V	1905	75.00	0.38	0.83
3/3V750GL	3V	1905	75.00	0.57	1.25
4/3V750GL	3V	1905	75.00	0.76	1.67
5/3V750GL	3V	1905	75.00	0.95	2.08
24/3V750GL	3V	1905	75.00	4.54	9.99

GOLD LABEL Banded Narrow - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
3V	9	10	0.099
5V	15	15.5	0.272
8V	25	25.5	0.654

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
3V	23/64	25/64	0.006
5V	19/32	39/64	0.015
8V	1	1	0.037


DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
2/3V800GL	3V	2032	80.00	0.40	0.89
3/3V800GL	3V	2032	80.00	0.60	1.33
4/3V800GL	3V	2032	80.00	0.81	1.78
5/3V800GL	3V	2032	80.00	1.01	2.22
24/3V800GL	3V	2032	80.00	4.84	10.66
2/3V830GL	3V	2108	83.00	0.42	0.92
3/3V830GL	3V	2108	83.00	0.63	1.38
4/3V830GL	3V	2108	83.00	0.84	1.84
5/3V830GL	3V	2108	83.00	1.05	2.30
24/3V830GL	3V	2108	83.00	5.02	11.06
2/3V850GL	3V	2159	85.00	0.43	0.94
3/3V850GL	3V	2159	85.00	0.64	1.42
4/3V850GL	3V	2159	85.00	0.86	1.89
5/3V850GL	3V	2159	85.00	1.07	2.36
24/3V850GL	3V	2159	85.00	5.14	11.32
2/3V900GL	3V	2286	90.00	0.45	1.00
3/3V900GL	3V	2286	90.00	0.68	1.50
4/3V900GL	3V	2286	90.00	0.91	2.00
5/3V900GL	3V	2286	90.00	1.13	2.50
24/3V900GL	3V	2286	90.00	5.44	11.99
2/3V950GL	3V	2413	95.00	0.48	1.05
3/3V950GL	3V	2413	95.00	0.72	1.58
4/3V950GL	3V	2413	95.00	0.96	2.11
5/3V950GL	3V	2413	95.00	1.20	2.64
24/3V950GL	3V	2413	95.00	5.75	12.66
2/3V1000GL	3V	2540	100.00	0.50	1.11
3/3V1000GL	3V	2540	100.00	0.76	1.67
4/3V1000GL	3V	2540	100.00	1.01	2.22
5/3V1000GL	3V	2540	100.00	1.26	2.78
24/3V1000GL	3V	2540	100.00	6.05	13.32
2/3V1060GL	3V	2692	106.00	0.53	1.18
3/3V1060GL	3V	2692	106.00	0.80	1.76
4/3V1060GL	3V	2692	106.00	1.07	2.35
5/3V1060GL	3V	2692	106.00	1.34	2.94
24/3V1060GL	3V	2692	106.00	6.41	14.12
2/3V1120GL	3V	2845	112.00	0.56	1.24
3/3V1120GL	3V	2845	112.00	0.85	1.87
4/3V1120GL	3V	2845	112.00	1.13	2.49
5/3V1120GL	3V	2845	112.00	1.41	3.11
24/3V1120GL	3V	2845	112.00	6.77	14.92

GOLD LABEL Banded Narrow - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
3V	9	10	0.099
5V	15	15.5	0.272
8V	25	25.5	0.654

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
3V	23/64	25/64	0.006
5V	19/32	39/64	0.015
8V	1	1	0.037

DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
2/3V1180GL	3V	2997	118.00	0.59	1.31
3/3V1180GL	3V	2997	118.00	0.89	1.96
4/3V1180GL	3V	2997	118.00	1.19	2.62
5/3V1180GL	3V	2997	118.00	1.49	3.27
24/3V1180GL	3V	2997	118.00	7.14	15.72
2/3V1250GL	3V	3175	125.00	0.63	1.39
3/3V1250GL	3V	3175	125.00	0.95	2.08
4/3V1250GL	3V	3175	125.00	1.26	2.78
5/3V1250GL	3V	3175	125.00	1.58	3.47
24/3V1250GL	3V	3175	125.00	7.56	16.65
2/3V1320GL	3V	3353	132.00	0.67	1.47
3/3V1320GL	3V	3353	132.00	1.00	2.20
4/3V1320GL	3V	3353	132.00	1.33	2.93
5/3V1320GL	3V	3353	132.00	1.66	3.66
24/3V1320GL	3V	3353	132.00	7.98	17.59
2/3V1400GL	3V	3556	140.00	0.71	1.55
3/3V1400GL	3V	3556	140.00	1.06	2.33
4/3V1400GL	3V	3556	140.00	1.41	3.11
5/3V1400GL	3V	3556	140.00	1.76	3.89
24/3V1400GL	3V	3556	140.00	8.47	18.65
2/5V510GL	5V	1295	51.00	0.70	1.55
3/5V510GL	5V	1295	51.00	1.06	2.32
4/5V510GL	5V	1295	51.00	1.41	3.10
5/5V510GL	5V	1295	51.00	1.76	3.87
16/5V510GL	5V	1295	51.00	5.63	12.40
2/5V530GL	5V	1346	53.00	0.73	1.61
3/5V530GL	5V	1346	53.00	1.10	2.42
4/5V530GL	5V	1346	53.00	1.46	3.22
5/5V530GL	5V	1346	53.00	1.83	4.03
16/5V530GL	5V	1346	53.00	5.85	12.89
2/5V560GL	5V	1422	56.00	0.77	1.70
3/5V560GL	5V	1422	56.00	1.16	2.55
4/5V560GL	5V	1422	56.00	1.55	3.40
5/5V560GL	5V	1422	56.00	1.93	4.25
16/5V560GL	5V	1422	56.00	6.18	13.61
2/5V600GL	5V	1524	60.00	0.83	1.82
3/5V600GL	5V	1524	60.00	1.24	2.74
4/5V600GL	5V	1524	60.00	1.66	3.65
5/5V600GL	5V	1524	60.00	2.07	4.56
16/5V600GL	5V	1524	60.00	6.62	14.59

GOLD LABEL Banded Narrow - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
3V	9	10	0.099
5V	15	15.5	0.272
8V	25	25.5	0.654

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
3V	23/64	25/64	0.006
5V	19/32	39/64	0.015
8V	1	1	0.037

DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
2/5V630GL	5V	1600	63.00	0.87	1.91
3/5V630GL	5V	1600	63.00	1.30	2.87
4/5V630GL	5V	1600	63.00	1.74	3.83
5/5V630GL	5V	1600	63.00	2.17	4.79
16/5V630GL	5V	1600	63.00	6.95	15.32
2/5V670GL	5V	1702	67.00	0.92	2.04
3/5V670GL	5V	1702	67.00	1.39	3.06
4/5V670GL	5V	1702	67.00	1.85	4.07
5/5V670GL	5V	1702	67.00	2.31	5.09
16/5V670GL	5V	1702	67.00	7.40	16.29
2/5V710GL	5V	1803	71.00	0.98	2.16
3/5V710GL	5V	1803	71.00	1.47	3.24
4/5V710GL	5V	1803	71.00	1.96	4.32
5/5V710GL	5V	1803	71.00	2.45	5.39
16/5V710GL	5V	1803	71.00	7.84	17.26
2/5V750GL	5V	1905	75.00	1.04	2.28
3/5V750GL	5V	1905	75.00	1.55	3.42
4/5V750GL	5V	1905	75.00	2.07	4.56
5/5V750GL	5V	1905	75.00	2.59	5.70
16/5V750GL	5V	1905	75.00	8.28	18.24
2/5V800GL	5V	2032	80.00	1.10	2.43
3/5V800GL	5V	2032	80.00	1.66	3.65
4/5V800GL	5V	2032	80.00	2.21	4.86
5/5V800GL	5V	2032	80.00	2.76	6.08
16/5V800GL	5V	2032	80.00	8.83	19.45
2/5V850GL	5V	2159	85.00	1.17	2.58
3/5V850GL	5V	2159	85.00	1.76	3.88
4/5V850GL	5V	2159	85.00	2.35	5.17
5/5V850GL	5V	2159	85.00	2.93	6.46
16/5V850GL	5V	2159	85.00	9.38	20.67
2/5V900GL	5V	2286	90.00	1.24	2.74
3/5V900GL	5V	2286	90.00	1.86	4.10
4/5V900GL	5V	2286	90.00	2.48	5.47
5/5V900GL	5V	2286	90.00	3.11	6.84
16/5V900GL	5V	2286	90.00	9.94	21.89
2/5V950GL	5V	2413	95.00	1.31	2.89
3/5V950GL	5V	2413	95.00	1.97	4.33
4/5V950GL	5V	2413	95.00	2.62	5.78
5/5V950GL	5V	2413	95.00	3.28	7.22
16/5V950GL	5V	2413	95.00	10.49	23.10

GOLD LABEL Banded Narrow - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
3V	9	10	0.099
5V	15	15.5	0.272
8V	25	25.5	0.654

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
3V	23/64	25/64	0.006
5V	19/32	39/64	0.015
8V	1	1	0.037

DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
2/5V975GL	5V	2477	97.50	1.35	2.96
3/5V975GL	5V	2477	97.50	2.02	4.45
4/5V975GL	5V	2477	97.50	2.69	5.93
5/5V975GL	5V	2477	97.50	3.36	7.41
16/5V975GL	5V	2477	97.50	10.77	23.71
2/5V1000GL	5V	2540	100.00	1.38	3.04
3/5V1000GL	5V	2540	100.00	2.07	4.56
4/5V1000GL	5V	2540	100.00	2.76	6.08
5/5V1000GL	5V	2540	100.00	3.45	7.60
16/5V1000GL	5V	2540	100.00	11.04	24.32
2/5V1060GL	5V	2692	106.00	1.46	3.22
3/5V1060GL	5V	2692	106.00	2.19	4.83
4/5V1060GL	5V	2692	106.00	2.93	6.44
5/5V1060GL	5V	2692	106.00	3.66	8.05
16/5V1060GL	5V	2692	106.00	11.70	25.77
2/5V1120GL	5V	2845	112.00	1.55	3.40
3/5V1120GL	5V	2845	112.00	2.32	5.11
4/5V1120GL	5V	2845	112.00	3.09	6.81
5/5V1120GL	5V	2845	112.00	3.86	8.51
16/5V1120GL	5V	2845	112.00	12.37	27.24
2/5V1180GL	5V	2997	118.00	1.63	3.59
3/5V1180GL	5V	2997	118.00	2.44	5.38
4/5V1180GL	5V	2997	118.00	3.26	7.17
5/5V1180GL	5V	2997	118.00	4.07	8.97
16/5V1180GL	5V	2997	118.00	13.03	28.69
2/5V1200GL	5V	3048	120.00	1.66	3.65
3/5V1200GL	5V	3048	120.00	2.48	5.47
4/5V1200GL	5V	3048	120.00	3.31	7.30
5/5V1200GL	5V	3048	120.00	4.14	9.12
16/5V1200GL	5V	3048	120.00	13.25	29.18
2/5V1210GL	5V	3073	121.00	1.67	3.68
3/5V1210GL	5V	3073	121.00	2.50	5.52
4/5V1210GL	5V	3073	121.00	3.34	7.35
5/5V1210GL	5V	3073	121.00	4.17	9.19
16/5V1210GL	5V	3073	121.00	13.36	29.42
2/5V1250GL	5V	3175	125.00	1.73	3.80
3/5V1250GL	5V	3175	125.00	2.59	5.70
4/5V1250GL	5V	3175	125.00	3.45	7.60
5/5V1250GL	5V	3175	125.00	4.31	9.50
16/5V1250GL	5V	3175	125.00	13.80	30.40

GOLD LABEL Banded Narrow - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
3V	9	10	0.099
5V	15	15.5	0.272
8V	25	25.5	0.654

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
3V	23/64	25/64	0.006
5V	19/32	39/64	0.015
8V	1	1	0.037


DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
2/5V1320GL	5V	3353	132.00	1.82	4.01
3/5V1320GL	5V	3353	132.00	2.73	6.02
4/5V1320GL	5V	3353	132.00	3.64	8.03
5/5V1320GL	5V	3353	132.00	4.55	10.03
16/5V1320GL	5V	3353	132.00	14.57	32.10
2/5V1400GL	5V	3556	140.00	1.93	4.26
3/5V1400GL	5V	3556	140.00	2.90	6.38
4/5V1400GL	5V	3556	140.00	3.86	8.51
5/5V1400GL	5V	3556	140.00	4.83	10.64
16/5V1400GL	5V	3556	140.00	15.46	34.04
2/5V1500GL	5V	3810	150.00	2.07	4.56
3/5V1500GL	5V	3810	150.00	3.11	6.84
4/5V1500GL	5V	3810	150.00	4.14	9.12
5/5V1500GL	5V	3810	150.00	5.18	11.40
16/5V1500GL	5V	3810	150.00	16.56	36.48
2/5V1600GL	5V	4064	160.00	2.21	4.86
3/5V1600GL	5V	4064	160.00	3.31	7.30
4/5V1600GL	5V	4064	160.00	4.42	9.73
5/5V1600GL	5V	4064	160.00	5.52	12.16
16/5V1600GL	5V	4064	160.00	17.66	38.91
2/5V1650GL	5V	4191	165.00	2.28	5.02
3/5V1650GL	5V	4191	165.00	3.42	7.52
4/5V1650GL	5V	4191	165.00	4.55	10.03
5/5V1650GL	5V	4191	165.00	5.69	12.54
16/5V1650GL	5V	4191	165.00	18.22	40.12
2/5V1700GL	5V	4318	170.00	2.35	5.17
3/5V1700GL	5V	4318	170.00	3.52	7.75
4/5V1700GL	5V	4318	170.00	4.69	10.33
5/5V1700GL	5V	4318	170.00	5.87	12.92
16/5V1700GL	5V	4318	170.00	18.77	41.34
2/5V1800GL	5V	4572	180.00	2.48	5.47
3/5V1800GL	5V	4572	180.00	3.73	8.21
4/5V1800GL	5V	4572	180.00	4.97	10.94
5/5V1800GL	5V	4572	180.00	6.21	13.68
16/5V1800GL	5V	4572	180.00	19.87	43.77
2/5V1900GL	5V	4826	190.00	2.62	5.78
3/5V1900GL	5V	4826	190.00	3.93	8.66
4/5V1900GL	5V	4826	190.00	5.24	11.55
5/5V1900GL	5V	4826	190.00	6.56	14.44
16/5V1900GL	5V	4826	190.00	20.98	46.20

GOLD LABEL Banded Narrow - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
3V	9	10	0.099
5V	15	15.5	0.272
8V	25	25.5	0.654

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
3V	23/64	25/64	0.006
5V	19/32	39/64	0.015
8V	1	1	0.037

DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
2/5V2000GL	5V	5080	200.00	2.76	6.08
3/5V2000GL	5V	5080	200.00	4.14	9.12
4/5V2000GL	5V	5080	200.00	5.52	12.16
5/5V2000GL	5V	5080	200.00	6.90	15.20
16/5V2000GL	5V	5080	200.00	22.08	48.63
2/5V2120GL	5V	5385	212.00	2.93	6.44
3/5V2120GL	5V	5385	212.00	4.39	9.67
4/5V2120GL	5V	5385	212.00	5.85	12.89
5/5V2120GL	5V	5385	212.00	7.31	16.11
16/5V2120GL	5V	5385	212.00	23.41	51.55
2/5V2240GL	5V	5690	224.00	3.09	6.81
3/5V2240GL	5V	5690	224.00	4.64	10.21
4/5V2240GL	5V	5690	224.00	6.18	13.62
5/5V2240GL	5V	5690	224.00	7.73	17.02
16/5V2240GL	5V	5690	224.00	24.73	54.47
2/5V2350GL	5V	5969	235.00	3.24	7.14
3/5V2350GL	5V	5969	235.00	4.86	10.71
4/5V2350GL	5V	5969	235.00	6.49	14.29
5/5V2350GL	5V	5969	235.00	8.11	17.86
16/5V2350GL	5V	5969	235.00	25.94	57.15
2/5V2360GL	5V	5994	236.00	3.26	7.17
3/5V2360GL	5V	5994	236.00	4.88	10.76
4/5V2360GL	5V	5994	236.00	6.51	14.35
5/5V2360GL	5V	5994	236.00	8.14	17.93
16/5V2360GL	5V	5994	236.00	26.05	57.38
2/5V2500GL	5V	6350	250.00	3.45	7.60
3/5V2500GL	5V	6350	250.00	5.18	11.40
4/5V2500GL	5V	6350	250.00	6.90	15.20
5/5V2500GL	5V	6350	250.00	8.63	19.00
16/5V2500GL	5V	6350	250.00	27.60	60.79
2/5V2600GL	5V	6604	260.00	3.59	7.90
3/5V2600GL	5V	6604	260.00	5.38	11.85
4/5V2600GL	5V	6604	260.00	7.18	15.81
5/5V2600GL	5V	6604	260.00	8.97	19.76
16/5V2600GL	5V	6604	260.00	28.70	63.22
2/5V2650GL	5V	6731	265.00	3.66	8.06
3/5V2650GL	5V	6731	265.00	5.49	12.08
4/5V2650GL	5V	6731	265.00	7.31	16.11
5/5V2650GL	5V	6731	265.00	9.14	20.14
16/5V2650GL	5V	6731	265.00	29.26	64.44

GOLD LABEL Banded Narrow - Size List



V-Belt Banded

GOLD LABEL.




Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
3V	9	10	0.099
5V	15	15.5	0.272
8V	25	25.5	0.654

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
3V	23/64	25/64	0.006
5V	19/32	39/64	0.015
8V	1	1	0.037


DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
2/5V2800GL	5V	7112	280.00	3.86	8.51
3/5V2800GL	5V	7112	280.00	5.80	12.77
4/5V2800GL	5V	7112	280.00	7.73	17.02
5/5V2800GL	5V	7112	280.00	9.66	21.28
16/5V2800GL	5V	7112	280.00	30.91	68.09
2/5V3000GL	5V	7620	300.00	4.14	9.12
3/5V3000GL	5V	7620	300.00	6.21	13.68
4/5V3000GL	5V	7620	300.00	8.28	18.24
5/5V3000GL	5V	7620	300.00	10.35	22.80
16/5V3000GL	5V	7620	300.00	33.12	72.95
2/5V3150GL	5V	8001	315.00	4.35	9.57
3/5V3150GL	5V	8001	315.00	6.52	14.36
4/5V3150GL	5V	8001	315.00	8.69	19.15
5/5V3150GL	5V	8001	315.00	10.87	23.94
16/5V3150GL	5V	8001	315.00	34.78	76.60
2/5V3350GL	5V	8509	335.00	4.62	10.18
3/5V3350GL	5V	8509	335.00	6.93	15.27
4/5V3350GL	5V	8509	335.00	9.25	20.37
5/5V3350GL	5V	8509	335.00	11.56	25.46
16/5V3350GL	5V	8509	335.00	36.98	81.46
2/5V3550GL	5V	9017	355.00	4.90	10.79
3/5V3550GL	5V	9017	355.00	7.35	16.19
4/5V3550GL	5V	9017	355.00	9.80	21.58
5/5V3550GL	5V	9017	355.00	12.25	26.98
16/5V3550GL	5V	9017	355.00	39.19	86.33
2/8V1180GL	8V	2997	118.00	3.92	8.63
3/8V1180GL	8V	2997	118.00	5.88	12.94
4/8V1180GL	8V	2997	118.00	7.83	17.26
5/8V1180GL	8V	2997	118.00	9.79	21.57
12/8V1180GL	8V	2997	118.00	23.50	51.77
2/8V1250GL	8V	3175	125.00	4.15	9.14
3/8V1250GL	8V	3175	125.00	6.23	13.71
4/8V1250GL	8V	3175	125.00	8.30	18.28
5/8V1250GL	8V	3175	125.00	10.38	22.85
12/8V1250GL	8V	3175	125.00	24.90	54.85
2/8V1320GL	8V	3353	132.00	4.38	9.65
3/8V1320GL	8V	3353	132.00	6.57	14.48
4/8V1320GL	8V	3353	132.00	8.77	19.31
5/8V1320GL	8V	3353	132.00	10.96	24.13
12/8V1320GL	8V	3353	132.00	26.30	57.92

GOLD LABEL Banded Narrow - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
3V	9	10	0.099
5V	15	15.5	0.272
8V	25	25.5	0.654

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
3V	23/64	25/64	0.006
5V	19/32	39/64	0.015
8V	1	1	0.037


DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
2/8V1400GL	8V	3556	140.00	4.65	10.24
3/8V1400GL	8V	3556	140.00	6.97	15.36
4/8V1400GL	8V	3556	140.00	9.30	20.48
5/8V1400GL	8V	3556	140.00	11.62	25.59
12/8V1400GL	8V	3556	140.00	27.89	61.43
2/8V1500GL	8V	3810	150.00	4.98	10.97
3/8V1500GL	8V	3810	150.00	7.47	16.45
4/8V1500GL	8V	3810	150.00	9.96	21.94
5/8V1500GL	8V	3810	150.00	12.45	27.42
12/8V1500GL	8V	3810	150.00	29.88	65.81
2/8V1600GL	8V	4064	160.00	5.31	11.70
3/8V1600GL	8V	4064	160.00	7.97	17.55
4/8V1600GL	8V	4064	160.00	10.62	23.40
5/8V1600GL	8V	4064	160.00	13.28	29.25
12/8V1600GL	8V	4064	160.00	31.87	70.20
2/8V1650GL	8V	4191	165.00	5.48	12.07
3/8V1650GL	8V	4191	165.00	8.22	18.10
4/8V1650GL	8V	4191	165.00	10.96	24.13
5/8V1650GL	8V	4191	165.00	13.70	30.17
12/8V1650GL	8V	4191	165.00	32.87	72.40
2/8V1700GL	8V	4318	170.00	5.64	12.43
3/8V1700GL	8V	4318	170.00	8.47	18.65
4/8V1700GL	8V	4318	170.00	11.29	24.86
5/8V1700GL	8V	4318	170.00	14.11	31.08
12/8V1700GL	8V	4318	170.00	33.86	74.59
2/8V1800GL	8V	4572	180.00	5.98	13.16
3/8V1800GL	8V	4572	180.00	8.96	19.74
4/8V1800GL	8V	4572	180.00	11.95	26.33
5/8V1800GL	8V	4572	180.00	14.94	32.91
12/8V1800GL	8V	4572	180.00	35.86	78.98
2/8V1900GL	8V	4826	190.00	6.31	13.89
3/8V1900GL	8V	4826	190.00	9.46	20.84
4/8V1900GL	8V	4826	190.00	12.62	27.79
5/8V1900GL	8V	4826	190.00	15.77	34.74
12/8V1900GL	8V	4826	190.00	37.85	83.37
2/8V2000GL	8V	5080	200.00	6.64	14.63
3/8V2000GL	8V	5080	200.00	9.96	21.94
4/8V2000GL	8V	5080	200.00	13.28	29.25
5/8V2000GL	8V	5080	200.00	16.60	36.56
12/8V2000GL	8V	5080	200.00	39.84	87.75

GOLD LABEL Banded Narrow - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
3V	9	10	0.099
5V	15	15.5	0.272
8V	25	25.5	0.654

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
3V	23/64	25/64	0.006
5V	19/32	39/64	0.015
8V	1	1	0.037

DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
2/8V2120GL	8V	5385	212.00	7.04	15.50
3/8V2120GL	8V	5385	212.00	10.56	23.26
4/8V2120GL	8V	5385	212.00	14.08	31.01
5/8V2120GL	8V	5385	212.00	17.60	38.76
12/8V2120GL	8V	5385	212.00	42.23	93.02
2/8V2240GL	8V	5690	224.00	7.44	16.38
3/8V2240GL	8V	5690	224.00	11.16	24.57
4/8V2240GL	8V	5690	224.00	14.87	32.76
5/8V2240GL	8V	5690	224.00	18.59	40.95
12/8V2240GL	8V	5690	224.00	44.62	98.29
2/8V2360GL	8V	5994	236.00	7.83	17.26
3/8V2360GL	8V	5994	236.00	11.75	25.89
4/8V2360GL	8V	5994	236.00	15.67	34.51
5/8V2360GL	8V	5994	236.00	19.59	43.14
12/8V2360GL	8V	5994	236.00	47.01	103.54
2/8V2400GL	8V	6096	240.00	7.97	17.55
3/8V2400GL	8V	6096	240.00	11.95	26.33
4/8V2400GL	8V	6096	240.00	15.94	35.10
5/8V2400GL	8V	6096	240.00	19.92	43.88
12/8V2400GL	8V	6096	240.00	47.81	105.30
2/8V2500GL	8V	6350	250.00	8.30	18.28
3/8V2500GL	8V	6350	250.00	12.45	27.42
4/8V2500GL	8V	6350	250.00	16.60	36.56
5/8V2500GL	8V	6350	250.00	20.75	45.70
12/8V2500GL	8V	6350	250.00	49.80	109.69
2/8V2650GL	8V	6731	265.00	8.80	19.38
3/8V2650GL	8V	6731	265.00	13.20	29.07
4/8V2650GL	8V	6731	265.00	17.60	38.76
5/8V2650GL	8V	6731	265.00	22.00	48.45
12/8V2650GL	8V	6731	265.00	52.79	116.27
2/8V2800GL	8V	7112	280.00	9.30	20.48
3/8V2800GL	8V	7112	280.00	13.94	30.71
4/8V2800GL	8V	7112	280.00	18.59	40.95
5/8V2800GL	8V	7112	280.00	23.24	51.19
12/8V2800GL	8V	7112	280.00	55.78	122.85
2/8V3000GL	8V	7620	300.00	9.96	21.94
3/8V3000GL	8V	7620	300.00	14.94	32.91
4/8V3000GL	8V	7620	300.00	19.92	43.88
5/8V3000GL	8V	7620	300.00	24.90	54.85
12/8V3000GL	8V	7620	300.00	59.76	131.63

GOLD LABEL Banded Narrow - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
3V	9	10	0.099
5V	15	15.5	0.272
8V	25	25.5	0.654

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
3V	23/64	25/64	0.006
5V	19/32	39/64	0.015
8V	1	1	0.037


DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
2/8V3150GL	8V	8001	315.00	10.46	23.04
3/8V3150GL	8V	8001	315.00	15.69	34.55
4/8V3150GL	8V	8001	315.00	20.92	46.07
5/8V3150GL	8V	8001	315.00	26.15	57.59
12/8V3150GL	8V	8001	315.00	62.75	138.21
2/8V3350GL	8V	8509	335.00	11.12	24.50
3/8V3350GL	8V	8509	335.00	16.68	36.75
4/8V3350GL	8V	8509	335.00	22.24	49.00
5/8V3350GL	8V	8509	335.00	27.81	61.24
12/8V3350GL	8V	8509	335.00	66.73	146.99
2/8V3550GL	8V	9017	355.00	11.79	25.96
3/8V3550GL	8V	9017	355.00	17.68	38.94
4/8V3550GL	8V	9017	355.00	23.57	51.92
5/8V3550GL	8V	9017	355.00	29.47	64.90
12/8V3550GL	8V	9017	355.00	70.72	155.76
2/8V3750GL	8V	9525	375.00	12.45	27.42
3/8V3750GL	8V	9525	375.00	18.68	41.13
4/8V3750GL	8V	9525	375.00	24.90	54.85
5/8V3750GL	8V	9525	375.00	31.13	68.56
12/8V3750GL	8V	9525	375.00	74.70	164.54
2/8V4000GL	8V	10160	400.00	13.28	29.25
3/8V4000GL	8V	10160	400.00	19.92	43.88
4/8V4000GL	8V	10160	400.00	26.56	58.50
5/8V4000GL	8V	10160	400.00	33.20	73.13
12/8V4000GL	8V	10160	400.00	79.68	175.51
2/8V4250GL	8V	10795	425.00	14.11	31.08
3/8V4250GL	8V	10795	425.00	21.17	46.62
4/8V4250GL	8V	10795	425.00	28.22	62.16
5/8V4250GL	8V	10795	425.00	35.28	77.70
12/8V4250GL	8V	10795	425.00	84.66	186.48
2/8V4500GL	8V	11430	450.00	14.94	32.91
3/8V4500GL	8V	11430	450.00	22.41	49.36
4/8V4500GL	8V	11430	450.00	29.88	65.81
5/8V4500GL	8V	11430	450.00	37.35	82.27
12/8V4500GL	8V	11430	450.00	89.64	197.44
2/8V4750GL	8V	12065	475.00	15.77	34.74
3/8V4750GL	8V	12065	475.00	23.66	52.10
4/8V4750GL	8V	12065	475.00	31.54	69.47
5/8V4750GL	8V	12065	475.00	39.43	86.84
12/8V4750GL	8V	12065	475.00	94.62	208.41

GOLD LABEL Banded Narrow - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
3V	9	10	0.099
5V	15	15.5	0.272
8V	25	25.5	0.654

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
3V	23/64	25/64	0.006
5V	19/32	39/64	0.015
8V	1	1	0.037

DAYCO Part Nr	Section	Lo Outside length (mm)	Lo Outside length (in)	Weight (Kg)	Weight (lbs)
2/8V5000GL	8V	12700	500.00	16.60	36.56
3/8V5000GL	8V	12700	500.00	24.90	54.85
4/8V5000GL	8V	12700	500.00	33.20	73.13
5/8V5000GL	8V	12700	500.00	41.50	91.41
12/8V5000GL	8V	12700	500.00	99.60	219.38
2/8V5600GL	8V	14224	560.00	18.59	40.95
3/8V5600GL	8V	14224	560.00	27.89	61.43
4/8V5600GL	8V	14224	560.00	37.18	81.90
5/8V5600GL	8V	14224	560.00	46.48	102.38
12/8V5600GL	8V	14224	560.00	111.55	245.71
2/8V5900GL	8V	14986	590.00	19.59	43.15
3/8V5900GL	8V	14986	590.00	29.38	64.72
4/8V5900GL	8V	14986	590.00	39.18	86.29
5/8V5900GL	8V	14986	590.00	48.97	107.86
12/8V5900GL	8V	14986	590.00	117.53	258.87

GOLD LABEL Banded Wedge - Product Description



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
SPZ	9.7	10.5	0.099
SPA	12.7	12.5	0.155
SPB	17	15.5	0.272
SPC	22	22.5	0.394

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
SPZ	3/8	27/64	0.006
SPA	1/2	31/64	0.009
SPB	21/32	39/64	0.015
SPC	7/8	28/32	0.022

V-Belt Banded

Part Number Description: **5/SPB1200GL**

5/: Numer of Ribs

SPB: Profile

1200: Datum Length (mm)

GL: Gold Label

Features and Benefits:

Tie Band Fabric: PET/Cotton, CR Impregnated

- Abrasion, wear and Oil Resistance, Prevents Vibrations and belt Turn-over

Top Fabric:

- Abrasion, Wear Resistant

Tension Cords: High Modulus Polyester

- Superior Dimensional stability, High Resistance to overloads and shock loads

Special Cogs Profile Engineered for:

- Additional Resistance to Bending Stress, Extra-Flexibility for smaller pulleys, Cooling effect

Compression Rubber

- Excellent Abrasion resistance, High Coefficient of friction (higher H.P. capacity compared to wrapped Belts)
- Limited Oil Resistance, Excellent Heat Resistance, Static Conductivity ISO 1813

MM: Made for Match, Metric Wedge Profile according to ISO 7753, Enhanced durability with more compact drive

Markets and Applications:

Ideal solution for shock or pulsating loads

Designed for heavy duty Metrics drives where space is critical especially where small or sub-minimal sheave diameters are required

Recommended solution for multiple belts drives where single belts vibrate or turn over

Pulley Standards: DIN 2211

GOLD LABEL Banded Wedge - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weighth (Kg/rib*m)
SPZ	9.7	10.5	0.099
SPA	12.7	12.5	0.155
SPB	17	15.5	0.272
SPC	22	22.5	0.394

Imperial			
Section	W - Width (in)	H - Height (in)	Weighth (lb/rib*in)
SPZ	3/8	27/64	0.006
SPA	1/2	31/64	0.009
SPB	21/32	39/64	0.015
SPC	7/8	28/32	0.022

DAYCO Part Nr	Section	Ld Datum length (mm)	Ld Datum length (in)	Weighth (Kg)	Weighth (lbs)
2/SPA1250GL	SPA	1250	49.25	0.39	0.87
3/SPA1250GL	SPA	1250	49.25	0.59	1.30
4/SPA1250GL	SPA	1250	49.25	0.79	1.73
5/SPA1250GL	SPA	1250	49.25	0.98	2.16
20/SPA1250GL	SPA	1250	49.25	3.93	8.66
2/SPA1320GL	SPA	1320	52.00	0.41	0.91
3/SPA1320GL	SPA	1320	52.00	0.62	1.37
4/SPA1320GL	SPA	1320	52.00	0.83	1.83
5/SPA1320GL	SPA	1320	52.00	1.04	2.28
20/SPA1320GL	SPA	1320	52.00	4.15	9.14
2/SPA1360GL	SPA	1360	53.54	0.43	0.94
3/SPA1360GL	SPA	1360	53.54	0.64	1.41
4/SPA1360GL	SPA	1360	53.54	0.85	1.88
5/SPA1360GL	SPA	1360	53.54	1.07	2.35
20/SPA1360GL	SPA	1360	53.54	4.27	9.41
2/SPA1400GL	SPA	1400	55.15	0.44	0.97
3/SPA1400GL	SPA	1400	55.15	0.66	1.45
4/SPA1400GL	SPA	1400	55.15	0.88	1.94
5/SPA1400GL	SPA	1400	55.15	1.10	2.42
20/SPA1400GL	SPA	1400	55.15	4.40	9.68
2/SPA1500GL	SPA	1500	59.10	0.47	1.04
3/SPA1500GL	SPA	1500	59.10	0.71	1.55
4/SPA1500GL	SPA	1500	59.10	0.94	2.07
5/SPA1500GL	SPA	1500	59.10	1.18	2.59
20/SPA1500GL	SPA	1500	59.10	4.71	10.37
2/SPA1600GL	SPA	1600	63.00	0.50	1.10
3/SPA1600GL	SPA	1600	63.00	0.75	1.66
4/SPA1600GL	SPA	1600	63.00	1.00	2.21
5/SPA1600GL	SPA	1600	63.00	1.25	2.76
20/SPA1600GL	SPA	1600	63.00	5.02	11.05
2/SPA1650GL	SPA	1650	65.00	0.52	1.14
3/SPA1650GL	SPA	1650	65.00	0.78	1.71
4/SPA1650GL	SPA	1650	65.00	1.03	2.28
5/SPA1650GL	SPA	1650	65.00	1.29	2.85
20/SPA1650GL	SPA	1650	65.00	5.17	11.39
2/SPA1700GL	SPA	1700	66.95	0.53	1.17
3/SPA1700GL	SPA	1700	66.95	0.80	1.76
4/SPA1700GL	SPA	1700	66.95	1.07	2.35
5/SPA1700GL	SPA	1700	66.95	1.33	2.93
20/SPA1700GL	SPA	1700	66.95	5.33	11.73
2/SPA1750GL	SPA	1750	68.90	0.55	1.21
3/SPA1750GL	SPA	1750	68.90	0.82	1.81
4/SPA1750GL	SPA	1750	68.90	1.10	2.41
5/SPA1750GL	SPA	1750	68.90	1.37	3.02

GOLD LABEL Banded Wedge - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weigth (Kg/rib*m)
SPZ	9.7	10.5	0.099
SPA	12.7	12.5	0.155
SPB	17	15.5	0.272
SPC	22	22.5	0.394

Imperial			
Section	W - Width (in)	H - Height (in)	Weigth (lb/rib*in)
SPZ	3/8	27/64	0.006
SPA	1/2	31/64	0.009
SPB	21/32	39/64	0.015
SPC	7/8	28/32	0.022

DAYCO Part Nr	Section	Ld Datum length (mm)	Ld Datum length (in)	Weigth (Kg)	Weigth (lbs)
20/SPA1750GL	SPA	1750	68.90	5.48	12.07
2/SPA1800GL	SPA	1800	70.90	0.56	1.24
3/SPA1800GL	SPA	1800	70.90	0.85	1.86
4/SPA1800GL	SPA	1800	70.90	1.13	2.48
5/SPA1800GL	SPA	1800	70.90	1.41	3.10
20/SPA1800GL	SPA	1800	70.90	5.64	12.41
2/SPA1850GL	SPA	1850	72.85	0.58	1.28
3/SPA1850GL	SPA	1850	72.85	0.87	1.91
4/SPA1850GL	SPA	1850	72.85	1.16	2.55
5/SPA1850GL	SPA	1850	72.85	1.45	3.19
20/SPA1850GL	SPA	1850	72.85	5.79	12.76
2/SPA1900GL	SPA	1900	74.80	0.59	1.31
3/SPA1900GL	SPA	1900	74.80	0.89	1.96
4/SPA1900GL	SPA	1900	74.80	1.19	2.62
5/SPA1900GL	SPA	1900	74.80	1.49	3.27
20/SPA1900GL	SPA	1900	74.80	5.95	13.10
2/SPA2000GL	SPA	2000	78.74	0.63	1.38
3/SPA2000GL	SPA	2000	78.74	0.94	2.07
4/SPA2000GL	SPA	2000	78.74	1.25	2.76
5/SPA2000GL	SPA	2000	78.74	1.56	3.44
20/SPA2000GL	SPA	2000	78.74	6.26	13.78
2/SPA2060GL	SPA	2060	81.10	0.64	1.42
3/SPA2060GL	SPA	2060	81.10	0.97	2.13
4/SPA2060GL	SPA	2060	81.10	1.29	2.84
5/SPA2060GL	SPA	2060	81.10	1.61	3.55
20/SPA2060GL	SPA	2060	81.10	6.44	14.19
2/SPA2120GL	SPA	2120	83.50	0.66	1.46
3/SPA2120GL	SPA	2120	83.50	0.99	2.19
4/SPA2120GL	SPA	2120	83.50	1.33	2.92
5/SPA2120GL	SPA	2120	83.50	1.66	3.65
20/SPA2120GL	SPA	2120	83.50	6.63	14.60
2/SPA2240GL	SPA	2240	88.20	0.70	1.54
3/SPA2240GL	SPA	2240	88.20	1.05	2.31
4/SPA2240GL	SPA	2240	88.20	1.40	3.08
5/SPA2240GL	SPA	2240	88.20	1.75	3.85
20/SPA2240GL	SPA	2240	88.20	7.00	15.42
2/SPA2360GL	SPA	2360	92.95	0.74	1.62
3/SPA2360GL	SPA	2360	92.95	1.11	2.44
4/SPA2360GL	SPA	2360	92.95	1.47	3.25
5/SPA2360GL	SPA	2360	92.95	1.84	4.06
20/SPA2360GL	SPA	2360	92.95	7.37	16.24
2/SPA2430GL	SPA	2430	95.70	0.76	1.67
3/SPA2430GL	SPA	2430	95.70	1.14	2.51
4/SPA2430GL	SPA	2430	95.70	1.52	3.34

GOLD LABEL Banded Wedge - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weigth (Kg/rib*m)
SPZ	9.7	10.5	0.099
SPA	12.7	12.5	0.155
SPB	17	15.5	0.272
SPC	22	22.5	0.394

Imperial			
Section	W - Width (in)	H - Height (in)	Weigth (lb/rib*in)
SPZ	3/8	27/64	0.006
SPA	1/2	31/64	0.009
SPB	21/32	39/64	0.015
SPC	7/8	28/32	0.022

DAYCO Part Nr	Section	Ld Datum length (mm)	Ld Datum length (in)	Weigth (Kg)	Weigth (lbs)
5/SPA2430GL	SPA	2430	95.70	1.90	4.18
20/SPA2430GL	SPA	2430	95.70	7.59	16.72
2/SPA2500GL	SPA	2500	98.45	0.78	1.72
3/SPA2500GL	SPA	2500	98.45	1.17	2.58
4/SPA2500GL	SPA	2500	98.45	1.56	3.44
5/SPA2500GL	SPA	2500	98.45	1.95	4.30
20/SPA2500GL	SPA	2500	98.45	7.81	17.19
2/SPA2650GL	SPA	2650	104.35	0.83	1.82
3/SPA2650GL	SPA	2650	104.35	1.24	2.73
4/SPA2650GL	SPA	2650	104.35	1.65	3.64
5/SPA2650GL	SPA	2650	104.35	2.07	4.55
20/SPA2650GL	SPA	2650	104.35	8.27	18.22
2/SPA2800GL	SPA	2800	110.24	0.87	1.92
3/SPA2800GL	SPA	2800	110.24	1.31	2.89
4/SPA2800GL	SPA	2800	110.24	1.75	3.85
5/SPA2800GL	SPA	2800	110.24	2.18	4.81
20/SPA2800GL	SPA	2800	110.24	8.74	19.24
2/SPA3000GL	SPA	3000	118.15	0.94	2.06
3/SPA3000GL	SPA	3000	118.15	1.40	3.09
4/SPA3000GL	SPA	3000	118.15	1.87	4.12
5/SPA3000GL	SPA	3000	118.15	2.34	5.15
20/SPA3000GL	SPA	3000	118.15	9.36	20.61
2/SPA3150GL	SPA	3150	124.05	0.98	2.16
3/SPA3150GL	SPA	3150	124.05	1.47	3.24
4/SPA3150GL	SPA	3150	124.05	1.96	4.33
5/SPA3150GL	SPA	3150	124.05	2.46	5.41
20/SPA3150GL	SPA	3150	124.05	9.82	21.63
2/SPA3350GL	SPA	3350	131.90	1.04	2.30
3/SPA3350GL	SPA	3350	131.90	1.57	3.45
4/SPA3350GL	SPA	3350	131.90	2.09	4.60
5/SPA3350GL	SPA	3350	131.90	2.61	5.75
20/SPA3350GL	SPA	3350	131.90	10.44	23.00
2/SPA3550GL	SPA	3550	139.80	1.11	2.44
3/SPA3550GL	SPA	3550	139.80	1.66	3.65
4/SPA3550GL	SPA	3550	139.80	2.21	4.87
5/SPA3550GL	SPA	3550	139.80	2.77	6.09
20/SPA3550GL	SPA	3550	139.80	11.06	24.36
2/SPA3750GL	SPA	3750	147.64	1.17	2.57
3/SPA3750GL	SPA	3750	147.64	1.75	3.86
4/SPA3750GL	SPA	3750	147.64	2.34	5.15
5/SPA3750GL	SPA	3750	147.64	2.92	6.43
20/SPA3750GL	SPA	3750	147.64	11.68	25.73
2/SPA4000GL	SPA	4000	157.50	1.25	2.74
3/SPA4000GL	SPA	4000	157.50	1.87	4.12

GOLD LABEL Banded Wedge - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weigth (Kg/rib*m)
SPZ	9.7	10.5	0.099
SPA	12.7	12.5	0.155
SPB	17	15.5	0.272
SPC	22	22.5	0.394

Imperial			
Section	W - Width (in)	H - Height (in)	Weigth (lb/rib*in)
SPZ	3/8	27/64	0.006
SPA	1/2	31/64	0.009
SPB	21/32	39/64	0.015
SPC	7/8	28/32	0.022

DAYCO Part Nr	Section	Ld Datum length (mm)	Ld Datum length (in)	Weigth (Kg)	Weigth (lbs)
4/SPA4000GL	SPA	4000	157.50	2.49	5.49
5/SPA4000GL	SPA	4000	157.50	3.11	6.86
20/SPA4000GL	SPA	4000	157.50	12.46	27.44
2/SPB1600GL	SPB	1600	63.00	0.88	1.94
3/SPB1600GL	SPB	1600	63.00	1.32	2.91
4/SPB1600GL	SPB	1600	63.00	1.76	3.88
5/SPB1600GL	SPB	1600	63.00	2.20	4.85
16/SPB1600GL	SPB	1600	63.00	7.05	15.53
2/SPB1650GL	SPB	1650	65.00	0.91	2.00
3/SPB1650GL	SPB	1650	65.00	1.36	3.00
4/SPB1650GL	SPB	1650	65.00	1.82	4.00
5/SPB1650GL	SPB	1650	65.00	2.27	5.00
16/SPB1650GL	SPB	1650	65.00	7.27	16.01
2/SPB1700GL	SPB	1700	66.95	0.94	2.06
3/SPB1700GL	SPB	1700	66.95	1.40	3.09
4/SPB1700GL	SPB	1700	66.95	1.87	4.12
5/SPB1700GL	SPB	1700	66.95	2.34	5.15
16/SPB1700GL	SPB	1700	66.95	7.48	16.49
2/SPB1750GL	SPB	1750	68.90	0.96	2.12
3/SPB1750GL	SPB	1750	68.90	1.44	3.18
4/SPB1750GL	SPB	1750	68.90	1.93	4.24
5/SPB1750GL	SPB	1750	68.90	2.41	5.30
16/SPB1750GL	SPB	1750	68.90	7.70	16.96
2/SPB1800GL	SPB	1800	70.90	0.99	2.18
3/SPB1800GL	SPB	1800	70.90	1.48	3.27
4/SPB1800GL	SPB	1800	70.90	1.98	4.36
5/SPB1800GL	SPB	1800	70.90	2.47	5.45
16/SPB1800GL	SPB	1800	70.90	7.92	17.44
2/SPB1850GL	SPB	1850	72.85	1.02	2.24
3/SPB1850GL	SPB	1850	72.85	1.53	3.36
4/SPB1850GL	SPB	1850	72.85	2.03	4.48
5/SPB1850GL	SPB	1850	72.85	2.54	5.60
16/SPB1850GL	SPB	1850	72.85	8.14	17.92
2/SPB1900GL	SPB	1900	74.80	1.04	2.30
3/SPB1900GL	SPB	1900	74.80	1.57	3.45
4/SPB1900GL	SPB	1900	74.80	2.09	4.60
5/SPB1900GL	SPB	1900	74.80	2.61	5.75
16/SPB1900GL	SPB	1900	74.80	8.35	18.40
2/SPB1950GL	SPB	1950	76.80	1.07	2.36
3/SPB1950GL	SPB	1950	76.80	1.61	3.54
4/SPB1950GL	SPB	1950	76.80	2.14	4.72
5/SPB1950GL	SPB	1950	76.80	2.68	5.90
16/SPB1950GL	SPB	1950	76.80	8.57	18.88
2/SPB2000GL	SPB	2000	78.75	1.10	2.42

GOLD LABEL Banded Wedge - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weigth (Kg/rib*m)
SPZ	9.7	10.5	0.099
SPA	12.7	12.5	0.155
SPB	17	15.5	0.272
SPC	22	22.5	0.394

Imperial			
Section	W - Width (in)	H - Height (in)	Weigth (lb/rib*in)
SPZ	3/8	27/64	0.006
SPA	1/2	31/64	0.009
SPB	21/32	39/64	0.015
SPC	7/8	28/32	0.022

DAYCO Part Nr	Section	Ld Datum length (mm)	Ld Datum length (in)	Weigth (Kg)	Weigth (lbs)
3/SPB2000GL	SPB	2000	78.75	1.65	3.63
4/SPB2000GL	SPB	2000	78.75	2.20	4.84
5/SPB2000GL	SPB	2000	78.75	2.75	6.05
16/SPB2000GL	SPB	2000	78.75	8.79	19.36
2/SPB2120GL	SPB	2120	83.50	1.16	2.56
3/SPB2120GL	SPB	2120	83.50	1.75	3.85
4/SPB2120GL	SPB	2120	83.50	2.33	5.13
5/SPB2120GL	SPB	2120	83.50	2.91	6.41
16/SPB2120GL	SPB	2120	83.50	9.31	20.51
2/SPB2150GL	SPB	2150	84.65	1.18	2.60
3/SPB2150GL	SPB	2150	84.65	1.77	3.90
4/SPB2150GL	SPB	2150	84.65	2.36	5.20
5/SPB2150GL	SPB	2150	84.65	2.95	6.50
16/SPB2150GL	SPB	2150	84.65	9.44	20.79
2/SPB2240GL	SPB	2240	88.20	1.23	2.71
3/SPB2240GL	SPB	2240	88.20	1.84	4.06
4/SPB2240GL	SPB	2240	88.20	2.46	5.41
5/SPB2240GL	SPB	2240	88.20	3.07	6.77
16/SPB2240GL	SPB	2240	88.20	9.83	21.66
2/SPB2280GL	SPB	2280	89.80	1.25	2.75
3/SPB2280GL	SPB	2280	89.80	1.88	4.13
4/SPB2280GL	SPB	2280	89.80	2.50	5.51
5/SPB2280GL	SPB	2280	89.80	3.13	6.89
16/SPB2280GL	SPB	2280	89.80	10.01	22.04
2/SPB2360GL	SPB	2360	92.95	1.29	2.85
3/SPB2360GL	SPB	2360	92.95	1.94	4.28
4/SPB2360GL	SPB	2360	92.95	2.59	5.70
5/SPB2360GL	SPB	2360	92.95	3.24	7.13
16/SPB2360GL	SPB	2360	92.95	10.35	22.80
2/SPB2410GL	SPB	2410	94.90	1.32	2.91
3/SPB2410GL	SPB	2410	94.90	1.98	4.37
4/SPB2410GL	SPB	2410	94.90	2.64	5.82
5/SPB2410GL	SPB	2410	94.90	3.30	7.28
16/SPB2410GL	SPB	2410	94.90	10.57	23.28
2/SPB2500GL	SPB	2500	98.45	1.37	3.02
3/SPB2500GL	SPB	2500	98.45	2.06	4.53
4/SPB2500GL	SPB	2500	98.45	2.74	6.04
5/SPB2500GL	SPB	2500	98.45	3.43	7.55
16/SPB2500GL	SPB	2500	98.45	10.96	24.14
2/SPB2530GL	SPB	2530	99.65	1.39	3.05
3/SPB2530GL	SPB	2530	99.65	2.08	4.58
4/SPB2530GL	SPB	2530	99.65	2.77	6.11
5/SPB2530GL	SPB	2530	99.65	3.47	7.64
16/SPB2530GL	SPB	2530	99.65	11.09	24.43

GOLD LABEL Banded Wedge - Size List



V-Belt Banded

GOLD LABEL.




Metric			
Section	W - Width (mm)	H - Height (mm)	Weighth (Kg/rib*m)
SPZ	9.7	10.5	0.099
SPA	12.7	12.5	0.155
SPB	17	15.5	0.272
SPC	22	22.5	0.394

Imperial			
Section	W - Width (in)	H - Height (in)	Weighth (lb/rib*in)
SPZ	3/8	27/64	0.006
SPA	1/2	31/64	0.009
SPB	21/32	39/64	0.015
SPC	7/8	28/32	0.022

DAYCO Part Nr	Section	Ld Datum length (mm)	Ld Datum length (in)	Weighth (Kg)	Weighth (lbs)
2/SPB2680GL	SPB	2680	105.55	1.47	3.23
3/SPB2680GL	SPB	2680	105.55	2.20	4.85
4/SPB2680GL	SPB	2680	105.55	2.94	6.47
5/SPB2680GL	SPB	2680	105.55	3.67	8.08
16/SPB2680GL	SPB	2680	105.55	11.74	25.87
2/SPB2800GL	SPB	2800	110.25	1.53	3.38
3/SPB2800GL	SPB	2800	110.25	2.30	5.07
4/SPB2800GL	SPB	2800	110.25	3.07	6.75
5/SPB2800GL	SPB	2800	110.25	3.83	8.44
16/SPB2800GL	SPB	2800	110.25	12.27	27.02
2/SPB2840GL	SPB	2840	111.85	1.55	3.42
3/SPB2840GL	SPB	2840	111.85	2.33	5.14
4/SPB2840GL	SPB	2840	111.85	3.11	6.85
5/SPB2840GL	SPB	2840	111.85	3.89	8.56
16/SPB2840GL	SPB	2840	111.85	12.44	27.40
2/SPB3000GL	SPB	3000	118.15	1.64	3.62
3/SPB3000GL	SPB	3000	118.15	2.46	5.42
4/SPB3000GL	SPB	3000	118.15	3.28	7.23
5/SPB3000GL	SPB	3000	118.15	4.10	9.04
16/SPB3000GL	SPB	3000	118.15	13.13	28.93
2/SPB3150GL	SPB	3150	124.05	1.72	3.80
3/SPB3150GL	SPB	3150	124.05	2.59	5.69
4/SPB3150GL	SPB	3150	124.05	3.45	7.59
5/SPB3150GL	SPB	3150	124.05	4.31	9.49
16/SPB3150GL	SPB	3150	124.05	13.79	30.37
2/SPB3350GL	SPB	3350	131.90	1.83	4.04
3/SPB3350GL	SPB	3350	131.90	2.75	6.05
4/SPB3350GL	SPB	3350	131.90	3.66	8.07
5/SPB3350GL	SPB	3350	131.90	4.58	10.09
16/SPB3350GL	SPB	3350	131.90	14.66	32.28
2/SPB3550GL	SPB	3550	139.80	1.94	4.27
3/SPB3550GL	SPB	3550	139.80	2.91	6.41
4/SPB3550GL	SPB	3550	139.80	3.88	8.55
5/SPB3550GL	SPB	3550	139.80	4.85	10.69
16/SPB3550GL	SPB	3550	139.80	15.53	34.20
2/SPB3750GL	SPB	3750	147.65	2.05	4.51
3/SPB3750GL	SPB	3750	147.65	3.07	6.77
4/SPB3750GL	SPB	3750	147.65	4.10	9.03
5/SPB3750GL	SPB	3750	147.65	5.12	11.28
16/SPB3750GL	SPB	3750	147.65	16.39	36.11
2/SPB4000GL	SPB	4000	157.50	2.19	4.81
3/SPB4000GL	SPB	4000	157.50	3.28	7.22
4/SPB4000GL	SPB	4000	157.50	4.37	9.63
5/SPB4000GL	SPB	4000	157.50	5.46	12.03

GOLD LABEL Banded Wedge - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weigth (Kg/rib*m)
SPZ	9.7	10.5	0.099
SPA	12.7	12.5	0.155
SPB	17	15.5	0.272
SPC	22	22.5	0.394

Imperial			
Section	W - Width (in)	H - Height (in)	Weigth (lb/rib*in)
SPZ	3/8	27/64	0.006
SPA	1/2	31/64	0.009
SPB	21/32	39/64	0.015
SPC	7/8	28/32	0.022

DAYCO Part Nr	Section	Ld Datum length (mm)	Ld Datum length (in)	Weigth (Kg)	Weigth (lbs)
16/SPB4000GL	SPB	4000	157.50	17.48	38.51
2/SPB4250GL	SPB	4250	167.35	2.32	5.11
3/SPB4250GL	SPB	4250	167.35	3.48	7.67
4/SPB4250GL	SPB	4250	167.35	4.64	10.22
5/SPB4250GL	SPB	4250	167.35	5.80	12.78
16/SPB4250GL	SPB	4250	167.35	18.57	40.90
2/SPB4500GL	SPB	4500	177.20	2.46	5.41
3/SPB4500GL	SPB	4500	177.20	3.69	8.12
4/SPB4500GL	SPB	4500	177.20	4.91	10.82
5/SPB4500GL	SPB	4500	177.20	6.14	13.53
16/SPB4500GL	SPB	4500	177.20	19.65	43.29
2/SPB4750GL	SPB	4750	187.05	2.59	5.71
3/SPB4750GL	SPB	4750	187.05	3.89	8.57
4/SPB4750GL	SPB	4750	187.05	5.19	11.42
5/SPB4750GL	SPB	4750	187.05	6.48	14.28
16/SPB4750GL	SPB	4750	187.05	20.74	45.69
2/SPC3000GL	SPC	3000	118.15	2.39	5.26
3/SPC3000GL	SPC	3000	118.15	3.58	7.88
4/SPC3000GL	SPC	3000	118.15	4.77	10.51
5/SPC3000GL	SPC	3000	118.15	5.96	13.14
12/SPC3000GL	SPC	3000	118.15	14.31	31.53
2/SPC3150GL	SPC	3150	124.05	2.50	5.52
3/SPC3150GL	SPC	3150	124.05	3.76	8.27
4/SPC3150GL	SPC	3150	124.05	5.01	11.03
5/SPC3150GL	SPC	3150	124.05	6.26	13.79
12/SPC3150GL	SPC	3150	124.05	15.02	33.09
2/SPC3350GL	SPC	3350	131.90	2.66	5.86
3/SPC3350GL	SPC	3350	131.90	3.99	8.79
4/SPC3350GL	SPC	3350	131.90	5.32	11.72
5/SPC3350GL	SPC	3350	131.90	6.65	14.66
12/SPC3350GL	SPC	3350	131.90	15.97	35.17
2/SPC3550GL	SPC	3550	139.80	2.82	6.21
3/SPC3550GL	SPC	3550	139.80	4.23	9.31
4/SPC3550GL	SPC	3550	139.80	5.64	12.42
5/SPC3550GL	SPC	3550	139.80	7.05	15.52
12/SPC3550GL	SPC	3550	139.80	16.91	37.25
2/SPC3750GL	SPC	3750	147.65	2.98	6.56
3/SPC3750GL	SPC	3750	147.65	4.46	9.83
4/SPC3750GL	SPC	3750	147.65	5.95	13.11
5/SPC3750GL	SPC	3750	147.65	7.44	16.39
12/SPC3750GL	SPC	3750	147.65	17.86	39.34
2/SPC4000GL	SPC	4000	157.50	3.17	6.99
3/SPC4000GL	SPC	4000	157.50	4.76	10.48
4/SPC4000GL	SPC	4000	157.50	6.35	13.98

GOLD LABEL Banded Wedge - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weigth (Kg/rib*m)
SPZ	9.7	10.5	0.099
SPA	12.7	12.5	0.155
SPB	17	15.5	0.272
SPC	22	22.5	0.394

Imperial			
Section	W - Width (in)	H - Height (in)	Weigth (lb/rib*in)
SPZ	3/8	27/64	0.006
SPA	1/2	31/64	0.009
SPB	21/32	39/64	0.015
SPC	7/8	28/32	0.022

DAYCO Part Nr	Section	Ld Datum length (mm)	Ld Datum length (in)	Weigth (Kg)	Weigth (lbs)
5/SPC4000GL	SPC	4000	157.50	7.93	17.47
12/SPC4000GL	SPC	4000	157.50	19.04	41.94
2/SPC4250GL	SPC	4250	167.35	3.37	7.42
3/SPC4250GL	SPC	4250	167.35	5.06	11.13
4/SPC4250GL	SPC	4250	167.35	6.74	14.85
5/SPC4250GL	SPC	4250	167.35	8.43	18.56
12/SPC4250GL	SPC	4250	167.35	20.22	44.54
2/SPC4500GL	SPC	4500	177.20	3.57	7.86
3/SPC4500GL	SPC	4500	177.20	5.35	11.79
4/SPC4500GL	SPC	4500	177.20	7.13	15.71
5/SPC4500GL	SPC	4500	177.20	8.92	19.64
12/SPC4500GL	SPC	4500	177.20	21.40	47.14
2/SPC4750GL	SPC	4750	187.05	3.76	8.29
3/SPC4750GL	SPC	4750	187.05	5.65	12.44
4/SPC4750GL	SPC	4750	187.05	7.53	16.58
5/SPC4750GL	SPC	4750	187.05	9.41	20.73
12/SPC4750GL	SPC	4750	187.05	22.58	49.74
2/SPC5000GL	SPC	5000	196.85	3.96	8.72
3/SPC5000GL	SPC	5000	196.85	5.94	13.09
4/SPC5000GL	SPC	5000	196.85	7.92	17.45
5/SPC5000GL	SPC	5000	196.85	9.90	21.81
12/SPC5000GL	SPC	5000	196.85	23.76	52.34
2/SPC5300GL	SPC	5300	208.70	4.20	9.24
3/SPC5300GL	SPC	5300	208.70	6.30	13.87
4/SPC5300GL	SPC	5300	208.70	8.39	18.49
5/SPC5300GL	SPC	5300	208.70	10.49	23.11
12/SPC5300GL	SPC	5300	208.70	25.18	55.46
2/SPC5600GL	SPC	5600	220.50	4.43	9.76
3/SPC5600GL	SPC	5600	220.50	6.65	14.65
4/SPC5600GL	SPC	5600	220.50	8.87	19.53
5/SPC5600GL	SPC	5600	220.50	11.08	24.41
12/SPC5600GL	SPC	5600	220.50	26.60	58.59
2/SPC6000GL	SPC	6000	236.25	4.75	10.46
3/SPC6000GL	SPC	6000	236.25	7.12	15.69
4/SPC6000GL	SPC	6000	236.25	9.50	20.92
5/SPC6000GL	SPC	6000	236.25	11.87	26.15
12/SPC6000GL	SPC	6000	236.25	28.49	62.75
2/SPC6300GL	SPC	6300	248.05	4.98	10.98
3/SPC6300GL	SPC	6300	248.05	7.48	16.47
4/SPC6300GL	SPC	6300	248.05	9.97	21.96
5/SPC6300GL	SPC	6300	248.05	12.46	27.45
12/SPC6300GL	SPC	6300	248.05	29.91	65.87
2/SPC6700GL	SPC	6700	263.80	5.30	11.67
3/SPC6700GL	SPC	6700	263.80	7.95	17.51

GOLD LABEL Banded Wedge - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weigth (Kg/rib*m)
SPZ	9.7	10.5	0.099
SPA	12.7	12.5	0.155
SPB	17	15.5	0.272
SPC	22	22.5	0.394

Imperial			
Section	W - Width (in)	H - Height (in)	Weigth (lb/rib*in)
SPZ	3/8	27/64	0.006
SPA	1/2	31/64	0.009
SPB	21/32	39/64	0.015
SPC	7/8	28/32	0.022

DAYCO Part Nr	Section	Ld Datum length (mm)	Ld Datum length (in)	Weigth (Kg)	Weigth (lbs)
4/SPC6700GL	SPC	6700	263.80	10.60	23.34
5/SPC6700GL	SPC	6700	263.80	13.25	29.18
12/SPC6700GL	SPC	6700	263.80	31.80	70.03
2/SPC7100GL	SPC	7100	279.55	5.61	12.37
3/SPC7100GL	SPC	7100	279.55	8.42	18.55
4/SPC7100GL	SPC	7100	279.55	11.23	24.73
5/SPC7100GL	SPC	7100	279.55	14.04	30.92
12/SPC7100GL	SPC	7100	279.55	33.69	74.20
2/SPC7500GL	SPC	7500	295.30	5.93	13.06
3/SPC7500GL	SPC	7500	295.30	8.89	19.59
4/SPC7500GL	SPC	7500	295.30	11.86	26.12
5/SPC7500GL	SPC	7500	295.30	14.82	32.65
12/SPC7500GL	SPC	7500	295.30	35.57	78.36
2/SPC8000GL	SPC	8000	315.00	6.32	13.93
3/SPC8000GL	SPC	8000	315.00	9.48	20.89
4/SPC8000GL	SPC	8000	315.00	12.65	27.85
5/SPC8000GL	SPC	8000	315.00	15.81	34.82
12/SPC8000GL	SPC	8000	315.00	37.94	83.56
2/SPC8500GL	SPC	8500	334.65	6.72	14.79
3/SPC8500GL	SPC	8500	334.65	10.07	22.19
4/SPC8500GL	SPC	8500	334.65	13.43	29.59
5/SPC8500GL	SPC	8500	334.65	16.79	36.99
12/SPC8500GL	SPC	8500	334.65	40.30	88.76
2/SPC9000GL	SPC	9000	354.35	7.11	15.66
3/SPC9000GL	SPC	9000	354.35	10.67	23.49
4/SPC9000GL	SPC	9000	354.35	14.22	31.32
5/SPC9000GL	SPC	9000	354.35	17.78	39.15
12/SPC9000GL	SPC	9000	354.35	42.66	93.97
2/SPC9500GL	SPC	9500	374.05	7.50	16.53
3/SPC9500GL	SPC	9500	374.05	11.26	24.79
4/SPC9500GL	SPC	9500	374.05	15.01	33.06
5/SPC9500GL	SPC	9500	374.05	18.76	41.32
12/SPC9500GL	SPC	9500	374.05	45.02	99.17
2/SPC10000GL	SPC	10000	393.70	7.90	17.40
3/SPC10000GL	SPC	10000	393.70	11.85	26.09
4/SPC10000GL	SPC	10000	393.70	15.80	34.79
5/SPC10000GL	SPC	10000	393.70	19.74	43.49
12/SPC10000GL	SPC	10000	393.70	47.39	104.37
2/SPC10600GL	SPC	10600	417.35	8.37	18.44
3/SPC10600GL	SPC	10600	417.35	12.56	27.65
4/SPC10600GL	SPC	10600	417.35	16.74	36.87
5/SPC10600GL	SPC	10600	417.35	20.93	46.09
12/SPC10600GL	SPC	10600	417.35	50.22	110.62
2/SPC11200GL	SPC	11200	440.95	8.84	19.48

GOLD LABEL Banded Wedge - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weighth (Kg/rib*m)
SPZ	9.7	10.5	0.099
SPA	12.7	12.5	0.155
SPB	17	15.5	0.272
SPC	22	22.5	0.394

Imperial			
Section	W - Width (in)	H - Height (in)	Weighth (lb/rib*in)
SPZ	3/8	27/64	0.006
SPA	1/2	31/64	0.009
SPB	21/32	39/64	0.015
SPC	7/8	28/32	0.022

DAYCO Part Nr	Section	Ld Datum length (mm)	Ld Datum length (in)	Weighth (Kg)	Weighth (lbs)
3/SPC11200GL	SPC	11200	440.95	13.26	29.22
4/SPC11200GL	SPC	11200	440.95	17.69	38.95
5/SPC11200GL	SPC	11200	440.95	22.11	48.69
12/SPC11200GL	SPC	11200	440.95	53.06	116.86
2/SPC11800GL	SPC	11800	464.60	9.31	20.52
3/SPC11800GL	SPC	11800	464.60	13.97	30.78
4/SPC11800GL	SPC	11800	464.60	18.63	41.04
5/SPC11800GL	SPC	11800	464.60	23.29	51.29
12/SPC11800GL	SPC	11800	464.60	55.89	123.11
2/SPC12500GL	SPC	12500	492.15	9.87	21.73
3/SPC12500GL	SPC	12500	492.15	14.80	32.60
4/SPC12500GL	SPC	12500	492.15	19.73	43.46
5/SPC12500GL	SPC	12500	492.15	24.67	54.33
12/SPC12500GL	SPC	12500	492.15	59.20	130.39
2/SPZ1500GL	SPZ	1500	59.10	0.30	0.66
3/SPZ1500GL	SPZ	1500	59.10	0.45	0.99
4/SPZ1500GL	SPZ	1500	59.10	0.60	1.32
5/SPZ1500GL	SPZ	1500	59.10	0.75	1.65
25/SPZ1500GL	SPZ	1500	59.10	3.75	8.25
2/SPZ1550GL	SPZ	1550	61.05	0.31	0.68
3/SPZ1550GL	SPZ	1550	61.05	0.46	1.02
4/SPZ1550GL	SPZ	1550	61.05	0.62	1.36
5/SPZ1550GL	SPZ	1550	61.05	0.77	1.70
25/SPZ1550GL	SPZ	1550	61.05	3.87	8.52
2/SPZ1600GL	SPZ	1600	63.00	0.32	0.70
3/SPZ1600GL	SPZ	1600	63.00	0.48	1.06
4/SPZ1600GL	SPZ	1600	63.00	0.64	1.41
5/SPZ1600GL	SPZ	1600	63.00	0.80	1.76
25/SPZ1600GL	SPZ	1600	63.00	3.99	8.79
2/SPZ1650GL	SPZ	1650	65.00	0.33	0.73
3/SPZ1650GL	SPZ	1650	65.00	0.49	1.09
4/SPZ1650GL	SPZ	1650	65.00	0.66	1.45
5/SPZ1650GL	SPZ	1650	65.00	0.82	1.81
25/SPZ1650GL	SPZ	1650	65.00	4.12	9.07
2/SPZ1700GL	SPZ	1700	66.95	0.34	0.75
3/SPZ1700GL	SPZ	1700	66.95	0.51	1.12
4/SPZ1700GL	SPZ	1700	66.95	0.68	1.49
5/SPZ1700GL	SPZ	1700	66.95	0.85	1.87
25/SPZ1700GL	SPZ	1700	66.95	4.24	9.34
2/SPZ1750GL	SPZ	1750	68.90	0.35	0.77
3/SPZ1750GL	SPZ	1750	68.90	0.52	1.15
4/SPZ1750GL	SPZ	1750	68.90	0.70	1.54
5/SPZ1750GL	SPZ	1750	68.90	0.87	1.92
25/SPZ1750GL	SPZ	1750	68.90	4.36	9.61

GOLD LABEL Banded Wedge - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weigth (Kg/rib*m)
SPZ	9.7	10.5	0.099
SPA	12.7	12.5	0.155
SPB	17	15.5	0.272
SPC	22	22.5	0.394

Imperial			
Section	W - Width (in)	H - Height (in)	Weigth (lb/rib*in)
SPZ	3/8	27/64	0.006
SPA	1/2	31/64	0.009
SPB	21/32	39/64	0.015
SPC	7/8	28/32	0.022

DAYCO Part Nr	Section	Ld Datum length (mm)	Ld Datum length (in)	Weigth (Kg)	Weigth (lbs)
2/SPZ1800GL	SPZ	1800	70.90	0.36	0.79
3/SPZ1800GL	SPZ	1800	70.90	0.54	1.19
4/SPZ1800GL	SPZ	1800	70.90	0.72	1.58
5/SPZ1800GL	SPZ	1800	70.90	0.90	1.98
25/SPZ1800GL	SPZ	1800	70.90	4.49	9.89
2/SPZ1850GL	SPZ	1850	72.85	0.37	0.81
3/SPZ1850GL	SPZ	1850	72.85	0.55	1.22
4/SPZ1850GL	SPZ	1850	72.85	0.74	1.63
5/SPZ1850GL	SPZ	1850	72.85	0.92	2.03
25/SPZ1850GL	SPZ	1850	72.85	4.61	10.16
2/SPZ1900GL	SPZ	1900	74.80	0.38	0.83
3/SPZ1900GL	SPZ	1900	74.80	0.57	1.25
4/SPZ1900GL	SPZ	1900	74.80	0.76	1.67
5/SPZ1900GL	SPZ	1900	74.80	0.95	2.09
25/SPZ1900GL	SPZ	1900	74.80	4.74	10.43
2/SPZ1950GL	SPZ	1950	76.80	0.39	0.86
3/SPZ1950GL	SPZ	1950	76.80	0.58	1.28
4/SPZ1950GL	SPZ	1950	76.80	0.78	1.71
5/SPZ1950GL	SPZ	1950	76.80	0.97	2.14
25/SPZ1950GL	SPZ	1950	76.80	4.86	10.70
2/SPZ2000GL	SPZ	2000	78.75	0.40	0.88
3/SPZ2000GL	SPZ	2000	78.75	0.60	1.32
4/SPZ2000GL	SPZ	2000	78.75	0.80	1.76
5/SPZ2000GL	SPZ	2000	78.75	1.00	2.20
25/SPZ2000GL	SPZ	2000	78.75	4.98	10.98
2/SPZ2030GL	SPZ	2030	79.95	0.40	0.89
3/SPZ2030GL	SPZ	2030	79.95	0.61	1.34
4/SPZ2030GL	SPZ	2030	79.95	0.81	1.78
5/SPZ2030GL	SPZ	2030	79.95	1.01	2.23
25/SPZ2030GL	SPZ	2030	79.95	5.06	11.14
2/SPZ2120GL	SPZ	2120	83.50	0.42	0.93
3/SPZ2120GL	SPZ	2120	83.50	0.63	1.40
4/SPZ2120GL	SPZ	2120	83.50	0.84	1.86
5/SPZ2120GL	SPZ	2120	83.50	1.06	2.33
25/SPZ2120GL	SPZ	2120	83.50	5.28	11.63
2/SPZ2160GL	SPZ	2160	85.05	0.43	0.95
3/SPZ2160GL	SPZ	2160	85.05	0.65	1.42
4/SPZ2160GL	SPZ	2160	85.05	0.86	1.90
5/SPZ2160GL	SPZ	2160	85.05	1.08	2.37
25/SPZ2160GL	SPZ	2160	85.05	5.38	11.85
2/SPZ2240GL	SPZ	2240	88.20	0.45	0.98
3/SPZ2240GL	SPZ	2240	88.20	0.67	1.47
4/SPZ2240GL	SPZ	2240	88.20	0.89	1.97
5/SPZ2240GL	SPZ	2240	88.20	1.12	2.46

GOLD LABEL Banded Wedge - Size List



V-Belt Banded

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weighth (Kg/rib*m)
SPZ	9.7	10.5	0.099
SPA	12.7	12.5	0.155
SPB	17	15.5	0.272
SPC	22	22.5	0.394

Imperial			
Section	W - Width (in)	H - Height (in)	Weighth (lb/rib*in)
SPZ	3/8	27/64	0.006
SPA	1/2	31/64	0.009
SPB	21/32	39/64	0.015
SPC	7/8	28/32	0.022


DAYCO Part Nr	Section	Ld Datum length (mm)	Ld Datum length (in)	Weighth (Kg)	Weighth (lbs)
25/SPZ2240GL	SPZ	2240	88.20	5.58	12.28
2/SPZ2360GL	SPZ	2360	92.95	0.47	1.04
3/SPZ2360GL	SPZ	2360	92.95	0.70	1.55
4/SPZ2360GL	SPZ	2360	92.95	0.94	2.07
5/SPZ2360GL	SPZ	2360	92.95	1.17	2.59
25/SPZ2360GL	SPZ	2360	92.95	5.87	12.94
2/SPZ2500GL	SPZ	2500	98.45	0.50	1.10
3/SPZ2500GL	SPZ	2500	98.45	0.75	1.64
4/SPZ2500GL	SPZ	2500	98.45	1.00	2.19
5/SPZ2500GL	SPZ	2500	98.45	1.24	2.74
25/SPZ2500GL	SPZ	2500	98.45	6.22	13.70
2/SPZ2650GL	SPZ	2650	104.35	0.53	1.16
3/SPZ2650GL	SPZ	2650	104.35	0.79	1.74
4/SPZ2650GL	SPZ	2650	104.35	1.05	2.32
5/SPZ2650GL	SPZ	2650	104.35	1.32	2.90
25/SPZ2650GL	SPZ	2650	104.35	6.59	14.52
2/SPZ2800GL	SPZ	2800	110.25	0.56	1.23
3/SPZ2800GL	SPZ	2800	110.25	0.84	1.84
4/SPZ2800GL	SPZ	2800	110.25	1.11	2.45
5/SPZ2800GL	SPZ	2800	110.25	1.39	3.07
25/SPZ2800GL	SPZ	2800	110.25	6.96	15.34
2/SPZ3000GL	SPZ	3000	118.15	0.60	1.31
3/SPZ3000GL	SPZ	3000	118.15	0.90	1.97
4/SPZ3000GL	SPZ	3000	118.15	1.19	2.63
5/SPZ3000GL	SPZ	3000	118.15	1.49	3.29
25/SPZ3000GL	SPZ	3000	118.15	7.46	16.43
2/SPZ3150GL	SPZ	3150	124.05	0.63	1.38
3/SPZ3150GL	SPZ	3150	124.05	0.94	2.07
4/SPZ3150GL	SPZ	3150	124.05	1.25	2.76
5/SPZ3150GL	SPZ	3150	124.05	1.57	3.45
25/SPZ3150GL	SPZ	3150	124.05	7.83	17.25
2/SPZ3350GL	SPZ	3350	131.90	0.67	1.47
3/SPZ3350GL	SPZ	3350	131.90	1.00	2.20
4/SPZ3350GL	SPZ	3350	131.90	1.33	2.93
5/SPZ3350GL	SPZ	3350	131.90	1.66	3.67
25/SPZ3350GL	SPZ	3350	131.90	8.32	18.34
2/SPZ3550GL	SPZ	3550	139.80	0.71	1.55
3/SPZ3550GL	SPZ	3550	139.80	1.06	2.33
4/SPZ3550GL	SPZ	3550	139.80	1.41	3.11
5/SPZ3550GL	SPZ	3550	139.80	1.76	3.89
25/SPZ3550GL	SPZ	3550	139.80	8.82	19.43

GOLD LABEL X Banded Narrow - Product Description



V-Belt Raw Edge

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
3VX	9	10	0.076
5VX	15	15.5	0.223

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
3VX	23/64	25/64	0.004
5VX	19/32	39/64	0.012

V-Belt Banded Raw Edge

Part Number Description: **4/3VX300GL**

4/: Numer of Ribs

3VX: Profile

300: Outside Length (inches)

GL: Gold Label

Features and Benefits:

Tie Band Fabric: PET/Cotton, CR Impregnated

- Abrasion, wear and Oil Resistance, Prevents Vibrations and belt Turn-over

Top Fabric:

- Abrasion, Wear Resistant

Tension Cords: High Modulus Polyester

- Superior Dimensional stability, High Resistance to overloads and shock loads

Special Cogs Profile Engineered for:

- Additional Resistance to Bending Stress, Extra-Flexibility for smaller pulleys, Cooling effect

Compression Rubber

- Excellent Abrasion resistance, High Coefficient of friction (higher Power capacity compared to wrapped Belts)
- Limited Oil Resistance, Excellent Heat Resistance

Static Conductivity ISO 1813, MM: Made for Match

RMA Wedge Profile according to IP20/IP21

Markets and Applications:

Ideal solution for shock or pulsating loads

Designed for heavy duty drives where space is critical especially where small or sub-minimal sheave diameters are required

Recommended solution for multiple belts drives where single belts vibrate or turn over

Pulley Standards: RMA IP22

GOLD LABEL X Banded Narrow - Size List



V-Belt Raw Edge

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
3VX	9	10	0.076
5VX	15	15.5	0.223

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
3VX	23/64	25/64	0.004
5VX	19/32	39/64	0.012

DAYCO Part Nr	Section	Ld Datum length (mm)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
2/3VX340GL	3VX	864	34.00	0.13	0.29
3/3VX340GL	3VX	864	34.00	0.20	0.43
4/3VX340GL	3VX	864	34.00	0.26	0.58
5/3VX340GL	3VX	864	34.00	0.33	0.72
12/3VX340GL	3VX	864	34.00	0.79	1.74
2/3VX355GL	3VX	902	35.50	0.14	0.30
3/3VX355GL	3VX	902	35.50	0.21	0.45
4/3VX355GL	3VX	902	35.50	0.27	0.61
5/3VX355GL	3VX	902	35.50	0.34	0.76
12/3VX355GL	3VX	902	35.50	0.82	1.82
2/3VX375GL	3VX	953	37.50	0.15	0.32
3/3VX375GL	3VX	953	37.50	0.22	0.48
4/3VX375GL	3VX	953	37.50	0.29	0.64
5/3VX375GL	3VX	953	37.50	0.36	0.80
12/3VX375GL	3VX	953	37.50	0.87	1.92
2/3VX400GL	3VX	1016	40.00	0.15	0.34
3/3VX400GL	3VX	1016	40.00	0.23	0.51
4/3VX400GL	3VX	1016	40.00	0.31	0.68
5/3VX400GL	3VX	1016	40.00	0.39	0.85
12/3VX400GL	3VX	1016	40.00	0.93	2.05
2/3VX425GL	3VX	1080	42.50	0.16	0.36
3/3VX425GL	3VX	1080	42.50	0.25	0.54
4/3VX425GL	3VX	1080	42.50	0.33	0.72
5/3VX425GL	3VX	1080	42.50	0.41	0.91
12/3VX425GL	3VX	1080	42.50	0.99	2.17
2/3VX450GL	3VX	1143	45.00	0.17	0.38
3/3VX450GL	3VX	1143	45.00	0.26	0.58
4/3VX450GL	3VX	1143	45.00	0.35	0.77
5/3VX450GL	3VX	1143	45.00	0.44	0.96
12/3VX450GL	3VX	1143	45.00	1.04	2.30
2/3VX475GL	3VX	1207	47.50	0.18	0.41
3/3VX475GL	3VX	1207	47.50	0.28	0.61
4/3VX475GL	3VX	1207	47.50	0.37	0.81
5/3VX475GL	3VX	1207	47.50	0.46	1.01
12/3VX475GL	3VX	1207	47.50	1.10	2.43
2/3VX500GL	3VX	1270	50.00	0.19	0.43
3/3VX500GL	3VX	1270	50.00	0.29	0.64
4/3VX500GL	3VX	1270	50.00	0.39	0.85
5/3VX500GL	3VX	1270	50.00	0.48	1.07
12/3VX500GL	3VX	1270	50.00	1.16	2.56
2/3VX530GL	3VX	1346	53.00	0.21	0.45
3/3VX530GL	3VX	1346	53.00	0.31	0.68
4/3VX530GL	3VX	1346	53.00	0.41	0.90
5/3VX530GL	3VX	1346	53.00	0.51	1.13

GOLD LABEL X Banded Narrow - Size List



V-Belt Raw Edge

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
3VX	9	10	0.076
5VX	15	15.5	0.223

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
3VX	23/64	25/64	0.004
5VX	19/32	39/64	0.012

DAYCO Part Nr	Section	Ld Datum length (mm)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
12/3VX530GL	3VX	1346	53.00	1.23	2.71
2/3VX560GL	3VX	1422	56.00	0.22	0.48
3/3VX560GL	3VX	1422	56.00	0.32	0.72
4/3VX560GL	3VX	1422	56.00	0.43	0.95
5/3VX560GL	3VX	1422	56.00	0.54	1.19
12/3VX560GL	3VX	1422	56.00	1.30	2.86
2/3VX600GL	3VX	1524	60.00	0.23	0.51
3/3VX600GL	3VX	1524	60.00	0.35	0.77
4/3VX600GL	3VX	1524	60.00	0.46	1.02
5/3VX600GL	3VX	1524	60.00	0.58	1.28
12/3VX600GL	3VX	1524	60.00	1.39	3.07
2/3VX630GL	3VX	1600	63.00	0.24	0.54
3/3VX630GL	3VX	1600	63.00	0.37	0.81
4/3VX630GL	3VX	1600	63.00	0.49	1.07
5/3VX630GL	3VX	1600	63.00	0.61	1.34
12/3VX630GL	3VX	1600	63.00	1.46	3.22
2/3VX670GL	3VX	1702	67.00	0.26	0.57
3/3VX670GL	3VX	1702	67.00	0.39	0.86
4/3VX670GL	3VX	1702	67.00	0.52	1.14
5/3VX670GL	3VX	1702	67.00	0.65	1.43
12/3VX670GL	3VX	1702	67.00	1.56	3.43
2/3VX710GL	3VX	1803	71.00	0.27	0.61
3/3VX710GL	3VX	1803	71.00	0.41	0.91
4/3VX710GL	3VX	1803	71.00	0.55	1.21
5/3VX710GL	3VX	1803	71.00	0.69	1.51
12/3VX710GL	3VX	1803	71.00	1.65	3.63
2/3VX750GL	3VX	1905	75.00	0.29	0.64
3/3VX750GL	3VX	1905	75.00	0.44	0.96
4/3VX750GL	3VX	1905	75.00	0.58	1.28
5/3VX750GL	3VX	1905	75.00	0.73	1.60
12/3VX750GL	3VX	1905	75.00	1.74	3.84
2/3VX800GL	3VX	2032	80.00	0.31	0.68
3/3VX800GL	3VX	2032	80.00	0.46	1.02
4/3VX800GL	3VX	2032	80.00	0.62	1.36
5/3VX800GL	3VX	2032	80.00	0.77	1.70
12/3VX800GL	3VX	2032	80.00	1.86	4.09
2/3VX850GL	3VX	2159	85.00	0.33	0.72
3/3VX850GL	3VX	2159	85.00	0.49	1.09
4/3VX850GL	3VX	2159	85.00	0.66	1.45
5/3VX850GL	3VX	2159	85.00	0.82	1.81
12/3VX850GL	3VX	2159	85.00	1.97	4.35
2/3VX900GL	3VX	2286	90.00	0.35	0.77
3/3VX900GL	3VX	2286	90.00	0.52	1.15
4/3VX900GL	3VX	2286	90.00	0.70	1.53

GOLD LABEL X Banded Narrow - Size List



V-Belt Raw Edge

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
3VX	9	10	0.076
5VX	15	15.5	0.223

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
3VX	23/64	25/64	0.004
5VX	19/32	39/64	0.012

DAYCO Part Nr	Section	Ld Datum length (mm)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
5/3VX900GL	3VX	2286	90.00	0.87	1.92
12/3VX900GL	3VX	2286	90.00	2.09	4.60
2/3VX950GL	3VX	2413	95.00	0.37	0.81
3/3VX950GL	3VX	2413	95.00	0.55	1.21
4/3VX950GL	3VX	2413	95.00	0.74	1.62
5/3VX950GL	3VX	2413	95.00	0.92	2.02
12/3VX950GL	3VX	2413	95.00	2.21	4.86
2/3VX1000GL	3VX	2540	100.00	0.39	0.85
3/3VX1000GL	3VX	2540	100.00	0.58	1.28
4/3VX1000GL	3VX	2540	100.00	0.77	1.70
5/3VX1000GL	3VX	2540	100.00	0.97	2.13
12/3VX1000GL	3VX	2540	100.00	2.32	5.11
2/3VX1060GL	3VX	2692	106.00	0.41	0.90
3/3VX1060GL	3VX	2692	106.00	0.62	1.36
4/3VX1060GL	3VX	2692	106.00	0.82	1.81
5/3VX1060GL	3VX	2692	106.00	1.03	2.26
12/3VX1060GL	3VX	2692	106.00	2.46	5.42
2/3VX1120GL	3VX	2845	112.00	0.43	0.95
3/3VX1120GL	3VX	2845	112.00	0.65	1.43
4/3VX1120GL	3VX	2845	112.00	0.87	1.91
5/3VX1120GL	3VX	2845	112.00	1.08	2.39
12/3VX1120GL	3VX	2845	112.00	2.60	5.73
2/3VX1180GL	3VX	2997	118.00	0.46	1.01
3/3VX1180GL	3VX	2997	118.00	0.68	1.51
4/3VX1180GL	3VX	2997	118.00	0.91	2.01
5/3VX1180GL	3VX	2997	118.00	1.14	2.51
12/3VX1180GL	3VX	2997	118.00	2.74	6.03
2/3VX1250GL	3VX	3175	125.00	0.48	1.07
3/3VX1250GL	3VX	3175	125.00	0.73	1.60
4/3VX1250GL	3VX	3175	125.00	0.97	2.13
5/3VX1250GL	3VX	3175	125.00	1.21	2.66
12/3VX1250GL	3VX	3175	125.00	2.90	6.39
2/3VX1320GL	3VX	3353	132.00	0.51	1.13
3/3VX1320GL	3VX	3353	132.00	0.77	1.69
4/3VX1320GL	3VX	3353	132.00	1.02	2.25
5/3VX1320GL	3VX	3353	132.00	1.28	2.81
12/3VX1320GL	3VX	3353	132.00	3.07	6.75
2/3VX1400GL	3VX	3556	140.00	0.54	1.19
3/3VX1400GL	3VX	3556	140.00	0.81	1.79
4/3VX1400GL	3VX	3556	140.00	1.08	2.39
5/3VX1400GL	3VX	3556	140.00	1.35	2.98
12/3VX1400GL	3VX	3556	140.00	3.25	7.16
2/5VX510GL	5VX	1295	51.00	0.58	1.27
3/5VX510GL	5VX	1295	51.00	0.87	1.91

GOLD LABEL X Banded Narrow - Size List



V-Belt Raw Edge

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
3VX	9	10	0.076
5VX	15	15.5	0.223

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
3VX	23/64	25/64	0.004
5VX	19/32	39/64	0.012

DAYCO Part Nr	Section	Ld Datum length (mm)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
4/5VX510GL	5VX	1295	51.00	1.15	2.54
5/5VX510GL	5VX	1295	51.00	1.44	3.18
6/5VX510GL	5VX	1295	51.00	1.73	3.81
2/5VX530GL	5VX	1346	53.00	0.60	1.32
3/5VX530GL	5VX	1346	53.00	0.90	1.98
4/5VX530GL	5VX	1346	53.00	1.20	2.64
5/5VX530GL	5VX	1346	53.00	1.50	3.30
6/5VX530GL	5VX	1346	53.00	1.80	3.96
2/5VX560GL	5VX	1422	56.00	0.63	1.40
3/5VX560GL	5VX	1422	56.00	0.95	2.09
4/5VX560GL	5VX	1422	56.00	1.27	2.79
5/5VX560GL	5VX	1422	56.00	1.58	3.49
6/5VX560GL	5VX	1422	56.00	1.90	4.19
2/5VX600GL	5VX	1524	60.00	0.68	1.50
3/5VX600GL	5VX	1524	60.00	1.02	2.24
4/5VX600GL	5VX	1524	60.00	1.36	2.99
5/5VX600GL	5VX	1524	60.00	1.70	3.74
6/5VX600GL	5VX	1524	60.00	2.04	4.49
2/5VX630GL	5VX	1600	63.00	0.71	1.57
3/5VX630GL	5VX	1600	63.00	1.07	2.36
4/5VX630GL	5VX	1600	63.00	1.43	3.14
5/5VX630GL	5VX	1600	63.00	1.78	3.93
6/5VX630GL	5VX	1600	63.00	2.14	4.71
2/5VX670GL	5VX	1702	67.00	0.76	1.67
3/5VX670GL	5VX	1702	67.00	1.14	2.51
4/5VX670GL	5VX	1702	67.00	1.52	3.34
5/5VX670GL	5VX	1702	67.00	1.90	4.18
6/5VX670GL	5VX	1702	67.00	2.28	5.01
2/5VX710GL	5VX	1803	71.00	0.80	1.77
3/5VX710GL	5VX	1803	71.00	1.21	2.65
4/5VX710GL	5VX	1803	71.00	1.61	3.54
5/5VX710GL	5VX	1803	71.00	2.01	4.42
6/5VX710GL	5VX	1803	71.00	2.41	5.31
2/5VX750GL	5VX	1905	75.00	0.85	1.87
3/5VX750GL	5VX	1905	75.00	1.27	2.81
4/5VX750GL	5VX	1905	75.00	1.70	3.74
5/5VX750GL	5VX	1905	75.00	2.12	4.68
6/5VX750GL	5VX	1905	75.00	2.55	5.61
2/5VX800GL	5VX	2032	80.00	0.91	1.99
3/5VX800GL	5VX	2032	80.00	1.36	2.99
4/5VX800GL	5VX	2032	80.00	1.81	3.99
5/5VX800GL	5VX	2032	80.00	2.26	4.99
6/5VX800GL	5VX	2032	80.00	2.72	5.98
2/5VX830GL	5VX	2108	83.00	0.94	2.07

GOLD LABEL X Banded Narrow - Size List



V-Belt Raw Edge

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
3VX	9	10	0.076
5VX	15	15.5	0.223

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
3VX	23/64	25/64	0.004
5VX	19/32	39/64	0.012

DAYCO Part Nr	Section	Ld Datum length (mm)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
3/5VX830GL	5VX	2108	83.00	1.41	3.10
4/5VX830GL	5VX	2108	83.00	1.88	4.14
5/5VX830GL	5VX	2108	83.00	2.35	5.17
6/5VX830GL	5VX	2108	83.00	2.82	6.21
2/5VX850GL	5VX	2159	85.00	0.96	2.12
3/5VX850GL	5VX	2159	85.00	1.44	3.18
4/5VX850GL	5VX	2159	85.00	1.92	4.24
5/5VX850GL	5VX	2159	85.00	2.41	5.30
6/5VX850GL	5VX	2159	85.00	2.89	6.36
2/5VX900GL	5VX	2286	90.00	1.02	2.24
3/5VX900GL	5VX	2286	90.00	1.53	3.37
4/5VX900GL	5VX	2286	90.00	2.04	4.49
5/5VX900GL	5VX	2286	90.00	2.55	5.61
6/5VX900GL	5VX	2286	90.00	3.06	6.73
2/5VX930GL	5VX	2362	93.00	1.05	2.32
3/5VX930GL	5VX	2362	93.00	1.58	3.48
4/5VX930GL	5VX	2362	93.00	2.11	4.64
5/5VX930GL	5VX	2362	93.00	2.63	5.80
6/5VX930GL	5VX	2362	93.00	3.16	6.96
2/5VX950GL	5VX	2413	95.00	1.08	2.37
3/5VX950GL	5VX	2413	95.00	1.61	3.55
4/5VX950GL	5VX	2413	95.00	2.15	4.74
5/5VX950GL	5VX	2413	95.00	2.69	5.92
6/5VX950GL	5VX	2413	95.00	3.23	7.11
2/5VX1000GL	5VX	2540	100.00	1.13	2.49
3/5VX1000GL	5VX	2540	100.00	1.70	3.74
4/5VX1000GL	5VX	2540	100.00	2.26	4.99
5/5VX1000GL	5VX	2540	100.00	2.83	6.23
6/5VX1000GL	5VX	2540	100.00	3.40	7.48
2/5VX1060GL	5VX	2692	106.00	1.20	2.64
3/5VX1060GL	5VX	2692	106.00	1.80	3.96
4/5VX1060GL	5VX	2692	106.00	2.40	5.29
5/5VX1060GL	5VX	2692	106.00	3.00	6.61
6/5VX1060GL	5VX	2692	106.00	3.60	7.93
2/5VX1120GL	5VX	2845	112.00	1.27	2.79
3/5VX1120GL	5VX	2845	112.00	1.90	4.19
4/5VX1120GL	5VX	2845	112.00	2.54	5.59
5/5VX1120GL	5VX	2845	112.00	3.17	6.98
6/5VX1120GL	5VX	2845	112.00	3.80	8.38
2/5VX1180GL	5VX	2997	118.00	1.34	2.94
3/5VX1180GL	5VX	2997	118.00	2.00	4.41
4/5VX1180GL	5VX	2997	118.00	2.67	5.88
5/5VX1180GL	5VX	2997	118.00	3.34	7.36
6/5VX1180GL	5VX	2997	118.00	4.01	8.83

GOLD LABEL X Banded Narrow - Size List



V-Belt Raw Edge

GOLD LABEL.



Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
3VX	9	10	0.076
5VX	15	15.5	0.223

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
3VX	23/64	25/64	0.004
5VX	19/32	39/64	0.012

DAYCO Part Nr	Section	Ld Datum length (mm)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
2/5VX1200GL	5VX	3048	120.00	1.36	2.99
3/5VX1200GL	5VX	3048	120.00	2.04	4.49
4/5VX1200GL	5VX	3048	120.00	2.72	5.98
5/5VX1200GL	5VX	3048	120.00	3.40	7.48
6/5VX1200GL	5VX	3048	120.00	4.08	8.98
2/5VX1210GL	5VX	3073	121.00	1.37	3.02
3/5VX1210GL	5VX	3073	121.00	2.05	4.52
4/5VX1210GL	5VX	3073	121.00	2.74	6.03
5/5VX1210GL	5VX	3073	121.00	3.42	7.54
6/5VX1210GL	5VX	3073	121.00	4.11	9.05
2/5VX1250GL	5VX	3175	125.00	1.42	3.12
3/5VX1250GL	5VX	3175	125.00	2.12	4.68
4/5VX1250GL	5VX	3175	125.00	2.83	6.23
5/5VX1250GL	5VX	3175	125.00	3.54	7.79
6/5VX1250GL	5VX	3175	125.00	4.25	9.35
2/5VX1320GL	5VX	3353	132.00	1.49	3.29
3/5VX1320GL	5VX	3353	132.00	2.24	4.94
4/5VX1320GL	5VX	3353	132.00	2.99	6.58
5/5VX1320GL	5VX	3353	132.00	3.74	8.23
6/5VX1320GL	5VX	3353	132.00	4.48	9.87
2/5VX1400GL	5VX	3556	140.00	1.58	3.49
3/5VX1400GL	5VX	3556	140.00	2.38	5.24
4/5VX1400GL	5VX	3556	140.00	3.17	6.98
5/5VX1400GL	5VX	3556	140.00	3.96	8.73
6/5VX1400GL	5VX	3556	140.00	4.75	10.47
2/5VX1500GL	5VX	3810	150.00	1.70	3.74
3/5VX1500GL	5VX	3810	150.00	2.55	5.61
4/5VX1500GL	5VX	3810	150.00	3.40	7.48
5/5VX1500GL	5VX	3810	150.00	4.25	9.35
6/5VX1500GL	5VX	3810	150.00	5.09	11.22
2/5VX1600GL	5VX	4064	160.00	1.81	3.99
3/5VX1600GL	5VX	4064	160.00	2.72	5.98
4/5VX1600GL	5VX	4064	160.00	3.62	7.98
5/5VX1600GL	5VX	4064	160.00	4.53	9.97
6/5VX1600GL	5VX	4064	160.00	5.43	11.97
2/5VX1650GL	5VX	4191	165.00	1.87	4.11
3/5VX1650GL	5VX	4191	165.00	2.80	6.17
4/5VX1650GL	5VX	4191	165.00	3.74	8.23
5/5VX1650GL	5VX	4191	165.00	4.67	10.29
6/5VX1650GL	5VX	4191	165.00	5.60	12.34
2/5VX1700GL	5VX	4318	170.00	1.92	4.24
3/5VX1700GL	5VX	4318	170.00	2.89	6.36
4/5VX1700GL	5VX	4318	170.00	3.85	8.48
5/5VX1700GL	5VX	4318	170.00	4.81	10.60

GOLD LABEL X Banded Narrow - Size List



V-Belt Raw Edge

GOLD LABEL.




Metric			
Section	W - Width (mm)	H - Height (mm)	Weight (Kg/rib*m)
3VX	9	10	0.076
5VX	15	15.5	0.223

Imperial			
Section	W - Width (in)	H - Height (in)	Weight (lb/rib*in)
3VX	23/64	25/64	0.004
5VX	19/32	39/64	0.012

DAYCO Part Nr	Section	Ld Datum length (mm)	Ld Datum length (in)	Weight (Kg)	Weight (lbs)
6/5VX1700GL	5VX	4318	170.00	5.77	12.72
2/5VX1800GL	5VX	4572	180.00	2.04	4.49
3/5VX1800GL	5VX	4572	180.00	3.06	6.73
4/5VX1800GL	5VX	4572	180.00	4.08	8.98
5/5VX1800GL	5VX	4572	180.00	5.09	11.22
6/5VX1800GL	5VX	4572	180.00	6.11	13.46
2/5VX1900GL	5VX	4826	190.00	2.15	4.74
3/5VX1900GL	5VX	4826	190.00	3.23	7.11
4/5VX1900GL	5VX	4826	190.00	4.30	9.47
5/5VX1900GL	5VX	4826	190.00	5.38	11.84
6/5VX1900GL	5VX	4826	190.00	6.45	14.21
2/5VX2000GL	5VX	5080	200.00	2.26	4.99
3/5VX2000GL	5VX	5080	200.00	3.40	7.48
4/5VX2000GL	5VX	5080	200.00	4.53	9.97
5/5VX2000GL	5VX	5080	200.00	5.66	12.47
6/5VX2000GL	5VX	5080	200.00	6.79	14.96

GOLD LABEL Poly-V - Product Description



Metric			
Section	P - Pitch (mm)	H - Height (mm)	Weigth (Kg/rib*m)
PL	4.7	9.6	0.057
PJ	2.34	3.5	0.01

Imperial			
Section	P - Pitch (in)	H - Height (in)	Weigth (lb/rib*in)
PL	3/16	3/8	0.003
PJ	3/32	9/64	0.001

Poly-V Belt

Part Number Description: **610PJ10GL**

610: 61.0 inches

PJ: Profile

10: Ribs

GL: Gold Label

Features and Benefits:

The narrow ribs enable a perfect adjustment between the belt and the pulleys, thereby substantially reducing vibrations and noises, and increasing the contact area, which generates a more eficiente transmission.

Uniform transmission even for small pulleys. The speed is constant throughout the entire transmission.

Greater flexibility and better arc of contact of the pulleys.

Use of pulleys of a smaller diameter (less material in the manufacture of pulleys).

Smaller center to center (use of smaller belts).

Markets and Applications:


These belts have a wide array of applications, including automotive parts and accessories, farm equipment, gym equipment, as well as light and heavy industrial applications.

GOLD LABEL Poly-V - Size List



PV Belt

GOLD LABEL.




Metric			
Section	P - Pitch (mm)	H - Height (mm)	Weight (Kg/rib*m)
PL	4.7	9.6	0.057
PJ	2.34	3.5	0.01

Imperial			
Section	P - Pitch (in)	H - Height (in)	Weight (lb/rib*in)
PL	3/16	3/8	0.003
PJ	3/32	9/64	0.001


DAYCO Part Nr	Equivalent Metric Code	Section	Effective length (mm)	Effective length (in)	Weight (Kg)	Weight (lbs)
200PJ1GL	1PJ508	PJ	508	20.00	0.01	0.01
200PJ4GL	4PJ508	PJ	508	20.00	0.02	0.04
200PJ6GL	6PJ508	PJ	508	20.00	0.03	0.07
200PJ8GL	8PJ508	PJ	508	20.00	0.04	0.09
200PJ10GL	10PJ508	PJ	508	20.00	0.05	0.11
200PJ16GL	16PJ508	PJ	508	20.00	0.08	0.18
200PJ20GL	20PJ508	PJ	508	20.00	0.10	0.22
210PJ1GL	1PJ533	PJ	533	21.00	0.01	0.01
210PJ4GL	4PJ533	PJ	533	21.00	0.02	0.05
210PJ6GL	6PJ533	PJ	533	21.00	0.03	0.07
210PJ8GL	8PJ533	PJ	533	21.00	0.04	0.09
210PJ10GL	10PJ533	PJ	533	21.00	0.05	0.12
210PJ16GL	16PJ533	PJ	533	21.00	0.09	0.19
210PJ20GL	20PJ533	PJ	533	21.00	0.11	0.23
220PJ1GL	1PJ559	PJ	559	22.00	0.01	0.01
220PJ4GL	4PJ559	PJ	559	22.00	0.02	0.05
220PJ6GL	6PJ559	PJ	559	22.00	0.03	0.07
220PJ8GL	8PJ559	PJ	559	22.00	0.04	0.10
220PJ10GL	10PJ559	PJ	559	22.00	0.06	0.12
220PJ16GL	16PJ559	PJ	559	22.00	0.09	0.20
220PJ20GL	20PJ559	PJ	559	22.00	0.11	0.25
230PJ1GL	1PJ584	PJ	584	23.00	0.01	0.01
230PJ4GL	4PJ584	PJ	584	23.00	0.02	0.05
230PJ6GL	6PJ584	PJ	584	23.00	0.04	0.08
230PJ8GL	8PJ584	PJ	584	23.00	0.05	0.10
230PJ10GL	10PJ584	PJ	584	23.00	0.06	0.13
230PJ16GL	16PJ584	PJ	584	23.00	0.09	0.21
230PJ20GL	20PJ584	PJ	584	23.00	0.12	0.26
235PJ1GL	1PJ597	PJ	597	23.50	0.01	0.01
235PJ4GL	4PJ597	PJ	597	23.50	0.02	0.05
235PJ6GL	6PJ597	PJ	597	23.50	0.04	0.08
235PJ8GL	8PJ597	PJ	597	23.50	0.05	0.11
235PJ10GL	10PJ597	PJ	597	23.50	0.06	0.13
235PJ16GL	16PJ597	PJ	597	23.50	0.10	0.21
235PJ20GL	20PJ597	PJ	597	23.50	0.12	0.26
240PJ1GL	1PJ610	PJ	610	24.00	0.01	0.01
240PJ4GL	4PJ610	PJ	610	24.00	0.02	0.05
240PJ6GL	6PJ610	PJ	610	24.00	0.04	0.08
240PJ8GL	8PJ610	PJ	610	24.00	0.05	0.11
240PJ10GL	10PJ610	PJ	610	24.00	0.06	0.13
240PJ16GL	16PJ610	PJ	610	24.00	0.10	0.21
240PJ20GL	20PJ610	PJ	610	24.00	0.12	0.27
245PJ1GL	1PJ622	PJ	622	24.50	0.01	0.01
245PJ4GL	4PJ622	PJ	622	24.50	0.02	0.05
245PJ6GL	6PJ622	PJ	622	24.50	0.04	0.08
245PJ8GL	8PJ622	PJ	622	24.50	0.05	0.11
245PJ10GL	10PJ622	PJ	622	24.50	0.06	0.14
245PJ16GL	16PJ622	PJ	622	24.50	0.10	0.22

GOLD LABEL Poly-V - Size List



PV Belt

GOLD LABEL.



Metric			
Section	P - Pitch (mm)	H - Height (mm)	Weight (Kg/rib*m)
PL	4.7	9.6	0.057
PJ	2.34	3.5	0.01

Imperial			
Section	P - Pitch (in)	H - Height (in)	Weight (lb/rib*in)
PL	3/16	3/8	0.003
PJ	3/32	9/64	0.001


DAYCO Part Nr	Equivalent Metric Code	Section	Effective length (mm)	Effective length (in)	Weight (Kg)	Weight (lbs)
245PJ20GL	20PJ622	PJ	622	24.50	0.12	0.27
250PJ1GL	1PJ635	PJ	635	25.00	0.01	0.01
250PJ4GL	4PJ635	PJ	635	25.00	0.03	0.06
250PJ6GL	6PJ635	PJ	635	25.00	0.04	0.08
250PJ8GL	8PJ635	PJ	635	25.00	0.05	0.11
250PJ10GL	10PJ635	PJ	635	25.00	0.06	0.14
250PJ16GL	16PJ635	PJ	635	25.00	0.10	0.22
250PJ20GL	20PJ635	PJ	635	25.00	0.13	0.28
260PJ1GL	1PJ660	PJ	660	26.00	0.01	0.01
260PJ4GL	4PJ660	PJ	660	26.00	0.03	0.06
260PJ6GL	6PJ660	PJ	660	26.00	0.04	0.09
260PJ8GL	8PJ660	PJ	660	26.00	0.05	0.12
260PJ10GL	10PJ660	PJ	660	26.00	0.07	0.15
260PJ16GL	16PJ660	PJ	660	26.00	0.11	0.23
260PJ20GL	20PJ660	PJ	660	26.00	0.13	0.29
270PJ1GL	1PJ686	PJ	686	27.00	0.01	0.02
270PJ4GL	4PJ686	PJ	686	27.00	0.03	0.06
270PJ6GL	6PJ686	PJ	686	27.00	0.04	0.09
270PJ8GL	8PJ686	PJ	686	27.00	0.05	0.12
270PJ10GL	10PJ686	PJ	686	27.00	0.07	0.15
270PJ16GL	16PJ686	PJ	686	27.00	0.11	0.24
270PJ20GL	20PJ686	PJ	686	27.00	0.14	0.30
280PJ1GL	1PJ711	PJ	711	28.00	0.01	0.02
280PJ4GL	4PJ711	PJ	711	28.00	0.03	0.06
280PJ6GL	6PJ711	PJ	711	28.00	0.04	0.09
280PJ8GL	8PJ711	PJ	711	28.00	0.06	0.13
280PJ10GL	10PJ711	PJ	711	28.00	0.07	0.16
280PJ16GL	16PJ711	PJ	711	28.00	0.11	0.25
280PJ20GL	20PJ711	PJ	711	28.00	0.14	0.31
285PJ4GL	4PJ724	PJ	724	28.50	0.03	0.06
285PJ6GL	6PJ724	PJ	724	28.50	0.04	0.10
285PJ8GL	8PJ724	PJ	724	28.50	0.06	0.13
285PJ10GL	10PJ724	PJ	724	28.50	0.07	0.16
285PJ16GL	16PJ724	PJ	724	28.50	0.12	0.26
285PJ20GL	20PJ724	PJ	724	28.50	0.14	0.32
290PJ1GL	1PJ737	PJ	737	29.00	0.01	0.02
290PJ4GL	4PJ737	PJ	737	29.00	0.03	0.06
290PJ6GL	6PJ737	PJ	737	29.00	0.04	0.10
290PJ8GL	8PJ737	PJ	737	29.00	0.06	0.13
290PJ10GL	10PJ737	PJ	737	29.00	0.07	0.16
290PJ16GL	16PJ737	PJ	737	29.00	0.12	0.26
290PJ20GL	20PJ737	PJ	737	29.00	0.15	0.32
300PJ1GL	1PJ762	PJ	762	30.00	0.01	0.02
300PJ4GL	4PJ762	PJ	762	30.00	0.03	0.07
300PJ6GL	6PJ762	PJ	762	30.00	0.05	0.10
300PJ8GL	8PJ762	PJ	762	30.00	0.06	0.13
300PJ10GL	10PJ762	PJ	762	30.00	0.08	0.17
300PJ16GL	16PJ762	PJ	762	30.00	0.12	0.27

GOLD LABEL Poly-V - Size List



PV Belt

GOLD LABEL.



Metric			
Section	P - Pitch (mm)	H - Height (mm)	Weight (Kg/rib*m)
PL	4.7	9.6	0.057
PJ	2.34	3.5	0.01

Imperial			
Section	P - Pitch (in)	H - Height (in)	Weight (lb/rib*in)
PL	3/16	3/8	0.003
PJ	3/32	9/64	0.001


DAYCO Part Nr	Equivalent Metric Code	Section	Effective length (mm)	Effective length (in)	Weight (Kg)	Weight (lbs)
300PJ20GL	20PJ762	PJ	762	30.00	0.15	0.34
310PJ1GL	1PJ787	PJ	787	31.00	0.01	0.02
310PJ4GL	4PJ787	PJ	787	31.00	0.03	0.07
310PJ6GL	6PJ787	PJ	787	31.00	0.05	0.10
310PJ8GL	8PJ787	PJ	787	31.00	0.06	0.14
310PJ10GL	10PJ787	PJ	787	31.00	0.08	0.17
310PJ16GL	16PJ787	PJ	787	31.00	0.13	0.28
310PJ20GL	20PJ787	PJ	787	31.00	0.16	0.35
320PJ1GL	1PJ813	PJ	813	32.00	0.01	0.02
320PJ4GL	4PJ813	PJ	813	32.00	0.03	0.07
320PJ6GL	6PJ813	PJ	813	32.00	0.05	0.11
320PJ8GL	8PJ813	PJ	813	32.00	0.07	0.14
320PJ10GL	10PJ813	PJ	813	32.00	0.08	0.18
320PJ16GL	16PJ813	PJ	813	32.00	0.13	0.29
320PJ20GL	20PJ813	PJ	813	32.00	0.16	0.36
330PJ1GL	1PJ838	PJ	838	33.00	0.01	0.02
330PJ4GL	4PJ838	PJ	838	33.00	0.03	0.07
330PJ6GL	6PJ838	PJ	838	33.00	0.05	0.11
330PJ8GL	8PJ838	PJ	838	33.00	0.07	0.15
330PJ10GL	10PJ838	PJ	838	33.00	0.08	0.18
330PJ16GL	16PJ838	PJ	838	33.00	0.13	0.30
330PJ20GL	20PJ838	PJ	838	33.00	0.17	0.37
340PJ1GL	1PJ864	PJ	864	34.00	0.01	0.02
340PJ4GL	4PJ864	PJ	864	34.00	0.03	0.08
340PJ6GL	6PJ864	PJ	864	34.00	0.05	0.11
340PJ8GL	8PJ864	PJ	864	34.00	0.07	0.15
340PJ10GL	10PJ864	PJ	864	34.00	0.09	0.19
340PJ16GL	16PJ864	PJ	864	34.00	0.14	0.30
340PJ20GL	20PJ864	PJ	864	34.00	0.17	0.38
345PJ1GL	1PJ876	PJ	876	34.50	0.01	0.02
345PJ4GL	4PJ876	PJ	876	34.50	0.04	0.08
345PJ6GL	6PJ876	PJ	876	34.50	0.05	0.12
345PJ8GL	8PJ876	PJ	876	34.50	0.07	0.15
345PJ10GL	10PJ876	PJ	876	34.50	0.09	0.19
345PJ16GL	16PJ876	PJ	876	34.50	0.14	0.31
345PJ20GL	20PJ876	PJ	876	34.50	0.18	0.39
350PJ1GL	1PJ889	PJ	889	35.00	0.01	0.02
350PJ4GL	4PJ889	PJ	889	35.00	0.04	0.08
350PJ6GL	6PJ889	PJ	889	35.00	0.05	0.12
350PJ8GL	8PJ889	PJ	889	35.00	0.07	0.16
350PJ10GL	10PJ889	PJ	889	35.00	0.09	0.20
350PJ16GL	16PJ889	PJ	889	35.00	0.14	0.31
350PJ20GL	20PJ889	PJ	889	35.00	0.18	0.39
360PJ1GL	1PJ914	PJ	914	36.00	0.01	0.02
360PJ4GL	4PJ914	PJ	914	36.00	0.04	0.08
360PJ6GL	6PJ914	PJ	914	36.00	0.05	0.12
360PJ8GL	8PJ914	PJ	914	36.00	0.07	0.16
360PJ10GL	10PJ914	PJ	914	36.00	0.09	0.20

GOLD LABEL Poly-V - Size List



PV Belt

GOLD LABEL.




Metric			
Section	P - Pitch (mm)	H - Height (mm)	Weight (Kg/rib*m)
PL	4.7	9.6	0.057
PJ	2.34	3.5	0.01

Imperial			
Section	P - Pitch (in)	H - Height (in)	Weight (lb/rib*in)
PL	3/16	3/8	0.003
PJ	3/32	9/64	0.001


DAYCO Part Nr	Equivalent Metric Code	Section	Effective length (mm)	Effective length (in)	Weight (Kg)	Weight (lbs)
360PJ16GL	16PJ914	PJ	914	36.00	0.15	0.32
360PJ20GL	20PJ914	PJ	914	36.00	0.18	0.40
370PJ1GL	1PJ940	PJ	940	37.00	0.01	0.02
370PJ4GL	4PJ940	PJ	940	37.00	0.04	0.08
370PJ6GL	6PJ940	PJ	940	37.00	0.06	0.12
370PJ8GL	8PJ940	PJ	940	37.00	0.08	0.17
370PJ10GL	10PJ940	PJ	940	37.00	0.09	0.21
370PJ16GL	16PJ940	PJ	940	37.00	0.15	0.33
370PJ20GL	20PJ940	PJ	940	37.00	0.19	0.41
375PJ1GL	1PJ953	PJ	953	37.50	0.01	0.02
375PJ4GL	4PJ953	PJ	953	37.50	0.04	0.08
375PJ6GL	6PJ953	PJ	953	37.50	0.06	0.13
375PJ8GL	8PJ953	PJ	953	37.50	0.08	0.17
375PJ10GL	10PJ953	PJ	953	37.50	0.10	0.21
375PJ16GL	16PJ953	PJ	953	37.50	0.15	0.34
375PJ20GL	20PJ953	PJ	953	37.50	0.19	0.42
380PJ1GL	1PJ965	PJ	965	38.00	0.01	0.02
380PJ4GL	4PJ965	PJ	965	38.00	0.04	0.09
380PJ6GL	6PJ965	PJ	965	38.00	0.06	0.13
380PJ8GL	8PJ965	PJ	965	38.00	0.08	0.17
380PJ10GL	10PJ965	PJ	965	38.00	0.10	0.21
380PJ16GL	16PJ965	PJ	965	38.00	0.15	0.34
380PJ20GL	20PJ965	PJ	965	38.00	0.19	0.43
390PJ1GL	1PJ991	PJ	991	39.00	0.01	0.02
390PJ4GL	4PJ991	PJ	991	39.00	0.04	0.09
390PJ6GL	6PJ991	PJ	991	39.00	0.06	0.13
390PJ8GL	8PJ991	PJ	991	39.00	0.08	0.17
390PJ10GL	10PJ991	PJ	991	39.00	0.10	0.22
390PJ16GL	16PJ991	PJ	991	39.00	0.16	0.35
390PJ20GL	20PJ991	PJ	991	39.00	0.20	0.44
400PJ1GL	1PJ1016	PJ	1016	40.00	0.01	0.02
400PJ4GL	4PJ1016	PJ	1016	40.00	0.04	0.09
400PJ6GL	6PJ1016	PJ	1016	40.00	0.06	0.13
400PJ8GL	8PJ1016	PJ	1016	40.00	0.08	0.18
400PJ10GL	10PJ1016	PJ	1016	40.00	0.10	0.22
400PJ16GL	16PJ1016	PJ	1016	40.00	0.16	0.36
400PJ20GL	20PJ1016	PJ	1016	40.00	0.20	0.45
410PJ1GL	1PJ1041	PJ	1041	41.00	0.01	0.02
410PJ4GL	4PJ1041	PJ	1041	41.00	0.04	0.09
410PJ6GL	6PJ1041	PJ	1041	41.00	0.06	0.14
410PJ8GL	8PJ1041	PJ	1041	41.00	0.08	0.18
410PJ10GL	10PJ1041	PJ	1041	41.00	0.10	0.23
410PJ16GL	16PJ1041	PJ	1041	41.00	0.17	0.37
410PJ20GL	20PJ1041	PJ	1041	41.00	0.21	0.46
420PJ1GL	1PJ1067	PJ	1067	42.00	0.01	0.02
420PJ4GL	4PJ1067	PJ	1067	42.00	0.04	0.09
420PJ6GL	6PJ1067	PJ	1067	42.00	0.06	0.14
420PJ8GL	8PJ1067	PJ	1067	42.00	0.09	0.19

GOLD LABEL Poly-V - Size List



PV Belt

GOLD LABEL.




Metric			
Section	P - Pitch (mm)	H - Height (mm)	Weight (Kg/rib*m)
PL	4.7	9.6	0.057
PJ	2.34	3.5	0.01

Imperial			
Section	P - Pitch (in)	H - Height (in)	Weight (lb/rib*in)
PL	3/16	3/8	0.003
PJ	3/32	9/64	0.001


DAYCO Part Nr	Equivalent Metric Code	Section	Effective length (mm)	Effective length (in)	Weight (Kg)	Weight (lbs)
420PJ10GL	10PJ1067	PJ	1067	42.00	0.11	0.24
420PJ16GL	16PJ1067	PJ	1067	42.00	0.17	0.38
420PJ20GL	20PJ1067	PJ	1067	42.00	0.21	0.47
430PJ1GL	1PJ1092	PJ	1092	43.00	0.01	0.02
430PJ4GL	4PJ1092	PJ	1092	43.00	0.04	0.10
430PJ6GL	6PJ1092	PJ	1092	43.00	0.07	0.14
430PJ8GL	8PJ1092	PJ	1092	43.00	0.09	0.19
430PJ10GL	10PJ1092	PJ	1092	43.00	0.11	0.24
430PJ16GL	16PJ1092	PJ	1092	43.00	0.17	0.38
430PJ20GL	20PJ1092	PJ	1092	43.00	0.22	0.48
440PJ1GL	1PJ1118	PJ	1118	44.00	0.01	0.02
440PJ4GL	4PJ1118	PJ	1118	44.00	0.04	0.10
440PJ6GL	6PJ1118	PJ	1118	44.00	0.07	0.15
440PJ8GL	8PJ1118	PJ	1118	44.00	0.09	0.20
440PJ10GL	10PJ1118	PJ	1118	44.00	0.11	0.25
440PJ16GL	16PJ1118	PJ	1118	44.00	0.18	0.39
440PJ20GL	20PJ1118	PJ	1118	44.00	0.22	0.49
450PJ1GL	1PJ1143	PJ	1143	45.00	0.01	0.03
450PJ4GL	4PJ1143	PJ	1143	45.00	0.05	0.10
450PJ6GL	6PJ1143	PJ	1143	45.00	0.07	0.15
450PJ8GL	8PJ1143	PJ	1143	45.00	0.09	0.20
450PJ10GL	10PJ1143	PJ	1143	45.00	0.11	0.25
450PJ16GL	16PJ1143	PJ	1143	45.00	0.18	0.40
450PJ20GL	20PJ1143	PJ	1143	45.00	0.23	0.50
460PJ1GL	1PJ1168	PJ	1168	46.00	0.01	0.03
460PJ4GL	4PJ1168	PJ	1168	46.00	0.05	0.10
460PJ6GL	6PJ1168	PJ	1168	46.00	0.07	0.15
460PJ8GL	8PJ1168	PJ	1168	46.00	0.09	0.21
460PJ10GL	10PJ1168	PJ	1168	46.00	0.12	0.26
460PJ16GL	16PJ1168	PJ	1168	46.00	0.19	0.41
460PJ20GL	20PJ1168	PJ	1168	46.00	0.23	0.51
470PJ4GL	4PJ1194	PJ	1194	47.00	0.05	0.11
470PJ6GL	6PJ1194	PJ	1194	47.00	0.07	0.16
470PJ8GL	8PJ1194	PJ	1194	47.00	0.10	0.21
470PJ10GL	10PJ1194	PJ	1194	47.00	0.12	0.26
470PJ16GL	16PJ1194	PJ	1194	47.00	0.19	0.42
470PJ20GL	20PJ1194	PJ	1194	47.00	0.24	0.53
480PJ1GL	1PJ1219	PJ	1219	48.00	0.01	0.03
480PJ4GL	4PJ1219	PJ	1219	48.00	0.05	0.11
480PJ6GL	6PJ1219	PJ	1219	48.00	0.07	0.16
480PJ8GL	8PJ1219	PJ	1219	48.00	0.10	0.21
480PJ10GL	10PJ1219	PJ	1219	48.00	0.12	0.27
480PJ16GL	16PJ1219	PJ	1219	48.00	0.20	0.43
480PJ20GL	20PJ1219	PJ	1219	48.00	0.24	0.54
490PJ1GL	1PJ1245	PJ	1245	49.00	0.01	0.03
490PJ4GL	4PJ1245	PJ	1245	49.00	0.05	0.11
490PJ6GL	6PJ1245	PJ	1245	49.00	0.07	0.16
490PJ8GL	8PJ1245	PJ	1245	49.00	0.10	0.22

GOLD LABEL Poly-V - Size List



PV Belt

GOLD LABEL.




Metric			
Section	P - Pitch (mm)	H - Height (mm)	Weight (Kg/rib*m)
PL	4.7	9.6	0.057
PJ	2.34	3.5	0.01

Imperial			
Section	P - Pitch (in)	H - Height (in)	Weight (lb/rib*in)
PL	3/16	3/8	0.003
PJ	3/32	9/64	0.001


DAYCO Part Nr	Equivalent Metric Code	Section	Effective length (mm)	Effective length (in)	Weight (Kg)	Weight (lbs)
490PJ10GL	10PJ1245	PJ	1245	49.00	0.12	0.27
490PJ16GL	16PJ1245	PJ	1245	49.00	0.20	0.44
490PJ20GL	20PJ1245	PJ	1245	49.00	0.25	0.55
500PJ1GL	1PJ1270	PJ	1270	50.00	0.01	0.03
500PJ4GL	4PJ1270	PJ	1270	50.00	0.05	0.11
500PJ6GL	6PJ1270	PJ	1270	50.00	0.08	0.17
500PJ8GL	8PJ1270	PJ	1270	50.00	0.10	0.22
500PJ10GL	10PJ1270	PJ	1270	50.00	0.13	0.28
500PJ16GL	16PJ1270	PJ	1270	50.00	0.20	0.45
500PJ20GL	20PJ1270	PJ	1270	50.00	0.25	0.56
510PJ1GL	1PJ1295	PJ	1295	51.00	0.01	0.03
510PJ4GL	4PJ1295	PJ	1295	51.00	0.05	0.11
510PJ6GL	6PJ1295	PJ	1295	51.00	0.08	0.17
510PJ8GL	8PJ1295	PJ	1295	51.00	0.10	0.23
510PJ10GL	10PJ1295	PJ	1295	51.00	0.13	0.29
510PJ16GL	16PJ1295	PJ	1295	51.00	0.21	0.46
510PJ20GL	20PJ1295	PJ	1295	51.00	0.26	0.57
520PJ1GL	1PJ1321	PJ	1321	52.00	0.01	0.03
520PJ4GL	4PJ1321	PJ	1321	52.00	0.05	0.12
520PJ6GL	6PJ1321	PJ	1321	52.00	0.08	0.17
520PJ8GL	8PJ1321	PJ	1321	52.00	0.11	0.23
520PJ10GL	10PJ1321	PJ	1321	52.00	0.13	0.29
520PJ16GL	16PJ1321	PJ	1321	52.00	0.21	0.47
520PJ20GL	20PJ1321	PJ	1321	52.00	0.26	0.58
530PJ1GL	1PJ1346	PJ	1346	53.00	0.01	0.03
530PJ4GL	4PJ1346	PJ	1346	53.00	0.05	0.12
530PJ6GL	6PJ1346	PJ	1346	53.00	0.08	0.18
530PJ8GL	8PJ1346	PJ	1346	53.00	0.11	0.24
530PJ10GL	10PJ1346	PJ	1346	53.00	0.13	0.30
530PJ16GL	16PJ1346	PJ	1346	53.00	0.22	0.47
530PJ20GL	20PJ1346	PJ	1346	53.00	0.27	0.59
550PJ1GL	1PJ1397	PJ	1397	55.00	0.01	0.03
550PJ4GL	4PJ1397	PJ	1397	55.00	0.06	0.12
550PJ6GL	6PJ1397	PJ	1397	55.00	0.08	0.18
550PJ8GL	8PJ1397	PJ	1397	55.00	0.11	0.25
550PJ10GL	10PJ1397	PJ	1397	55.00	0.14	0.31
550PJ16GL	16PJ1397	PJ	1397	55.00	0.22	0.49
550PJ20GL	20PJ1397	PJ	1397	55.00	0.28	0.62
580PJ1GL	1PJ1473	PJ	1473	58.00	0.01	0.03
580PJ4GL	4PJ1473	PJ	1473	58.00	0.06	0.13
580PJ6GL	6PJ1473	PJ	1473	58.00	0.09	0.19
580PJ8GL	8PJ1473	PJ	1473	58.00	0.12	0.26
580PJ10GL	10PJ1473	PJ	1473	58.00	0.15	0.32
580PJ16GL	16PJ1473	PJ	1473	58.00	0.24	0.52
580PJ20GL	20PJ1473	PJ	1473	58.00	0.29	0.65
610PJ1GL	1PJ1549	PJ	1549	61.00	0.02	0.03
610PJ4GL	4PJ1549	PJ	1549	61.00	0.06	0.14
610PJ6GL	6PJ1549	PJ	1549	61.00	0.09	0.20

GOLD LABEL Poly-V - Size List



PV Belt

GOLD LABEL.



Metric			
Section	P - Pitch (mm)	H - Height (mm)	Weight (Kg/rib*m)
PL	4.7	9.6	0.057
PJ	2.34	3.5	0.01

Imperial			
Section	P - Pitch (in)	H - Height (in)	Weight (lb/rib*in)
PL	3/16	3/8	0.003
PJ	3/32	9/64	0.001


DAYCO Part Nr	Equivalent Metric Code	Section	Effective length (mm)	Effective length (in)	Weight (Kg)	Weight (lbs)
610PJ8GL	8PJ1549	PJ	1549	61.00	0.12	0.27
610PJ10GL	10PJ1549	PJ	1549	61.00	0.15	0.34
610PJ16GL	16PJ1549	PJ	1549	61.00	0.25	0.55
610PJ20GL	20PJ1549	PJ	1549	61.00	0.31	0.68
650PJ1GL	1PJ1651	PJ	1651	65.00	0.02	0.04
650PJ4GL	4PJ1651	PJ	1651	65.00	0.07	0.15
650PJ6GL	6PJ1651	PJ	1651	65.00	0.10	0.22
650PJ8GL	8PJ1651	PJ	1651	65.00	0.13	0.29
650PJ10GL	10PJ1651	PJ	1651	65.00	0.17	0.36
650PJ16GL	16PJ1651	PJ	1651	65.00	0.26	0.58
650PJ20GL	20PJ1651	PJ	1651	65.00	0.33	0.73
730PJ1GL	1PJ1854	PJ	1854	73.00	0.02	0.04
730PJ4GL	4PJ1854	PJ	1854	73.00	0.07	0.16
730PJ6GL	6PJ1854	PJ	1854	73.00	0.11	0.25
730PJ8GL	8PJ1854	PJ	1854	73.00	0.15	0.33
730PJ10GL	10PJ1854	PJ	1854	73.00	0.19	0.41
730PJ16GL	16PJ1854	PJ	1854	73.00	0.30	0.65
730PJ20GL	20PJ1854	PJ	1854	73.00	0.37	0.82
820PJ4GL	4PJ2083	PJ	2083	82.00	0.08	0.18
820PJ6GL	6PJ2083	PJ	2083	82.00	0.12	0.28
820PJ8GL	8PJ2083	PJ	2083	82.00	0.17	0.37
820PJ10GL	10PJ2083	PJ	2083	82.00	0.21	0.46
820PJ16GL	16PJ2083	PJ	2083	82.00	0.33	0.73
820PJ20GL	20PJ2083	PJ	2083	82.00	0.42	0.92
870PJ1GL	1PJ2210	PJ	2210	87.00	0.02	0.05
870PJ4GL	4PJ2210	PJ	2210	87.00	0.09	0.19
870PJ6GL	6PJ2210	PJ	2210	87.00	0.13	0.29
870PJ8GL	8PJ2210	PJ	2210	87.00	0.18	0.39
870PJ10GL	10PJ2210	PJ	2210	87.00	0.22	0.49
870PJ16GL	16PJ2210	PJ	2210	87.00	0.35	0.78
870PJ20GL	20PJ2210	PJ	2210	87.00	0.44	0.97
920PJ1GL	1PJ2337	PJ	2337	92.00	0.02	0.05
920PJ4GL	4PJ2337	PJ	2337	92.00	0.09	0.21
920PJ6GL	6PJ2337	PJ	2337	92.00	0.14	0.31
920PJ8GL	8PJ2337	PJ	2337	92.00	0.19	0.41
920PJ10GL	10PJ2337	PJ	2337	92.00	0.23	0.51
920PJ16GL	16PJ2337	PJ	2337	92.00	0.37	0.82
920PJ20GL	20PJ2337	PJ	2337	92.00	0.47	1.03
980PJ1GL	1PJ2489	PJ	2489	98.00	0.02	0.05
980PJ4GL	4PJ2489	PJ	2489	98.00	0.10	0.22
980PJ6GL	6PJ2489	PJ	2489	98.00	0.15	0.33
980PJ8GL	8PJ2489	PJ	2489	98.00	0.20	0.44
980PJ10GL	10PJ2489	PJ	2489	98.00	0.25	0.55
980PJ16GL	16PJ2489	PJ	2489	98.00	0.40	0.88
980PJ20GL	20PJ2489	PJ	2489	98.00	0.50	1.10
345PL6GL	6PL876	PL	876	34.50	0.30	0.66
345PL8GL	8PL876	PL	876	34.50	0.40	0.88
345PL10GL	10PL876	PL	876	34.50	0.50	1.10

GOLD LABEL Poly-V - Size List



PV Belt

GOLD LABEL.




Metric			
Section	P - Pitch (mm)	H - Height (mm)	Weight (Kg/rib*m)
PL	4.7	9.6	0.057
PJ	2.34	3.5	0.01

Imperial			
Section	P - Pitch (in)	H - Height (in)	Weight (lb/rib*in)
PL	3/16	3/8	0.003
PJ	3/32	9/64	0.001


DAYCO Part Nr	Equivalent Metric Code	Section	Effective length (mm)	Effective length (in)	Weight (Kg)	Weight (lbs)
345PL12GL	12PL876	PL	876	34.50	0.60	1.32
345PL14GL	14PL876	PL	876	34.50	0.70	1.54
345PL16GL	16PL876	PL	876	34.50	0.80	1.76
345PL20GL	20PL876	PL	876	34.50	1.00	2.20
345PL23GL	23PL876	PL	876	34.50	1.15	2.53
350PL1GL	1PL889	PL	889	35.00	0.05	0.11
350PL6GL	6PL889	PL	889	35.00	0.30	0.67
350PL8GL	8PL889	PL	889	35.00	0.41	0.89
350PL10GL	10PL889	PL	889	35.00	0.51	1.12
350PL12GL	12PL889	PL	889	35.00	0.61	1.34
350PL14GL	14PL889	PL	889	35.00	0.71	1.56
350PL16GL	16PL889	PL	889	35.00	0.81	1.79
350PL20GL	20PL889	PL	889	35.00	1.01	2.23
350PL23GL	23PL889	PL	889	35.00	1.17	2.57
355PL1GL	1PL902	PL	902	35.50	0.05	0.11
355PL6GL	6PL902	PL	902	35.50	0.31	0.68
355PL8GL	8PL902	PL	902	35.50	0.41	0.91
355PL10GL	10PL902	PL	902	35.50	0.51	1.13
355PL12GL	12PL902	PL	902	35.50	0.62	1.36
355PL14GL	14PL902	PL	902	35.50	0.72	1.59
355PL16GL	16PL902	PL	902	35.50	0.82	1.81
355PL20GL	20PL902	PL	902	35.50	1.03	2.26
355PL23GL	23PL902	PL	902	35.50	1.18	2.60
360PL1GL	1PL914	PL	914	36.00	0.05	0.11
360PL6GL	6PL914	PL	914	36.00	0.31	0.69
360PL8GL	8PL914	PL	914	36.00	0.42	0.92
360PL10GL	10PL914	PL	914	36.00	0.52	1.15
360PL12GL	12PL914	PL	914	36.00	0.63	1.38
360PL14GL	14PL914	PL	914	36.00	0.73	1.61
360PL16GL	16PL914	PL	914	36.00	0.83	1.84
360PL20GL	20PL914	PL	914	36.00	1.04	2.30
360PL23GL	23PL914	PL	914	36.00	1.20	2.64
365PL1GL	1PL927	PL	927	36.50	0.05	0.12
365PL6GL	6PL927	PL	927	36.50	0.32	0.70
365PL8GL	8PL927	PL	927	36.50	0.42	0.93
365PL10GL	10PL927	PL	927	36.50	0.53	1.16
365PL12GL	12PL927	PL	927	36.50	0.63	1.40
365PL14GL	14PL927	PL	927	36.50	0.74	1.63
365PL16GL	16PL927	PL	927	36.50	0.85	1.86
365PL20GL	20PL927	PL	927	36.50	1.06	2.33
365PL23GL	23PL927	PL	927	36.50	1.22	2.68
370PL1GL	1PL940	PL	940	37.00	0.05	0.12
370PL6GL	6PL940	PL	940	37.00	0.32	0.71
370PL8GL	8PL940	PL	940	37.00	0.43	0.94
370PL10GL	10PL940	PL	940	37.00	0.54	1.18
370PL12GL	12PL940	PL	940	37.00	0.64	1.42
370PL14GL	14PL940	PL	940	37.00	0.75	1.65
370PL16GL	16PL940	PL	940	37.00	0.86	1.89

GOLD LABEL Poly-V - Size List



PV Belt

GOLD LABEL.




Metric			
Section	P - Pitch (mm)	H - Height (mm)	Weight (Kg/rib*m)
PL	4.7	9.6	0.057
PJ	2.34	3.5	0.01

Imperial			
Section	P - Pitch (in)	H - Height (in)	Weight (lb/rib*in)
PL	3/16	3/8	0.003
PJ	3/32	9/64	0.001


DAYCO Part Nr	Equivalent Metric Code	Section	Effective length (mm)	Effective length (in)	Weight (Kg)	Weight (lbs)
370PL20GL	20PL940	PL	940	37.00	1.07	2.36
370PL23GL	23PL940	PL	940	37.00	1.23	2.71
375PL1GL	1PL953	PL	953	37.50	0.05	0.12
375PL6GL	6PL953	PL	953	37.50	0.33	0.72
375PL8GL	8PL953	PL	953	37.50	0.43	0.96
375PL10GL	10PL953	PL	953	37.50	0.54	1.20
375PL12GL	12PL953	PL	953	37.50	0.65	1.44
375PL14GL	14PL953	PL	953	37.50	0.76	1.68
375PL16GL	16PL953	PL	953	37.50	0.87	1.91
375PL20GL	20PL953	PL	953	37.50	1.09	2.39
375PL23GL	23PL953	PL	953	37.50	1.25	2.75
380PL1GL	1PL965	PL	965	38.00	0.06	0.12
380PL6GL	6PL965	PL	965	38.00	0.33	0.73
380PL8GL	8PL965	PL	965	38.00	0.44	0.97
380PL10GL	10PL965	PL	965	38.00	0.55	1.21
380PL12GL	12PL965	PL	965	38.00	0.66	1.45
380PL14GL	14PL965	PL	965	38.00	0.77	1.70
380PL16GL	16PL965	PL	965	38.00	0.88	1.94
380PL20GL	20PL965	PL	965	38.00	1.10	2.42
380PL23GL	23PL965	PL	965	38.00	1.27	2.79
385PL1GL	1PL978	PL	978	38.50	0.06	0.12
385PL6GL	6PL978	PL	978	38.50	0.33	0.74
385PL8GL	8PL978	PL	978	38.50	0.45	0.98
385PL10GL	10PL978	PL	978	38.50	0.56	1.23
385PL12GL	12PL978	PL	978	38.50	0.67	1.47
385PL14GL	14PL978	PL	978	38.50	0.78	1.72
385PL16GL	16PL978	PL	978	38.50	0.89	1.96
385PL20GL	20PL978	PL	978	38.50	1.11	2.46
385PL23GL	23PL978	PL	978	38.50	1.28	2.82
390PL1GL	1PL991	PL	991	39.00	0.06	0.12
390PL6GL	6PL991	PL	991	39.00	0.34	0.75
390PL8GL	8PL991	PL	991	39.00	0.45	1.00
390PL10GL	10PL991	PL	991	39.00	0.56	1.24
390PL12GL	12PL991	PL	991	39.00	0.68	1.49
390PL14GL	14PL991	PL	991	39.00	0.79	1.74
390PL16GL	16PL991	PL	991	39.00	0.90	1.99
390PL20GL	20PL991	PL	991	39.00	1.13	2.49
390PL23GL	23PL991	PL	991	39.00	1.30	2.86
395PL1GL	1PL1003	PL	1003	39.50	0.06	0.13
395PL6GL	6PL1003	PL	1003	39.50	0.34	0.76
395PL8GL	8PL1003	PL	1003	39.50	0.46	1.01
395PL10GL	10PL1003	PL	1003	39.50	0.57	1.26
395PL12GL	12PL1003	PL	1003	39.50	0.69	1.51
395PL14GL	14PL1003	PL	1003	39.50	0.80	1.76
395PL16GL	16PL1003	PL	1003	39.50	0.91	2.01
395PL20GL	20PL1003	PL	1003	39.50	1.14	2.52
395PL23GL	23PL1003	PL	1003	39.50	1.31	2.90
400PL1GL	1PL1016	PL	1016	40.00	0.06	0.13

GOLD LABEL Poly-V - Size List



PV Belt

GOLD LABEL.



Metric			
Section	P - Pitch (mm)	H - Height (mm)	Weight (Kg/rib*m)
PL	4.7	9.6	0.057
PJ	2.34	3.5	0.01

Imperial			
Section	P - Pitch (in)	H - Height (in)	Weight (lb/rib*in)
PL	3/16	3/8	0.003
PJ	3/32	9/64	0.001


DAYCO Part Nr	Equivalent Metric Code	Section	Effective length (mm)	Effective length (in)	Weight (Kg)	Weight (lbs)
400PL6GL	6PL1016	PL	1016	40.00	0.35	0.77
400PL8GL	8PL1016	PL	1016	40.00	0.46	1.02
400PL10GL	10PL1016	PL	1016	40.00	0.58	1.28
400PL12GL	12PL1016	PL	1016	40.00	0.69	1.53
400PL14GL	14PL1016	PL	1016	40.00	0.81	1.79
400PL16GL	16PL1016	PL	1016	40.00	0.93	2.04
400PL20GL	20PL1016	PL	1016	40.00	1.16	2.55
400PL23GL	23PL1016	PL	1016	40.00	1.33	2.93
405PL1GL	1PL1029	PL	1029	40.50	0.06	0.13
405PL6GL	6PL1029	PL	1029	40.50	0.35	0.78
405PL8GL	8PL1029	PL	1029	40.50	0.47	1.03
405PL10GL	10PL1029	PL	1029	40.50	0.59	1.29
405PL12GL	12PL1029	PL	1029	40.50	0.70	1.55
405PL14GL	14PL1029	PL	1029	40.50	0.82	1.81
405PL16GL	16PL1029	PL	1029	40.50	0.94	2.07
405PL20GL	20PL1029	PL	1029	40.50	1.17	2.58
405PL23GL	23PL1029	PL	1029	40.50	1.35	2.97
410PL1GL	1PL1041	PL	1041	41.00	0.06	0.13
410PL6GL	6PL1041	PL	1041	41.00	0.36	0.78
410PL8GL	8PL1041	PL	1041	41.00	0.47	1.05
410PL10GL	10PL1041	PL	1041	41.00	0.59	1.31
410PL12GL	12PL1041	PL	1041	41.00	0.71	1.57
410PL14GL	14PL1041	PL	1041	41.00	0.83	1.83
410PL16GL	16PL1041	PL	1041	41.00	0.95	2.09
410PL20GL	20PL1041	PL	1041	41.00	1.19	2.61
410PL23GL	23PL1041	PL	1041	41.00	1.36	3.01
415PL1GL	1PL1054	PL	1054	41.50	0.06	0.13
415PL6GL	6PL1054	PL	1054	41.50	0.36	0.79
415PL8GL	8PL1054	PL	1054	41.50	0.48	1.06
415PL10GL	10PL1054	PL	1054	41.50	0.60	1.32
415PL12GL	12PL1054	PL	1054	41.50	0.72	1.59
415PL14GL	14PL1054	PL	1054	41.50	0.84	1.85
415PL16GL	16PL1054	PL	1054	41.50	0.96	2.12
415PL20GL	20PL1054	PL	1054	41.50	1.20	2.65
415PL23GL	23PL1054	PL	1054	41.50	1.38	3.04
420PL1GL	1PL1067	PL	1067	42.00	0.06	0.13
420PL6GL	6PL1067	PL	1067	42.00	0.36	0.80
420PL8GL	8PL1067	PL	1067	42.00	0.49	1.07
420PL10GL	10PL1067	PL	1067	42.00	0.61	1.34
420PL12GL	12PL1067	PL	1067	42.00	0.73	1.61
420PL14GL	14PL1067	PL	1067	42.00	0.85	1.88
420PL16GL	16PL1067	PL	1067	42.00	0.97	2.14
420PL20GL	20PL1067	PL	1067	42.00	1.22	2.68
420PL23GL	23PL1067	PL	1067	42.00	1.40	3.08
425PL1GL	1PL1080	PL	1080	42.50	0.06	0.14
425PL6GL	6PL1080	PL	1080	42.50	0.37	0.81
425PL8GL	8PL1080	PL	1080	42.50	0.49	1.08
425PL10GL	10PL1080	PL	1080	42.50	0.62	1.36

GOLD LABEL Poly-V - Size List



PV Belt

GOLD LABEL.




Metric			
Section	P - Pitch (mm)	H - Height (mm)	Weight (Kg/rib*m)
PL	4.7	9.6	0.057
PJ	2.34	3.5	0.01

Imperial			
Section	P - Pitch (in)	H - Height (in)	Weight (lb/rib*in)
PL	3/16	3/8	0.003
PJ	3/32	9/64	0.001


DAYCO Part Nr	Equivalent Metric Code	Section	Effective length (mm)	Effective length (in)	Weight (Kg)	Weight (lbs)
425PL12GL	12PL1080	PL	1080	42.50	0.74	1.63
425PL14GL	14PL1080	PL	1080	42.50	0.86	1.90
425PL16GL	16PL1080	PL	1080	42.50	0.98	2.17
425PL20GL	20PL1080	PL	1080	42.50	1.23	2.71
425PL23GL	23PL1080	PL	1080	42.50	1.42	3.12
430PL1GL	1PL1092	PL	1092	43.00	0.06	0.14
430PL6GL	6PL1092	PL	1092	43.00	0.37	0.82
430PL8GL	8PL1092	PL	1092	43.00	0.50	1.10
430PL10GL	10PL1092	PL	1092	43.00	0.62	1.37
430PL12GL	12PL1092	PL	1092	43.00	0.75	1.65
430PL14GL	14PL1092	PL	1092	43.00	0.87	1.92
430PL16GL	16PL1092	PL	1092	43.00	1.00	2.19
430PL20GL	20PL1092	PL	1092	43.00	1.24	2.74
430PL23GL	23PL1092	PL	1092	43.00	1.43	3.15
450PL1GL	1PL1143	PL	1143	45.00	0.07	0.14
450PL6GL	6PL1143	PL	1143	45.00	0.39	0.86
450PL8GL	8PL1143	PL	1143	45.00	0.52	1.15
450PL10GL	10PL1143	PL	1143	45.00	0.65	1.44
450PL12GL	12PL1143	PL	1143	45.00	0.78	1.72
450PL14GL	14PL1143	PL	1143	45.00	0.91	2.01
450PL16GL	16PL1143	PL	1143	45.00	1.04	2.30
450PL20GL	20PL1143	PL	1143	45.00	1.30	2.87
450PL23GL	23PL1143	PL	1143	45.00	1.50	3.30
460PL1GL	1PL1168	PL	1168	46.00	0.07	0.15
460PL6GL	6PL1168	PL	1168	46.00	0.40	0.88
460PL8GL	8PL1168	PL	1168	46.00	0.53	1.17
460PL10GL	10PL1168	PL	1168	46.00	0.67	1.47
460PL12GL	12PL1168	PL	1168	46.00	0.80	1.76
460PL14GL	14PL1168	PL	1168	46.00	0.93	2.05
460PL16GL	16PL1168	PL	1168	46.00	1.07	2.35
460PL20GL	20PL1168	PL	1168	46.00	1.33	2.93
460PL23GL	23PL1168	PL	1168	46.00	1.53	3.37
470PL1GL	1PL1194	PL	1194	47.00	0.07	0.15
470PL6GL	6PL1194	PL	1194	47.00	0.41	0.90
470PL8GL	8PL1194	PL	1194	47.00	0.54	1.20
470PL10GL	10PL1194	PL	1194	47.00	0.68	1.50
470PL12GL	12PL1194	PL	1194	47.00	0.82	1.80
470PL14GL	14PL1194	PL	1194	47.00	0.95	2.10
470PL16GL	16PL1194	PL	1194	47.00	1.09	2.40
470PL20GL	20PL1194	PL	1194	47.00	1.36	3.00
470PL23GL	23PL1194	PL	1194	47.00	1.57	3.45
480PL1GL	1PL1219	PL	1219	48.00	0.07	0.15
480PL6GL	6PL1219	PL	1219	48.00	0.42	0.92
480PL8GL	8PL1219	PL	1219	48.00	0.56	1.22
480PL10GL	10PL1219	PL	1219	48.00	0.69	1.53
480PL12GL	12PL1219	PL	1219	48.00	0.83	1.84
480PL14GL	14PL1219	PL	1219	48.00	0.97	2.14
480PL16GL	16PL1219	PL	1219	48.00	1.11	2.45

GOLD LABEL Poly-V - Size List



PV Belt

GOLD LABEL.




Metric			
Section	P - Pitch (mm)	H - Height (mm)	Weight (Kg/rib*m)
PL	4.7	9.6	0.057
PJ	2.34	3.5	0.01

Imperial			
Section	P - Pitch (in)	H - Height (in)	Weight (lb/rib*in)
PL	3/16	3/8	0.003
PJ	3/32	9/64	0.001


DAYCO Part Nr	Equivalent Metric Code	Section	Effective length (mm)	Effective length (in)	Weight (Kg)	Weight (lbs)
480PL20GL	20PL1219	PL	1219	48.00	1.39	3.06
480PL23GL	23PL1219	PL	1219	48.00	1.60	3.52
500PL1GL	1PL1270	PL	1270	50.00	0.07	0.16
500PL6GL	6PL1270	PL	1270	50.00	0.43	0.96
500PL8GL	8PL1270	PL	1270	50.00	0.58	1.28
500PL10GL	10PL1270	PL	1270	50.00	0.72	1.59
500PL12GL	12PL1270	PL	1270	50.00	0.87	1.91
500PL14GL	14PL1270	PL	1270	50.00	1.01	2.23
500PL16GL	16PL1270	PL	1270	50.00	1.16	2.55
500PL20GL	20PL1270	PL	1270	50.00	1.45	3.19
500PL23GL	23PL1270	PL	1270	50.00	1.66	3.67
540PL1GL	1PL1372	PL	1372	54.00	0.08	0.17
540PL6GL	6PL1372	PL	1372	54.00	0.47	1.03
540PL8GL	8PL1372	PL	1372	54.00	0.63	1.38
540PL10GL	10PL1372	PL	1372	54.00	0.78	1.72
540PL12GL	12PL1372	PL	1372	54.00	0.94	2.07
540PL14GL	14PL1372	PL	1372	54.00	1.09	2.41
540PL16GL	16PL1372	PL	1372	54.00	1.25	2.76
540PL20GL	20PL1372	PL	1372	54.00	1.56	3.45
540PL23GL	23PL1372	PL	1372	54.00	1.80	3.96
560PL1GL	1PL1422	PL	1422	56.00	0.08	0.18
560PL6GL	6PL1422	PL	1422	56.00	0.49	1.07
560PL8GL	8PL1422	PL	1422	56.00	0.65	1.43
560PL10GL	10PL1422	PL	1422	56.00	0.81	1.79
560PL12GL	12PL1422	PL	1422	56.00	0.97	2.14
560PL14GL	14PL1422	PL	1422	56.00	1.13	2.50
560PL16GL	16PL1422	PL	1422	56.00	1.30	2.86
560PL20GL	20PL1422	PL	1422	56.00	1.62	3.57
560PL23GL	23PL1422	PL	1422	56.00	1.86	4.11
565PL1GL	1PL1435	PL	1435	56.50	0.08	0.18
565PL6GL	6PL1435	PL	1435	56.50	0.49	1.08
565PL8GL	8PL1435	PL	1435	56.50	0.65	1.44
565PL10GL	10PL1435	PL	1435	56.50	0.82	1.80
565PL12GL	12PL1435	PL	1435	56.50	0.98	2.16
565PL14GL	14PL1435	PL	1435	56.50	1.15	2.52
565PL16GL	16PL1435	PL	1435	56.50	1.31	2.88
565PL20GL	20PL1435	PL	1435	56.50	1.64	3.60
565PL23GL	23PL1435	PL	1435	56.50	1.88	4.14
570PL1GL	1PL1448	PL	1448	57.00	0.08	0.18
570PL6GL	6PL1448	PL	1448	57.00	0.50	1.09
570PL8GL	8PL1448	PL	1448	57.00	0.66	1.45
570PL10GL	10PL1448	PL	1448	57.00	0.83	1.82
570PL12GL	12PL1448	PL	1448	57.00	0.99	2.18
570PL14GL	14PL1448	PL	1448	57.00	1.16	2.55
570PL16GL	16PL1448	PL	1448	57.00	1.32	2.91
570PL20GL	20PL1448	PL	1448	57.00	1.65	3.64
570PL23GL	23PL1448	PL	1448	57.00	1.90	4.18
600PL1GL	1PL1524	PL	1524	60.00	0.09	0.19

GOLD LABEL Poly-V - Size List



PV Belt

GOLD LABEL.




Metric			
Section	P - Pitch (mm)	H - Height (mm)	Weight (Kg/rib*m)
PL	4.7	9.6	0.057
PJ	2.34	3.5	0.01

Imperial			
Section	P - Pitch (in)	H - Height (in)	Weight (lb/rib*in)
PL	3/16	3/8	0.003
PJ	3/32	9/64	0.001


DAYCO Part Nr	Equivalent Metric Code	Section	Effective length (mm)	Effective length (in)	Weight (Kg)	Weight (lbs)
600PL6GL	6PL1524	PL	1524	60.00	0.52	1.15
600PL8GL	8PL1524	PL	1524	60.00	0.69	1.53
600PL10GL	10PL1524	PL	1524	60.00	0.87	1.91
600PL12GL	12PL1524	PL	1524	60.00	1.04	2.30
600PL14GL	14PL1524	PL	1524	60.00	1.22	2.68
600PL16GL	16PL1524	PL	1524	60.00	1.39	3.06
600PL20GL	20PL1524	PL	1524	60.00	1.74	3.83
600PL23GL	23PL1524	PL	1524	60.00	2.00	4.40
615PL1GL	1PL1562	PL	1562	61.50	0.09	0.20
615PL6GL	6PL1562	PL	1562	61.50	0.53	1.18
615PL8GL	8PL1562	PL	1562	61.50	0.71	1.57
615PL10GL	10PL1562	PL	1562	61.50	0.89	1.96
615PL12GL	12PL1562	PL	1562	61.50	1.07	2.35
615PL14GL	14PL1562	PL	1562	61.50	1.25	2.75
615PL16GL	16PL1562	PL	1562	61.50	1.42	3.14
615PL20GL	20PL1562	PL	1562	61.50	1.78	3.92
615PL23GL	23PL1562	PL	1562	61.50	2.05	4.51
635PL1GL	1PL1613	PL	1613	63.50	0.09	0.20
635PL6GL	6PL1613	PL	1613	63.50	0.55	1.22
635PL8GL	8PL1613	PL	1613	63.50	0.74	1.62
635PL10GL	10PL1613	PL	1613	63.50	0.92	2.03
635PL12GL	12PL1613	PL	1613	63.50	1.10	2.43
635PL14GL	14PL1613	PL	1613	63.50	1.29	2.84
635PL16GL	16PL1613	PL	1613	63.50	1.47	3.24
635PL20GL	20PL1613	PL	1613	63.50	1.84	4.05
635PL23GL	23PL1613	PL	1613	63.50	2.11	4.66
650PL1GL	1PL1651	PL	1651	65.00	0.09	0.21
650PL6GL	6PL1651	PL	1651	65.00	0.56	1.24
650PL8GL	8PL1651	PL	1651	65.00	0.75	1.66
650PL10GL	10PL1651	PL	1651	65.00	0.94	2.07
650PL12GL	12PL1651	PL	1651	65.00	1.13	2.49
650PL14GL	14PL1651	PL	1651	65.00	1.32	2.90
650PL16GL	16PL1651	PL	1651	65.00	1.51	3.32
650PL20GL	20PL1651	PL	1651	65.00	1.88	4.15
650PL23GL	23PL1651	PL	1651	65.00	2.16	4.77
655PL1GL	1PL1664	PL	1664	65.50	0.09	0.21
655PL6GL	6PL1664	PL	1664	65.50	0.57	1.25
655PL8GL	8PL1664	PL	1664	65.50	0.76	1.67
655PL10GL	10PL1664	PL	1664	65.50	0.95	2.09
655PL12GL	12PL1664	PL	1664	65.50	1.14	2.51
655PL14GL	14PL1664	PL	1664	65.50	1.33	2.92
655PL16GL	16PL1664	PL	1664	65.50	1.52	3.34
655PL20GL	20PL1664	PL	1664	65.50	1.90	4.18
655PL23GL	23PL1664	PL	1664	65.50	2.18	4.81
675PL1GL	1PL1715	PL	1715	67.50	0.10	0.22
675PL6GL	6PL1715	PL	1715	67.50	0.59	1.29
675PL8GL	8PL1715	PL	1715	67.50	0.78	1.72
675PL10GL	10PL1715	PL	1715	67.50	0.98	2.15

GOLD LABEL Poly-V - Size List



PV Belt

GOLD LABEL.



Metric			
Section	P - Pitch (mm)	H - Height (mm)	Weight (Kg/rib*m)
PL	4.7	9.6	0.057
PJ	2.34	3.5	0.01

Imperial			
Section	P - Pitch (in)	H - Height (in)	Weight (lb/rib*in)
PL	3/16	3/8	0.003
PJ	3/32	9/64	0.001


DAYCO Part Nr	Equivalent Metric Code	Section	Effective length (mm)	Effective length (in)	Weight (Kg)	Weight (lbs)
675PL12GL	12PL1715	PL	1715	67.50	1.17	2.58
675PL14GL	14PL1715	PL	1715	67.50	1.37	3.01
675PL16GL	16PL1715	PL	1715	67.50	1.56	3.45
675PL20GL	20PL1715	PL	1715	67.50	1.96	4.31
675PL23GL	23PL1715	PL	1715	67.50	2.25	4.95
680PL1GL	1PL1727	PL	1727	68.00	0.10	0.22
680PL6GL	6PL1727	PL	1727	68.00	0.59	1.30
680PL8GL	8PL1727	PL	1727	68.00	0.79	1.73
680PL10GL	10PL1727	PL	1727	68.00	0.98	2.17
680PL12GL	12PL1727	PL	1727	68.00	1.18	2.60
680PL14GL	14PL1727	PL	1727	68.00	1.38	3.04
680PL16GL	16PL1727	PL	1727	68.00	1.58	3.47
680PL20GL	20PL1727	PL	1727	68.00	1.97	4.34
680PL23GL	23PL1727	PL	1727	68.00	2.26	4.99
690PL1GL	1PL1753	PL	1753	69.00	0.10	0.22
690PL6GL	6PL1753	PL	1753	69.00	0.60	1.32
690PL8GL	8PL1753	PL	1753	69.00	0.80	1.76
690PL10GL	10PL1753	PL	1753	69.00	1.00	2.20
690PL12GL	12PL1753	PL	1753	69.00	1.20	2.64
690PL14GL	14PL1753	PL	1753	69.00	1.40	3.08
690PL16GL	16PL1753	PL	1753	69.00	1.60	3.52
690PL20GL	20PL1753	PL	1753	69.00	2.00	4.40
690PL23GL	23PL1753	PL	1753	69.00	2.30	5.06
695PL1GL	1PL1765	PL	1765	69.50	0.10	0.22
695PL6GL	6PL1765	PL	1765	69.50	0.60	1.33
695PL8GL	8PL1765	PL	1765	69.50	0.80	1.77
695PL10GL	10PL1765	PL	1765	69.50	1.01	2.22
695PL12GL	12PL1765	PL	1765	69.50	1.21	2.66
695PL14GL	14PL1765	PL	1765	69.50	1.41	3.10
695PL16GL	16PL1765	PL	1765	69.50	1.61	3.55
695PL20GL	20PL1765	PL	1765	69.50	2.01	4.43
695PL23GL	23PL1765	PL	1765	69.50	2.31	5.10
725PL1GL	1PL1842	PL	1842	72.50	0.10	0.23
725PL6GL	6PL1842	PL	1842	72.50	0.63	1.39
725PL8GL	8PL1842	PL	1842	72.50	0.84	1.85
725PL10GL	10PL1842	PL	1842	72.50	1.05	2.31
725PL12GL	12PL1842	PL	1842	72.50	1.26	2.78
725PL14GL	14PL1842	PL	1842	72.50	1.47	3.24
725PL16GL	16PL1842	PL	1842	72.50	1.68	3.70
725PL20GL	20PL1842	PL	1842	72.50	2.10	4.63
725PL23GL	23PL1842	PL	1842	72.50	2.41	5.32
750PL1GL	1PL1905	PL	1905	75.00	0.11	0.24
750PL6GL	6PL1905	PL	1905	75.00	0.65	1.44
750PL8GL	8PL1905	PL	1905	75.00	0.87	1.91
750PL10GL	10PL1905	PL	1905	75.00	1.09	2.39
750PL12GL	12PL1905	PL	1905	75.00	1.30	2.87
750PL14GL	14PL1905	PL	1905	75.00	1.52	3.35
750PL16GL	16PL1905	PL	1905	75.00	1.74	3.83

GOLD LABEL Poly-V - Size List



PV Belt

GOLD LABEL.




Metric			
Section	P - Pitch (mm)	H - Height (mm)	Weight (Kg/rib*m)
PL	4.7	9.6	0.057
PJ	2.34	3.5	0.01

Imperial			
Section	P - Pitch (in)	H - Height (in)	Weight (lb/rib*in)
PL	3/16	3/8	0.003
PJ	3/32	9/64	0.001


DAYCO Part Nr	Equivalent Metric Code	Section	Effective length (mm)	Effective length (in)	Weight (Kg)	Weight (lbs)
750PL20GL	20PL1905	PL	1905	75.00	2.17	4.78
750PL23GL	23PL1905	PL	1905	75.00	2.50	5.50
765PL1GL	1PL1943	PL	1943	76.50	0.11	0.24
765PL6GL	6PL1943	PL	1943	76.50	0.66	1.46
765PL8GL	8PL1943	PL	1943	76.50	0.89	1.95
765PL10GL	10PL1943	PL	1943	76.50	1.11	2.44
765PL12GL	12PL1943	PL	1943	76.50	1.33	2.93
765PL14GL	14PL1943	PL	1943	76.50	1.55	3.42
765PL16GL	16PL1943	PL	1943	76.50	1.77	3.90
765PL20GL	20PL1943	PL	1943	76.50	2.22	4.88
765PL23GL	23PL1943	PL	1943	76.50	2.55	5.61
780PL1GL	1PL1981	PL	1981	78.00	0.11	0.25
780PL6GL	6PL1981	PL	1981	78.00	0.68	1.49
780PL8GL	8PL1981	PL	1981	78.00	0.90	1.99
780PL10GL	10PL1981	PL	1981	78.00	1.13	2.49
780PL12GL	12PL1981	PL	1981	78.00	1.36	2.98
780PL14GL	14PL1981	PL	1981	78.00	1.58	3.48
780PL16GL	16PL1981	PL	1981	78.00	1.81	3.98
780PL20GL	20PL1981	PL	1981	78.00	2.26	4.97
780PL23GL	23PL1981	PL	1981	78.00	2.60	5.72
795PL1GL	1PL2019	PL	2019	79.50	0.12	0.25
795PL6GL	6PL2019	PL	2019	79.50	0.69	1.52
795PL8GL	8PL2019	PL	2019	79.50	0.92	2.03
795PL10GL	10PL2019	PL	2019	79.50	1.15	2.53
795PL12GL	12PL2019	PL	2019	79.50	1.38	3.04
795PL14GL	14PL2019	PL	2019	79.50	1.61	3.55
795PL16GL	16PL2019	PL	2019	79.50	1.84	4.06
795PL20GL	20PL2019	PL	2019	79.50	2.30	5.07
795PL23GL	23PL2019	PL	2019	79.50	2.65	5.83
815PL1GL	1PL2070	PL	2070	81.50	0.12	0.26
815PL6GL	6PL2070	PL	2070	81.50	0.71	1.56
815PL8GL	8PL2070	PL	2070	81.50	0.94	2.08
815PL10GL	10PL2070	PL	2070	81.50	1.18	2.60
815PL12GL	12PL2070	PL	2070	81.50	1.42	3.12
815PL14GL	14PL2070	PL	2070	81.50	1.65	3.64
815PL16GL	16PL2070	PL	2070	81.50	1.89	4.16
815PL20GL	20PL2070	PL	2070	81.50	2.36	5.20
815PL23GL	23PL2070	PL	2070	81.50	2.71	5.98
835PL1GL	1PL2121	PL	2121	83.50	0.12	0.27
835PL6GL	6PL2121	PL	2121	83.50	0.73	1.60
835PL8GL	8PL2121	PL	2121	83.50	0.97	2.13
835PL10GL	10PL2121	PL	2121	83.50	1.21	2.66
835PL12GL	12PL2121	PL	2121	83.50	1.45	3.20
835PL14GL	14PL2121	PL	2121	83.50	1.69	3.73
835PL16GL	16PL2121	PL	2121	83.50	1.93	4.26
835PL20GL	20PL2121	PL	2121	83.50	2.42	5.33
835PL23GL	23PL2121	PL	2121	83.50	2.78	6.12
840PL1GL	1PL2134	PL	2134	84.00	0.12	0.27

GOLD LABEL Poly-V - Size List



PV Belt

GOLD LABEL.




Metric			
Section	P - Pitch (mm)	H - Height (mm)	Weight (Kg/rib*m)
PL	4.7	9.6	0.057
PJ	2.34	3.5	0.01

Imperial			
Section	P - Pitch (in)	H - Height (in)	Weight (lb/rib*in)
PL	3/16	3/8	0.003
PJ	3/32	9/64	0.001


DAYCO Part Nr	Equivalent Metric Code	Section	Effective length (mm)	Effective length (in)	Weight (Kg)	Weight (lbs)
840PL6GL	6PL2134	PL	2134	84.00	0.73	1.61
840PL8GL	8PL2134	PL	2134	84.00	0.97	2.14
840PL10GL	10PL2134	PL	2134	84.00	1.22	2.68
840PL12GL	12PL2134	PL	2134	84.00	1.46	3.22
840PL14GL	14PL2134	PL	2134	84.00	1.70	3.75
840PL16GL	16PL2134	PL	2134	84.00	1.95	4.29
840PL20GL	20PL2134	PL	2134	84.00	2.43	5.36
840PL23GL	23PL2134	PL	2134	84.00	2.80	6.16
845PL1GL	1PL2146	PL	2146	84.50	0.12	0.27
845PL6GL	6PL2146	PL	2146	84.50	0.73	1.62
845PL8GL	8PL2146	PL	2146	84.50	0.98	2.16
845PL10GL	10PL2146	PL	2146	84.50	1.22	2.69
845PL12GL	12PL2146	PL	2146	84.50	1.47	3.23
845PL14GL	14PL2146	PL	2146	84.50	1.71	3.77
845PL16GL	16PL2146	PL	2146	84.50	1.96	4.31
845PL20GL	20PL2146	PL	2146	84.50	2.45	5.39
845PL23GL	23PL2146	PL	2146	84.50	2.81	6.20
865PL1GL	1PL2197	PL	2197	86.50	0.13	0.28
865PL6GL	6PL2197	PL	2197	86.50	0.75	1.66
865PL8GL	8PL2197	PL	2197	86.50	1.00	2.21
865PL10GL	10PL2197	PL	2197	86.50	1.25	2.76
865PL12GL	12PL2197	PL	2197	86.50	1.50	3.31
865PL14GL	14PL2197	PL	2197	86.50	1.75	3.86
865PL16GL	16PL2197	PL	2197	86.50	2.00	4.41
865PL20GL	20PL2197	PL	2197	86.50	2.50	5.52
865PL23GL	23PL2197	PL	2197	86.50	2.88	6.34
880PL1GL	1PL2235	PL	2235	88.00	0.13	0.28
880PL6GL	6PL2235	PL	2235	88.00	0.76	1.68
880PL8GL	8PL2235	PL	2235	88.00	1.02	2.24
880PL10GL	10PL2235	PL	2235	88.00	1.27	2.81
880PL12GL	12PL2235	PL	2235	88.00	1.53	3.37
880PL14GL	14PL2235	PL	2235	88.00	1.78	3.93
880PL16GL	16PL2235	PL	2235	88.00	2.04	4.49
880PL20GL	20PL2235	PL	2235	88.00	2.55	5.61
880PL23GL	23PL2235	PL	2235	88.00	2.93	6.45
915PL1GL	1PL2324	PL	2324	91.50	0.13	0.29
915PL6GL	6PL2324	PL	2324	91.50	0.79	1.75
915PL8GL	8PL2324	PL	2324	91.50	1.06	2.33
915PL10GL	10PL2324	PL	2324	91.50	1.32	2.92
915PL12GL	12PL2324	PL	2324	91.50	1.59	3.50
915PL14GL	14PL2324	PL	2324	91.50	1.85	4.08
915PL16GL	16PL2324	PL	2324	91.50	2.12	4.67
915PL20GL	20PL2324	PL	2324	91.50	2.65	5.84
915PL23GL	23PL2324	PL	2324	91.50	3.05	6.71
930PL1GL	1PL2362	PL	2362	93.00	0.13	0.30
930PL6GL	6PL2362	PL	2362	93.00	0.81	1.78
930PL8GL	8PL2362	PL	2362	93.00	1.08	2.37
930PL10GL	10PL2362	PL	2362	93.00	1.35	2.97

GOLD LABEL Poly-V - Size List



PV Belt

GOLD LABEL.



Metric			
Section	P - Pitch (mm)	H - Height (mm)	Weight (Kg/rib*m)
PL	4.7	9.6	0.057
PJ	2.34	3.5	0.01

Imperial			
Section	P - Pitch (in)	H - Height (in)	Weight (lb/rib*in)
PL	3/16	3/8	0.003
PJ	3/32	9/64	0.001

DAYCO Part Nr	Equivalent Metric Code	Section	Effective length (mm)	Effective length (in)	Weight (Kg)	Weight (lbs)
930PL12GL	12PL2362	PL	2362	93.00	1.62	3.56
930PL14GL	14PL2362	PL	2362	93.00	1.88	4.15
930PL16GL	16PL2362	PL	2362	93.00	2.15	4.74
930PL20GL	20PL2362	PL	2362	93.00	2.69	5.93
930PL23GL	23PL2362	PL	2362	93.00	3.10	6.82
975PL1GL	1PL2477	PL	2477	97.50	0.14	0.31
975PL6GL	6PL2477	PL	2477	97.50	0.85	1.87
975PL8GL	8PL2477	PL	2477	97.50	1.13	2.49
975PL10GL	10PL2477	PL	2477	97.50	1.41	3.11
975PL12GL	12PL2477	PL	2477	97.50	1.69	3.73
975PL14GL	14PL2477	PL	2477	97.50	1.98	4.35
975PL16GL	16PL2477	PL	2477	97.50	2.26	4.98
975PL20GL	20PL2477	PL	2477	97.50	2.82	6.22
975PL23GL	23PL2477	PL	2477	97.50	3.25	7.15